



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

December 17, 2014

Ms. Heather Masch  
Regulatory Affairs Specialist  
The Hartz Mountain Corporation  
400 Plaza Drive  
Secaucus, NJ 07094-3688

Subject: Label Notification per PRN 98-10 – Addition of Non-pesticide Related Claims  
Product Name: Hartz 2 in 1 Plus Seven Month Collar for Dogs  
EPA Registration Number: 2596-84  
Application Date: December 3, 2014  
Decision Number: 498035

Dear Ms. Masch:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

If you have any questions, you may contact Dani Daniel at 703 305-5409 or via email at [daniel.dani@epa.gov](mailto:daniel.dani@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Richard Gebken".

Richard Gebken  
Product Manager 10  
Invertebrate & Vertebrate Branch 2  
Office of Pesticide Programs

# Hartz® 2 in 1® Plus Seven Month Collar for Dogs

## NOTIFICATION

2596-84

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

12/17/2014

### Alternate Brand Name(s)

Field & Stream® Reflecting Flea & Tick Collar  
Field & Stream® by Hartz® Reflecting Flea & Tick Collar  
Hartz® Presents Field & Stream® Reflecting Flea & Tick Collar

Hartz® InControl® Flea (&)(and) Tick Collar for Dogs (&)(and) (Puppies)  
Hartz® InControl® Flea (&)(and) Tick Collar for Large Dogs  
Hartz® InControl® Flea (&)(and) Tick Collar for (Dogs) (&)(and) Puppies

Hartz® UltraGuard™ Flea (&) (and) Tick Collar for (Dogs) (&) (and) Puppies  
Hartz® UltraGuard™ Flea (&) (and) Tick Collar for Small Dogs  
Hartz® UltraGuard™ Flea (&) (and) Tick Collar for Large Dogs  
Hartz® UltraGuard™ Reflecting Flea (&) (and) Tick Collar for Dogs (&) (and) Puppies  
Hartz® UltraGuard™ Reflecting Flea (&) (and) Tick Collar for Small Dogs  
Hartz® UltraGuard™ Reflecting Flea (&) (and) Tick Collar for Large Dogs  
Hartz® UltraGuard™ Reflecting Flea (&) (and) Tick Collar for Puppies

Hartz® Advanced Care™ 2 in 1® 7 Month Flea and Tick Collar for Dogs  
Hartz® Advanced Care™ 2 in 1® 7 Month Flea and Tick Collar for Large Dogs  
Hartz® Advanced Care™ 2 in 1® 7 Month Flea and Tick Collar for Puppies  
Hartz® Advanced Care™ 2 in 1® Reflecting 7 Month Flea and Tick Collar for Dogs  
Hartz® Advanced Care™ 2 in 1® Reflecting 7 Month Flea and Tick Collar for Large Dogs  
Hartz® Advanced Care™ 2 in 1® Reflecting 7 Month Flea and Tick Collar for Puppies  
Hartz® Advanced Care™ 2 in 1® Collar for Dogs  
Hartz® Advanced Care™ 2 in 1® Collar for Large Dogs  
Hartz® Advanced Care™ 2 in 1® Collar for Puppies  
Hartz® Advanced Care™ 2 in 1® Reflecting Collar for Dogs  
Hartz® Advanced Care™ 2 in 1® Reflecting Collar for Large Dogs  
Hartz® Advanced Care™ 2 in 1® Reflecting Collar for Puppies

Hartz® 2 in 1® Collar for Dogs  
Hartz® 2 in 1® Collar for Large Dogs  
Hartz® 2 in 1® Collar for Puppies  
Hartz® 2 in 1® Reflecting Collar for Dogs

### **ACTIVE INGREDIENT:**

Tetrachlorvinphos .....14.55%

**OTHER INGREDIENTS** .....85.45%

**TOTAL** .....100.00%

**CAUTION:** Do not let children play with this collar.  
See (side) (back) panel(s) for additional precautionary statements.

**NET CONTENT(S):** 1 (color designation) (reflecting)(reflective) COLLAR,  
(NET. WT.) (*Range from 19 g to 32 g depending on size of animal*)

EPA Reg. No. 2596-84

EPA Est. No.

Made (in the U.S.A.) by  
The Hartz Mountain Corporation  
400 Plaza Drive  
Secaucus, NJ 07094 (U.S.A.)

**READ ENTIRE LABEL BEFORE EACH USE.  
USE ONLY ON DOGS.**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**FIRST AID**

**If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

**If On Skin Or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

**If In Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-275-1414 for emergency medical treatment information.

**Note to Physicians and Veterinarians:** This product contains tetrachlorvinphos (an organophosphate) which is a cholinesterase inhibitor. Cholinergic symptoms may include salivation, miosis, incoordination, muscle fasciculation and/or weakness, vomiting and diarrhea. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine. Call 1-800-275-1414 or your local Poison Control Center for further information.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REMOVE COLLAR FROM PACKAGE, UNROLL AND STRETCH TO ACTIVATE INSECTICIDE GENERATOR. As the collar begins to work, a fine white powder will appear on the surface.

Do not use on puppies under 6 weeks of age. Do not unroll collar until ready to use. Place the (brand name) (collar) around the dog's neck, adjust for proper fit, and buckle in place. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Generally, a properly fitted collar is one that, when fastened, will snugly slide over the dog's head. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length.

Consult a veterinarian before using this product on debilitated, aged, or medicated animals. If used on pregnant or nursing dogs, do not replace collar until the puppies are at least 6 weeks old. Sensitivity may occur after using ANY pesticide product for pets. Some animals may become irritated by any collar if it is applied too tightly. If this occurs, loosen the collar. If irritation continues, remove the collar from the dog. If signs of sensitivity occur, remove the collar and bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Do not use this product on dogs simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. However, flea and tick collars may be immediately replaced.

This collar is intended for use only as an insecticide generator.

(Kills fleas and ticks common to dogs, including the Deer tick, which may carry Lyme disease, and the Rocky Mountain wood tick, which may carry Rocky Mountain spotted fever.) The collar will begin to kill fleas and ticks immediately. (Its full protection against harder to kill ticks will be built up within a few days after being placed on the pet.) For continuous flea and tick protection under normal conditions replace the collar every seven months. The collar kills ticks for 5 months and aids in their control an additional 2 months. Under conditions where dogs are exposed to severe flea and tick infestations it may be necessary to replace the collar more frequently; however, do not replace the collar more frequently than every 5 months. Wetting will not impair the collar's effectiveness or the pet's protection. If the dog goes swimming or is out in the rain it is not necessary to remove the collar. The (brand name) (collar) may be worn with a regular collar. It is recommended that the pet's bedding or sleeping quarters be treated for flea and tick control with a product registered for this use such as (brand name).

## **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal.

**Pesticide Storage:** Store this product in a cool, dry place that is inaccessible to children.

**Pesticide Disposal: If empty:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## **OPTIONAL/ALTERNATE LABEL TEXT**

(Starts Killing) (Starts to Kill) (Kills) (& (and) (Repelling)(Repel)(Repels)(Fleas)  
(&)(and) (Ticks) (through Contact) for up to (5)(7) (seven) Months  
(Starts Killing) (Starts to Kill)(& (and) (Repel)(Repelling) (Fleas) (& (and) (Ticks) on  
contact for up to (5)(7) (seven) months  
(5) (7) Month(s) Protection  
Starts Working (on) (with) Contact  
With Rabon®\*  
\*Rabon® is the Hartz trademark for Tetrachlorvinphos

Kills (& (and) (Repels) Up to (5) (7) Months  
Kills (& (and) (Repels) Ticks  
Kills (& (and) (Repels) Fleas  
Kills (& (and) (Repels) fleas and ticks  
Kills (& (and) (Repels) fleas and ticks (for) up to (5) (7) (seven) months  
(Long Term) (7-Month) (Continuous) Protection (against fleas and ticks)  
Kills fleas that may cause flea allergy dermatitis (and)(or) flea bite anemia.  
Kills fleas that may transit tapeworm.  
(Controls)(Kills)(fleas)(and)(&)(ticks) round-the-clock for (up to) (7) (seven) months

The active ingredient will work its way from the surface of the collar onto your pet's coat providing continuous protection against fleas and ticks

Rabon® is a registered trademark for Tetrachlorvinphos

**NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT**

Break-away collar  
Break-away buckle  
easy release collar  
X collar (where X = a color)

**For Small Dogs**

For Dogs  
For Puppies  
For Dogs (&) (and) Puppies  
(for) Puppies  
(for) (Medium) (M) (Large) (L) (Extra Large) (XL) Dogs  
Made in (the) USA

With deodorant  
(Clean) (Fresh) (deodorant) scent  
Powerful Results When You Need (it)(them)  
EASY ACTIVATION - To activate collar, hold at each end ... STRETCH ... and it's ready (to work) (to kill fleas & ticks) (for your dog to wear).  
The Hartz UltraGuard Reflecting Flea & Tick Collar for (Small) (Large) (Dogs) (Puppies) provides an added dimension of nighttime visibility for you and your pet. The collar will reflect when light shines directly on the reflecting strip.  
Water resistant

Fits up to (*range from 15" to 26"*) necks  
For (dogs) (and) (&) (puppies) with necks up to (*range from 15" to 26"*)  
Reflects Direct Light up to (200 ft.) (250 ft.) (300 ft.) (400 ft.) (450 ft.) (500 ft.) (550 ft.) (600 ft.)  
White Collar with Reflecting Technology  
White Collar with Reflective Technology  
Visible (in) (to) headlights

The Hartz® (brand name) provides an added dimension of nighttime visibility for you and your pet. The collar will reflect (up to 300 feet) when light shines directly on (onto) the reflecting strip.

Important: Consumer information and pet I.D. tag offer printed on inside of package.

Hartz® (brand name) products are designed to complement each other in an integrated program for flea (and)(&) tick management. To assure proper treatment, we recommend use of only Hartz® (brand name) products.

To learn more about treating current infestations and preventing future outbreaks please visit our website ([www.hartz.com](http://www.hartz.com))([www.hartzultraguard.com](http://www.hartzultraguard.com))

To learn more visit ([www.hartz.com](http://www.hartz.com))([www.hartzultraguard.com](http://www.hartzultraguard.com))

(PLEASE) VISIT OUR WEBSITE (AT) ([www.hartz.com](http://www.hartz.com))([www.hartzultraguard.com](http://www.hartzultraguard.com))

Hartz recommends that you visit your veterinarian twice a year.

Be sure to read full directions and precautions on the label of every product you use.

Remember to always read each product label and follow the directions carefully.

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation.