



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

February 2, 2017

Mr. Lance Hemsarth  
Senior Director, Research and Development  
The Hartz Mountain Corporation  
400 Plaza Drive  
Secaucus, NJ 07094-3688

Subject: Label Amendment – Addition of California Prop 65 Statement to Updated Storage and Disposal Statements  
Product Name: Hartz® 2 in 1® Plus Seven Month Collar for Dogs  
EPA Registration Number: 2596-84  
Application Date: October 28, 2016  
Decision Number: 523605

Dear Mr. Hemsarth:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2  
EPA Reg. No. 2596-84  
Decision No. 523605

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Mr. Carmen J. Rodia, Jr. by phone at (703) 306-0327, or via email at [Rodia.Carmen@epa.gov](mailto:Rodia.Carmen@epa.gov).

Sincerely,



Richard Gebken  
Product Manager 10  
Invertebrate & Vertebrate Branch 2  
Office of Pesticide Programs

*Enclosure: Label Stamped "Accepted," dated February 2, 2017*

# Hartz® 2 in 1® Plus Seven Month Collar for Dogs

Alternate Brand Name(s)


Field & Stream® Reflecting Flea & Tick Collar  
Field & Stream® by Hartz® Reflecting Flea & Tick Collar  
Hartz® Presents Field & Stream® Reflecting Flea & Tick Collar

Hartz® InControl® Flea (&)(and) Tick Collar for Dogs (&)(and) (Puppies)  
Hartz® InControl® Flea (&)(and) Tick Collar for Large Dogs  
Hartz® InControl® Flea (&)(and) Tick Collar for (Dogs) (&)(and) Puppies

Hartz® UltraGuard™ Flea (&) (and) Tick Collar for (Dogs) (&) (and) Puppies  
Hartz® UltraGuard™ Flea (&) (and) Tick Collar for Small Dogs  
Hartz® UltraGuard™ Flea (&) (and) Tick Collar for Large Dogs  
Hartz® UltraGuard™ Reflecting Flea (&) (and) Tick Collar for Dogs (&) (and) Puppies  
Hartz® UltraGuard™ Reflecting Flea (&) (and) Tick Collar for Small Dogs  
Hartz® UltraGuard™ Reflecting Flea (&) (and) Tick Collar for Large Dogs  
Hartz® UltraGuard™ Reflecting Flea (&) (and) Tick Collar for Puppies

Hartz® Advanced Care™ 2 in 1® 7 Month Flea and Tick Collar for Dogs  
Hartz® Advanced Care™ 2 in 1® 7 Month Flea and Tick Collar for Large Dogs  
Hartz® Advanced Care™ 2 in 1® 7 Month Flea and Tick Collar for Puppies  
Hartz® Advanced Care™ 2 in 1® Reflecting 7 Month Flea and Tick Collar for Dogs  
Hartz® Advanced Care™ 2 in 1® Reflecting 7 Month Flea and Tick Collar for Large Dogs  
Hartz® Advanced Care™ 2 in 1® Reflecting 7 Month Flea and Tick Collar for Puppies  
Hartz® Advanced Care™ 2 in 1® Collar for Dogs  
Hartz® Advanced Care™ 2 in 1® Collar for Large Dogs  
Hartz® Advanced Care™ 2 in 1® Collar for Puppies  
Hartz® Advanced Care™ 2 in 1® Reflecting Collar for Dogs  
Hartz® Advanced Care™ 2 in 1® Reflecting Collar for Large Dogs  
Hartz® Advanced Care™ 2 in 1® Reflecting Collar for Puppies

Hartz® 2 in 1® Collar for Dogs  
Hartz® 2 in 1® Collar for Large Dogs  
Hartz® 2 in 1® Collar for Puppies  
Hartz® 2 in 1® Reflecting Collar for Dogs



**ACTIVE INGREDIENT:**

Tetrachlorvinphos .....	14.55%
<b>OTHER INGREDIENTS</b> .....	<u>85.45%</u>
<b>TOTAL</b> .....	100.00%

**CAUTION:** Do not let children play with this collar.  
See (side) (back) panel(s) for additional precautionary statements.

---

**NET CONTENT(S):** 1 (color designation) (reflecting)(reflective) COLLAR,  
(NET. WT.) (*Range from 19 g to 32 g depending on size of animal*)

EPA Reg. No. 2596-84  
EPA Est. No. 2596-  
OH -1

Made (in the U.S.A.) by  
The Hartz Mountain Corporation  
400 Plaza Drive  
Secaucus, NJ 07094 (U.S.A.)

**READ ENTIRE LABEL BEFORE EACH USE.  
USE ONLY ON DOGS.**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**FIRST AID**

**If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

**If On Skin Or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

**If In Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-275-1414 twenty-four (24) hours per day, seven (7) days per week.

**Note to Physicians and Veterinarians:** This product contains tetrachlorvinphos (an organophosphate) which is a cholinesterase inhibitor. Cholinergic symptoms may include salivation, miosis, incoordination, muscle fasciculation and/or weakness, vomiting and diarrhea. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine. Call 1-800-275-1414 or your local Poison Control Center for further

---

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REMOVE COLLAR FROM PACKAGE, UNROLL AND STRETCH TO ACTIVATE INSECTICIDE GENERATOR. As the collar begins to work, a fine white powder will appear on the surface.

Do not use on puppies under **12** weeks of age. Do not unroll collar until ready to use. Place the (brand name) (collar) around the dog's neck, adjust for proper fit, and buckle in place. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Generally, a properly fitted collar is one that, when fastened, will snugly slide over the dog's head. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length.

Consult a veterinarian before using this product on debilitated, aged, or medicated animals. If used on pregnant or nursing dogs, do not replace collar until the puppies are at least **12** weeks old. Sensitivity may occur after using ANY pesticide product for pets. Some animals may become irritated by any collar if it is applied too tightly. If this occurs, loosen the collar. If irritation continues, remove the collar from the dog. If signs of sensitivity occur, remove the collar and bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Do not use this product on dogs simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. However, flea and tick collars may be immediately replaced.

This collar is intended for use only as an insecticide generator.

(Kills fleas and ticks common to dogs, including the Deer tick, which may carry Lyme disease, and the Rocky Mountain wood tick, which may carry Rocky Mountain spotted fever.) The collar will begin to kill fleas and ticks immediately. (Its full protection against harder to kill ticks will be built up within a few days after being placed on the pet.) For continuous flea and tick protection under normal conditions replace the collar every seven months. The collar kills ticks for 5 months and aids in their control an additional 2 months. Under conditions where dogs are exposed to severe flea and tick infestations it may be necessary to replace the collar more frequently; however, do not replace the collar more frequently than every 5 months. Wetting will not impair the collar's effectiveness or the pet's protection. If the dog goes swimming or is out in the rain it is not necessary to remove the collar. The (brand name) (collar) may be worn with a regular collar. It is recommended that the pet's bedding or sleeping quarters be treated for flea and tick control with a product registered for this use such as (brand name).

---

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

**Pesticide Storage:** Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

**Pesticide Disposal: If empty:** Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE: This product contains a chemical known to the State of California to cause cancer.**

## OPTIONAL/ALTERNATE LABEL TEXT

Starts Killing (&) (and) Repelling Fleas

Starts Killing (&) (and) Repelling Fleas (&)(and) Ticks

Starts Killing (&) (and) Repelling Fleas (&)(and) Ticks for up to 5 Months

Starts Killing (&) (and) Repelling Fleas (&)(and) Ticks for up to 7 (7)Months

Starts Killing (&) (and) Repelling Fleas (&)(and) Ticks through Contact

Starts Killing (&) (and) Repelling Fleas (&)(and) Ticks through Contact for up to 5 Months

Starts Killing (&) (and) Repelling Fleas (&)(and) Ticks through Contact for up to 7 (7)Months

Starts Killing (&) (and) Repelling Fleas (&)(and) Ticks on contact

Starts Killing (&) (and) Repelling Fleas (&)(and) Ticks on contact for up to 5 Months

Starts Killing (&) (and) Repelling Fleas (&)(and) Ticks on contact for up to 7 (7)Months

Starts to Kill (&) (and) Repel Fleas

Starts to Kill (&) (and) Repel Fleas (&)(and) Ticks

Starts to Kill (&) (and) Repel Fleas (&)(and) Ticks for up to 5 Months

Starts to Kill (&) (and) Repel Fleas (&)(and) Ticks for up to 7 (7)Months

Starts to Kill (&) (and) Repel Fleas (&)(and) Ticks through Contact

Starts to Kill (&) (and) Repel Fleas (&)(and) Ticks through Contact for up to 5 Months

Starts to Kill (&) (and) Repel Fleas (&)(and) Ticks through Contact for up to 7 (7)Months

Starts to Kill (&) (and) Repel Fleas (&)(and) Ticks on contact for up to 5 Months

Starts to Kill (&) (and) Repel Fleas (&)(and) Ticks on contact for up to 7 (7)Months

Kills (&) (and) Repels Fleas

Kills (&) (and) Repels Fleas (&)(and) Ticks

Kills (&) (and) Repels Fleas (&)(and) Ticks for up to 5 Months

Kills (&) (and) Repels Fleas (&)(and) Ticks for up to 7 (7)Months

Kills (&) (and) Repels Fleas (&)(and) Ticks through Contact

Kills (&) (and) Repels Fleas (&)(and) Ticks through Contact for up to 5 Months

Kills (&) (and) Repels Fleas (&)(and) Ticks through Contact for up to 7 (7)Months

Kills (&) (and) Repels Fleas (&)(and) Ticks on contact for up to 5 Months

---

Kills (&) (and) Repels Fleas (&)(and) Ticks on contact for up to 7 (7)Months

(5)(7) Month(s) Protection

Starts Working on Contact

Starts Working through Contact

With Rabon®\*

\*Rabon® is the Hartz trademark for Tetrachlorvinphos

Kills Up to 5 Months

Kills Up to 7 Months

Kills (&) (and) Repels Up to 5 months

Kills (&) (and) Repels Up to 7 Months

Kills Ticks

Kills (&) (and) Repels Ticks

Kills fleas (and) ticks

Kills (&) (and) Repels fleas and ticks

Kills (&) (and) Repels fleas and ticks for up to 5 months

Kills (&) (and) Repels fleas and ticks for up to 7 (seven) months

Long Term Protection

Long Term Protection against fleas and ticks

7-Month Protection

7-Month Protection against fleas and ticks

Continuous Protection

Continuous Protection against fleas and ticks

Kills fleas that may cause flea allergy dermatitis (and)(or) flea bite anemia.

Kills fleas that may transit tapeworm.

Controls round-the-clock for up to (7) (seven) months

Control fleas (and) (&) ticks around-the-clock for up to (7) (seven) months

Kills round-the-clock for up to (7) (seven) months

Kills fleas (and) (&) ticks around-the-clock for up to (7) (seven) months

The active ingredient will work its way from the surface of the collar onto your pet's coat providing continuous protection against fleas and ticks

Full Body Protection (for dogs)

Rabon® is a registered trademark for Tetrachlorvinphos

### **NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT**

Break-away collar

Break-away

buckle easy



---

release collar  
X collar (where X = a color)

For Small Dogs  
For Dogs  
For Puppies  
For Dogs (&) (and) Puppies  
(for) Puppies  
(for) (Medium) (M) (Large) (L) (Extra Large) (XL) Dogs  
Made in (the) USA

With deodorant  
Clean scent  
Clean deodorant scent  
With Clean deodorant scent  
Fresh scent  
Fresh deodorant scent  
With Fresh deodorant scent

Powerful Results When You Need (it)(them)

**EASY ACTIVATION**

(EASY ACTIVATION) To activate collar, hold at each end ... STRETCH ... and it's ready (to work) (to kill fleas & ticks) (for your dog to wear).

The Hartz UltraGuard Reflecting Flea & Tick Collar for (Small) (Large) (Dogs) (Puppies) provides an added dimension of nighttime visibility for you and your pet. The collar will reflect when light shines directly on the reflecting strip.

Water resistant

Fits up to (*range from 15" to 26"*) necks

For dogs of all sizes.

For (dogs) (and) (&) (puppies) with necks up to (*range from 15" to 26"*)

Reflects Direct Light up to (200 ft.) (250 ft.) (300 ft.) (400 ft.) (450 ft.) (500 ft.) (550 ft.) (600 ft.)

White Collar with Reflecting  
Technology White Collar with Reflective  
Technology Visible (in) (to) headlights

The Hartz® (brand name) provides an added dimension of nighttime visibility for you and your pet. The collar will reflect (up to 300 feet) when light shines directly on (onto) the reflecting strip.

Important: Consumer information and pet I.D. tag offer printed on inside of package.

Hartz® (brand name) products are designed to complement each other in an integrated program for flea (and)(&) tick management. To assure proper treatment, we recommend use of only Hartz® (brand name) products.

To learn more about treating current infestations and preventing future outbreaks please



---

visit our website (www.hartz.com)(www.hartzultraguard.com)

To learn more visit ([www.hartz.com](http://www.hartz.com))([www.hartzultraguard.com](http://www.hartzultraguard.com))

(PLEASE) VISIT OUR WEBSITE (AT) (www.hartz.com)(www.hartzultraguard.com)

Hartz recommends that you visit your veterinarian twice a year.

Be sure to read full directions and precautions on the label of every product you use.

Remember to always read each product label and follow the directions carefully.

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation.