



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

April 18, 2018

Anna McGrath
Regulatory Affairs Specialist
The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094-3688

Subject: Label Amendment – Submission to add marketing claims
Product Name: Hartz® 2 in 1® Plus Seven Month Collar for Dogs
EPA Registration Number: 2596-84
Application Date: November 6, 2017
Decision Number: 536409

Dear Ms. McGrath:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 2596-84
Decision No. 536409

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Richard Gebken by phone at (703) 305-6701, or via email at gebken.richard@epa.gov.

Sincerely,

A handwritten signature in cursive script, appearing to read 'R. Gebken', written in dark ink.

Richard Gebken
Product Manager 10
Invertebrate & Vertebrate Branch 2
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

Hartz® 2 in 1® Plus Seven Month Collar for Dogs

{Alternate Brand Names}

Field & Stream® Reflecting Flea & Tick Collar
Field & Stream® by Hartz® Reflecting Flea & Tick Collar
Hartz® Presents Field & Stream® Reflecting Flea & Tick Collar

Hartz® InControl® Flea (&)(and) Tick Collar for Dogs (&)(and) (Puppies)
Hartz® InControl® Flea (&)(and) Tick Collar for Large Dogs
Hartz® InControl® Flea (&)(and) Tick Collar for (Dogs) (&)(and) Puppies

Hartz® UltraGuard® Flea (& (and) Tick Collar for (Dogs) (& (and) Puppies
Hartz® UltraGuard® Flea (& (and) Tick Collar for Small Dogs
Hartz® UltraGuard® Flea (& (and) Tick Collar for Large Dogs
Hartz® UltraGuard® Reflecting Flea (& (and) Tick Collar for Dogs (& (and) Puppies
Hartz® UltraGuard® Reflecting Flea (& (and) Tick Collar for Small Dogs
Hartz® UltraGuard® Reflecting Flea (& (and) Tick Collar for Large Dogs
Hartz® UltraGuard® Reflecting Flea (& (and) Tick Collar for Puppies
Hartz® UltraGuard® Flea (& (and) Tick Collar for Dogs of All Sizes
Hartz UltraGuard for Dogs of All Sizes Flea & Tick Collar


Hartz® Advanced Care™ 2 in 1® 7 Month Flea and Tick Collar for Dogs
Hartz® Advanced Care™ 2 in 1® 7 Month Flea and Tick Collar for Large Dogs
Hartz® Advanced Care™ 2 in 1® 7 Month Flea and Tick Collar for Puppies
Hartz® Advanced Care™ 2 in 1® Reflecting 7 Month Flea and Tick Collar for Dogs
Hartz® Advanced Care™ 2 in 1® Reflecting 7 Month Flea and Tick Collar for Large Dogs
Hartz® Advanced Care™ 2 in 1® Reflecting 7 Month Flea and Tick Collar for Puppies
Hartz® Advanced Care™ 2 in 1® Collar for Dogs
Hartz® Advanced Care™ 2 in 1® Collar for Large Dogs
Hartz® Advanced Care™ 2 in 1® Collar for Puppies
Hartz® Advanced Care™ 2 in 1® Reflecting Collar for Dogs
Hartz® Advanced Care™ 2 in 1® Reflecting Collar for Large Dogs
Hartz® Advanced Care™ 2 in 1® Reflecting Collar for Puppies

Hartz® 2 in 1® Collar for Dogs
Hartz® 2 in 1® Collar for Large Dogs
Hartz® 2 in 1® Collar for Puppies
Hartz® 2 in 1® Reflecting Collar for Dogs

ACTIVE INGREDIENT:

Tetrachlorvinphos14.55%
OTHER INGREDIENTS85.45%
TOTAL100.00%

CAUTION: Do not let children play with this collar.
See (side) (back) panel(s) for additional precautionary statements.



NET CONTENT(S): 1 (color designation) (reflecting)(reflective) COLLAR,
(NET. WT.) (*Range from 19 g to 32 g depending on size of animal*)

EPA Reg. No. 2596-84
EPA Est. No. 2596-OH -1

Made (in the U.S.A.) by
The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094 (U.S.A.)

**READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS.**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

If On Skin Or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-275-1414 twenty-four (24) hours per day, seven (7) days per week.

Note to Physicians and Veterinarians: This product contains tetrachlorvinphos (an organophosphate) which is a cholinesterase inhibitor. Cholinergic symptoms may include salivation, miosis, incoordination, muscle fasciculation and/or weakness, vomiting and diarrhea. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine. Call 1-800-275-1414 or your local Poison Control Center for further information.

DIRECTIONS FOR USE *{continued}*

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REMOVE COLLAR FROM PACKAGE, UNROLL AND STRETCH TO ACTIVATE INSECTICIDE GENERATOR.

Do not use on puppies under **12** weeks of age. Do not unroll collar until ready to use. Place the (brand name) (collar) around the dog's neck, adjust for proper fit, and buckle in place. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Generally, a properly fitted collar is one that, when fastened, will snugly slide over the dog's head. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length.

Consult a veterinarian before using this product on debilitated, aged, or medicated animals. If used on pregnant or nursing dogs, do not replace collar until the puppies are at least **12** weeks old. Sensitivity may occur after using ANY pesticide product for pets. Some animals may become irritated by any collar if it is applied too tightly. If this occurs, loosen the collar. If irritation continues, remove the collar from the dog. If signs of sensitivity occur, remove the collar and bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Do not use this product on dogs simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. However, flea and tick collars may be immediately replaced.

This collar is intended for use only as an insecticide generator.

(Kills fleas and ticks common to dogs, including the Deer tick, which may carry Lyme disease, and the Rocky Mountain wood tick, which may carry Rocky Mountain spotted fever.) The collar will begin to kill fleas and ticks immediately. (Its full protection against harder to kill ticks will be built up within a few days after being placed on the pet.) For continuous flea and tick protection under normal conditions replace the collar every seven months. The collar kills ticks for 5 months and aids in their control an additional 2 months (1 month). Under conditions where dogs are exposed to severe flea and tick infestations it may be necessary to replace the collar more frequently; however, do not replace the collar more frequently than every 5 months. Wetting will not impair the collar's effectiveness or the pet's protection. If the dog goes swimming or is out in the rain it is not necessary to remove the collar. The (brand name) (collar) may be worn with a regular collar. It is recommended that the pet's bedding or sleeping quarters be treated for flea and tick control with a product registered for this use such as (brand name).

{ALTERNATE DIRECTIONS FOR USE with Decorative Collars [with (mesh) (net) (screen) (web) underside]}

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove (insert)(collar) from package. Unroll and stretch to activate insecticidal generator.

Do not use on (puppies under 12 weeks old) (kittens under 12 weeks old). Do not unroll collar until ready to use. Place the (brand name) (collar) around the (dog's)(puppy's)(dog's) or puppy's (cat's)(kitten's)(cat's or kitten's) neck, adjust for proper fit, and buckle in place. The collar must be worn loosely to allow for growth of the (cat) (dog) (animal) and to permit the collar to move (around) (about) the neck. (Generally,) A properly fitted collar is one that, when fastened, will snugly slide over the pet's head. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length.

The (insert) (collar) is intended for use only as an insecticide generator.

The collar will begin to kill fleas, ticks and flea eggs and larvae immediately. Its full protection against harder to kill ticks will be built up within a few days after being placed on the pet. For continuous (flea and tick) protection under normal conditions replace the collar every (seven)(7) months. Under conditions where pets are exposed to severe flea and tick infestations, it may be necessary to replace the collar more frequently

Wetting will not impair the collar's effectiveness or the pet's protection. If the pet goes swimming or is out in the rain it is not necessary to remove the collar. The (brand name) (collar) may be worn with a regular collar.]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. **Pesticide Disposal: If empty:** Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: This product contains a chemical known to the State of California to cause cancer.

{OPTIONAL/ALTERNATE LABEL TEXT}

Starts Killing (&) (and) Repelling Fleas
Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks
Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks for up to five (5) Months
Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks for up to seven (7) Months
Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks through Contact
Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks through Contact for up to five (5) Months
Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks through Contact for up to seven (7) Months
Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks on contact
Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks on contact for up to five (5) Months
Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks on contact for up to seven (7) Months

Starts to Kill (&) (and) Repel Fleas
Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks
Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks for up to five (5) Months
Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks for up to seven (7) Months
Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks through Contact
Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks through Contact for up to five (5) Months
Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks through Contact for up to seven (7) Months
Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks on contact for up to five (5) Months
Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks on contact for up to seven (7) Months

Kills (&) (and) Repels Fleas
Kills (&) (and) Repels Fleas (&) (and) Ticks
Kills (&) (and) Repels Fleas (&) (and) Ticks for up to five (5) Months
Kills (&) (and) Repels Fleas (&) (and) Ticks for up to seven (7) Months
Kills (&) (and) Repels Fleas (&) (and) Ticks through Contact
Kills (&) (and) Repels Fleas (&) (and) Ticks through Contact for up to five (5) Months
Kills (&) (and) Repels Fleas (&) (and) Ticks through Contact for up to seven (7) Months
Kills (&) (and) Repels Fleas (&) (and) Ticks on contact for up to five (5) Months
Kills (&) (and) Repels Fleas (&) (and) Ticks on contact for up to seven (7) Months

(5) Five Month(s) Protection
(6) Six Month(s) Protection
(7) Seven Month(s) Protection
Starts Working on Contact
Starts Working through Contact

With Rabon®*

*Rabon® is the Hartz trademark for Tetrachlorvinphos

Kills Up to 5 Months
Kills Up to 6 Months
Kills Up to 7 Months
Kills (&) (and) Repels Up to 5 months
Kills (&) (and) Repels Up to 6 months
Kills (&) (and) Repels Up to 7 Months
Kills Ticks

Kills (&) (and) Repels Ticks
Kills fleas (and) ticks
Kills (&) (and) Repels fleas and ticks
Kills (&) (and) Repels fleas and ticks for up to five (5) months
Kills (&) (and) Repels fleas and ticks for up to six (6) months
Kills (&) (and) Repels fleas and ticks for up to seven (7) months

Long Term Protection
Long Term Protection against fleas and ticks

5-Month Protection
6-Month Protection
7-Month Protection
7-Month Protection against fleas and ticks
Continuous Protection for seven (7) months
Continuous Protection against fleas and (&) ticks

Kills fleas that may cause flea allergy dermatitis (and)(or) flea bite anemia
Kills fleas that may transmit tapeworm

Controls round-the-clock for up to seven (7) months
Control fleas (and) (&) ticks around-the-clock for up to seven (7) months
Kills round-the-clock for up to seven (7) months
Kills fleas (and) (&) ticks around-the-clock for up to seven (7) months
Kills fleas (and) (&) ticks around-the-clock for up to five (5) months
Prevents fleas (and) (&) ticks around-the-clock for up to seven (7) months
Prevents fleas (and) (&) (ticks) around-the-clock for up to seven (7) months

Continuous protection for seven (7) months
Odorless, non-greasy, easy to use prevention
Dual action kills flea and ticks
Sustainable release technology for long lasting flea and tick control
Sustainable release technology for long lasting flea and tick prevention
Sustainable slow release
Sustainable continuous release
Effective, long lasting flea and tick control
Effective, long lasting flea & tick prevention
Effective, dependable flea and tick prevention
Effective, dependable flea & tick control

The active ingredient will work its way from the surface of the collar onto your pet's coat providing continuous protection against fleas and ticks for (up to) 7 (seven) months.

Full Body Protection for seven (7) months for dogs
Full Body Protection for five (5) months for dogs

Rabon® is a registered trademark for Tetrachlorvinphos

{NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT}

Break-away collar Break-away buckle easy release collar

X collar (where X = a color)

For Small Dogs

For Dogs

For Puppies

For Dogs (&) (and) Puppies

(for) Puppies

(for) (Medium) (M) (Large) (L) (Extra Large) (XL) Dogs Made in (the) USA

With deodorant

Clean scent

Clean deodorant scent

With Clean deodorant scent

Fresh scent

Fresh deodorant scent

With Fresh deodorant scent

Convenient

Easy to apply

Apply new collar every 7 months

Apply new collar every 6 months

Apply new collar every 5 months

Comfort fit

Adjustable collar

Powerful Results When You Need (it)(them)

EASY ACTIVATION

(EASY ACTIVATION) To activate collar, hold at each end ... STRETCH ... and it's ready (to work) (to kill fleas & ticks) (for your dog to wear).

The Hartz UltraGuard Reflecting Flea & Tick Collar for (Small) (Large) (Dogs) (Puppies) provides an added dimension of nighttime visibility for you and your pet. The collar will reflect when light shines directly on the reflecting strip.

Water resistant

Fits up to (*range from 15" to 26"*) necks

For dogs of all sizes.

For (dogs) (and) (&) (puppies) with necks up to (*range from 15" to 26"*)

Reflects Direct Light up to (200 ft.) (250 ft.) (300 ft.) (400 ft.) (450 ft.) (500 ft.) (550 ft.) (600 ft.)

White Collar with Reflecting Technology White Collar with Reflective Technology Visible (in) (to) headlights

The Hartz® (brand name) provides an added dimension of nighttime visibility for you and your pet. The collar will reflect (up to 300 feet) when light shines directly on (onto) the reflecting strip.

Important: Consumer information and pet I.D. tag offer printed on inside of package.

Hartz® (brand name) products are designed to complement each other in an integrated program for flea (and)(&) tick management. To assure proper treatment, we recommend use of only Hartz® (brand name) products.

To learn more about treating current infestations and preventing future outbreaks please visit our website (www.hartz.com)(www.hartzultraguard.com)

To learn more visit (www.hartz.com)(www.hartzultraguard.com)
(PLEASE) VISIT OUR WEBSITE (AT) (www.hartz.com)(www.hartzultraguard.com)
Hartz recommends that you visit your veterinarian twice a year.

Be sure to read full directions and precautions on the label of every product you use. Remember to always read each product label and follow the directions carefully.

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation.

From the company with over 90 years [of] experience caring for pets
From the company with over 90 years [of] experience devoted to pets
From the company with over 90 years [of] experience dedicated to pets
From the company with over 90 years of commitment to pets
Hartz, the company with over 90 years [of] experience caring for pets
Hartz, the company with over 90 years of experience
Caring for Pets for over 90 years
Serving Pets for over 90 years
Helping Pets for over 90 years

{MULTIPLE PACKAGE CLAIMS}

2 Collars provide up to 14 months protection
2 Collars up to 14 month protection
2 Collars provide 14 months protection
2 Collars provide 14 month protection
2 Collars provide up to 10 months protection
2 Collars up to 10 month protection
2 Collars provide 10 months protection
2 Collars provide 10 month protection

14 month protection with 2 collars in 1 package
14 months protection 2 collars in 1 package

14 month protection with 2 collars per package
14 months protection with 2 collars
14 months control with 2 collars in 1 package

14 month control with 2 collars in 1 package
14 months control with 2 collars per package
14 month control with 2 collars per package
Up to 14 months control with 2 collars in 1 package
Up to 14 months protection with 2 collars in 1 package

2 Collars provide up to 12 months protection
2 Collars up to 12 month protection

2 Collars provide 12 months protection
2 Collars provide up to 12 months protection
2 Collars up to 12 month protection

12 month protection with 2 collars in 1 package
12 months protection 2 collars in 1 package
12 month protection with 2 collars per package

12 months protection with 2 collars
12 months control with 2 collars in 1 package
12 month control with 2 collars per package

Up to 12 months control with 2 collars in 1 package
Up to 12 months protection with 2 collars in 1 package

10 month protection with 2 collars in 1 package
10 months protection 2 collars in 1 package
10 month protection with 2 collars per package
10 months protection with 2 collars
10 months control with 2 collars in 1 package
10 month control with 2 collars per package
Up to 10 months control with 2 collars in 1 package
Up to 10 months protection with 2 collars in 1 package

{OPTIONAL MARKETING ICONS}



Adult Fleas



Adult Ticks

