


ACCEPTED
APR 12 1999
Under the Federal Insecticide,
Fungicide and Rodenticide Act
as amended, for the pesticide
Registration No. 2596-125



030000
0000

HARTZ®



Control

Pet
Care
System

Flea & Tick Repellent for Dogs

ACTIVE INGREDIENT: By Weight (Nom.)
Tetrachlorvinphos: (CAS#22248-79-9).....1.08%
OTHER INGREDIENTS:.....98.92%

KILLS FLEAS, KILLS TICKS

KEEP OUT OF REACH
OF CHILDREN
**CAUTION: SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

14.5 fl oz 428 mL
RM138979 554459
90973 9

2596-125

04/12/1999

1/4

■ **Fast Acting,
Deodorizing
Formula**

■ **Fine Mist Spray**

■ **Kills and Repels
Fleas and Ticks**

■ **Kills the Deer Tick
which may carry Lyme
Disease**

**Control Pet Care System® Flea & Tick
Repellent** actually **prevents** fleas and ticks from
living on your pet. This spray may also be used to
kill any fleas and ticks already on your dog. Once
sprayed, fleas will be killed within 5 to 10 minutes.
In addition to controlling fleas and ticks, this product
leaves your pet's coat soft, glossy, and manageable.

SHAKE WELL BEFORE USE


**UNCONDITIONAL
MONEY-BACK GUARANTEE**

EPA Reg. No 2596-125 EPA Est. 2596-NJ-1

**For full precautions and directions
← for use, peel back here.**

U.S. Patent No. 5,595,749
Made by Hartz® in U.S.A.
©The Hartz Mountain Corporation,
Secaucus, NJ 07094 and St. Thomas,
Ontario N5P 3W7, Canada

RM138981 554461



0 32700 90973 4

h/e

HARTZ Control Pet Care System® Flea & Tick Repellent

Important Information: The ABC's of Flea & Tick Management

Control Pet Care System® products are designed to work together in a complete insecticidal system. For elimination of fleas and ticks, it is necessary to treat not only the pet but also its surrounding environment. Use Control Pet Care System® products and follow these simple ABC's to get rid of fleas and ticks on your pet and around your home.

B
Protect
Your Pet

- A** *Treat Your Pet* to kill fleas and ticks living on your pet.
- B** *Protect Your Pet* to keep fleas and ticks from reinfesting your pet.
- C** *Treat Your Home* both indoors and outdoors, to protect your entire home and guard against reinfestation.

Be sure to read full directions and precautions on the label of each product you use. For more information or help at any step, call our flea and tick experts at 1-800-275-1414 weekdays, 9am-5pm E.S.T.



VISIT OUR WEBSITE
www.hartz.com

HARTZ:
Every Pet's Best Friend.™

**READ ENTIRE
LABEL BEFORE
EACH USE**

USE ONLY ON DOGS

DIRECTIONS: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

1. Hold bottle upright 6 inches from pet. Direct spray toward pet and spray entire coat, pressing dispenser with quick short strokes. Move bottle to get even coverage of coat (until tips of hair are moist). **2.** Apply lightly and rub into animal's coat. For long haired dogs, ruffle hair for spray to reach skin. **3.** Ticks are tough - spray directly. **4.** After 10 minutes, dry dog with towel. **5.** Comb and brush coat. **6.** Repeat once a week.

Storage and Disposal: Do not re-use empty container. Wrap container and put in trash collection. Do not contaminate water, food or feed by storage and disposal.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands and exposed skin thoroughly with soap and water after handling. Consult a veterinarian before using this product on debilitated, aged or medicated animals. If used on pregnant or nursing dogs, do not retreat until the puppies are at least 6 weeks old. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Do not use near birds, fish or foodstuffs. Do not use on puppies under 6 weeks of age. If used on pregnant or nursing dogs, do not retreat until the puppies are at least 6 weeks old. Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. However, flea & tick collars may be immediately replaced.

FIRST AID: If in Eyes: Flush with plenty of water. Call a physician if irritation persists.

03-25-99

EPH