

2596-126

1/28/2011

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

January 28, 2011

Mr. Robert Rosenwasser
Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094

Subject Label Amendment to add alternate EPA Establishment Number.
 HARTZ 2 in 1 Flea & Tick Pump for Cats II
 EPA Reg. No. 2596-126
 Your submission dated November 8, 2010

Dear Mr. Rosenwasser:

The labeling referred to above submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action please feel free to contact Regina Foushee-Smith at 703-605-0780.

Sincerely,

A handwritten signature in black ink, appearing to read "Richard Gebken".

RG Richard Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7505P)

Enclosure: Stamped Accepted Label

Hartz® 2 in 1® Flea & Tick Pump for Cats II

9/20/10

2/5

EPA Reg. No.: 2596-126

MASTER LABEL BASED ON 10/20/08 EPA STAMPED APPROVED LABEL

Hartz® 2 in 1® Flea & Tick Pump for Cats II

Alternate Brand Names

Hartz® UltraGuard™ Flea & Tick Spray for Cats
Hartz® Advanced Care™ 2 in 1® Flea & Tick Cat Spray
Hartz® 2 in 1® Flea & Tick Cat Spray

A C C E P T E D
1-28-2011
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2596-126

ACTIVE INGREDIENT:

Tetrachlorvinphos..... 1.08%

OTHER INGREDIENTS98.92%

TOTAL100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION:

See (back) (side) panel(s) for (ingredient) (and) additional precautionary statements.

NET CONTENTS ____ fl. oz. (____ ml)

EPA Reg. No. 2596-126

EPA Est. No.

Made (in the USA) by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON CATS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands and exposed skin thoroughly with soap and water after handling.

Do not apply to pets (kittens) less than six (6) weeks old. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Sensitivity may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Do not use near birds, fish or foodstuffs. Do not use this product simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. However, flea and tick collars may be replaced immediately after use.

FIRST AID: This product contains tetrachlorvinphos (an organophosphate) which is a cholinesterase inhibitor.

If on skin or clothing •Take off contaminated clothing. •Rinse skin immediately with plenty of water for 15-20 minutes. •Call a poison control center or doctor for treatment advice.

If in eyes •Hold eye open and rinse slowly and gently with water for 15-20 minutes. •Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. •Call a poison control center or doctor for treatment advice.

If swallowed •Call poison control center or doctor immediately for treatment advice. •Have person sip a glass of water if able to swallow. •Do not induce vomiting unless told to do so by the poison control center or doctor. •Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-275-1414 for emergency medical treatment information twenty-four (24) hours per day, seven (7) days per week.

Note to Physicians and Veterinarians: This product contains an organophosphate and may cause cholinesterase inhibition. Cholinergic symptoms may include salivation, miosis, incoordination, muscle fasciculation and/or weakness, vomiting and diarrhea. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine. Call 1-800-275-1414 or your local Poison Control Center for further information.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE

1. Hold bottle upright about 6 inches from pet.
2. Spray lightly until the tips of the pet's hair are moist. Keep spray out of pet's eyes.
3. Rub spray into animal's coat. For longhaired cats, ruffle fur to allow the spray to reach skin.
4. After 10 minutes, dry cat with towel.
5. Comb and brush coat.
6. Repeat once a week.
7. If you see a tick, spray it directly.
8. Use on bedding and other areas as needed.

Recommended dosage: Spray 15-25 strokes for a small cat. Spray 25-35 strokes for a large cat. More spray may be needed for longhaired cats.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a cool, dry place that is inaccessible to children.

Container Disposal: If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

OPTIONAL/ALTERNATE LABEL TEXT

Kills Fleas

Kills Ticks

Kills (Fleas) (&) (and) (Ticks)

Kills flea within 10 minutes

Kills (Fleas) (&) (and) (Ticks) (through contact)

(Immediately) starts to kill (Fleas) (&) (and) (Ticks) (through contact)

Kills fleas which may cause (flea bite anemia) (flea allergy dermatitis)

Kills fleas that may transmit tapeworm

Kills (and repels) (fleas) (ticks)

(Starts) Killing (through) contact

Kills (through) contact

Flea and tick control

Keep fleas and ticks off your pet

NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT:

Fast acting

Deodorizing

Fine Mist Spray

S/S

Hartz® 2 in 1® Flea & Tick Pump for Cats II

9/20/10

EPA Reg. No.: 2596-126

MASTER LABEL BASED ON 10/20/08 EPA STAMPED APPROVED LABEL

Leaves coat soft and manageable

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation.

For more information, call our experts at xxx-xxx-xxxx

U.S. Patent No. 5,595,749

For full precautions and directions for use, peel back here

Hartz (brand name) products are designed to complement each other in an integrated program for flea and tick management. To assure proper treatment, we recommend use of only Hartz (brand name) products.

As with all flea and tick products, they are most effective when used as part of a total program aimed at reducing fleas and ticks in the (dog's) (cat's) (pet's) environment

A single female flea can lay [an average of] 25 eggs per day [on average]

Complete your preventative program with products that kill both adult and pre-adult fleas.

(Complete your defense against fleas with) (two) ingredients targeted at (killing fleas) (breaking the life cycle)

Be sure to treat the animal's bedding and surroundings with product registered for these uses, such as Hartz (brand name) line (products)

Visit (our website) (www.hartz.com) (www.hartzultraguard.com)