

HARTZ**Control**

Pet Care System™

Ultimate Flea Collar for Dogs and Puppies

Bright White & Blue
Collar**HARTZ****Control**

Pet Care System™

Ultimate Flea Collar for Dogs and Puppies

7 MONTH FLEA AND TICK COLLAR

- Prevents flea eggs from hatching for 7 months
- Kills Fleas & Ticks •Kills for 7 months •with Rabon®
- with vIGRen™ •Kills flea eggs before they hatch
- Kills flea eggs and larvae •Kills hatching eggs

Bright White & Blue
Collar

contains one collar for all size dogs - Fits necks up to 23 inches

contains an insect growth regulator, contains an adulticide
stops the flea and tick life cycle, kills all stages of the flea life cycle, waterproof, not affected by water,
Kills the Deer Tick, which may carry Lyme Disease, Kills the Rocky Mountain Wood Tick, which may
carry Rocky Mountain Spotted Fever.

Continuous protection
satisfaction guaranteed**ACTIVE INGREDIENTS:**

By Weight (Nom.)

Tetrachlorvinphos: 2-Chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate.....	14.55%
(S)-Methoprene: Isopropyl (2E, 4E, 7S)-11-methoxy-3,7,11- trimethyl-2,4-dodecadienoate	1.02%
INERT INGREDIENTS:	84.43%

CAUTION: Do not let children play with this collar.**CONTENTS:** 1 WHITE & BLUE COLLAR, NET WT. 1.2 oz (35 g)

Rabon® is a registered trademark for Tetrachlorvinphos.
vIGRen™ is a registered trademark of Sandoz Ltd.

HARTZ**Control**

Pet Care System™

Ultimate Flea Collar for Dogs and Puppies

Bright White & Blue
Collar

To activate collar hold
at each end... STRETCH...
it's ready to work

HARTZ**Control**

Pet Care System™

Step B- Protect Your Pet
Ultimate Flea Collar
for Dogs and Puppies

7 MONTH FLEA AND TICK COLLAR

Important Information - The ABC's of Flea & Tick Control

Control products are designed to work together in a complete insecticidal system. For total control of fleas and ticks, it is necessary to treat not only the pet but also its surrounding environment. Use Control products to follow these simple ABC's for control of fleas and ticks on your pet and around your home.

Step A - TREAT YOUR PET with one of the Control on-animal products such as Conditioning Shampoo, Dip, Powder or Spray. Use a Control product containing vIGRen®, an Insect Growth Regulator (IGR), to also stop hatching flea eggs from developing into biting adults.

Step B - PROTECT YOUR PET with a Control repellent or flea and tick collar to keep fleas and ticks from reinfesting your pet. The Control collar with vIGRen® IGR will also prevent flea eggs from hatching.

Step C - TREAT YOUR HOME, both indoors and outdoors, with Control home spray and fogger with vIGRen® and Control yard spray to protect your entire home and guard against reinfestation.

Be sure to read full directions and precautions on label of each product you use.

The Hartz Control Pet Care System Ultimate Flea Collar contains both an insecticide to kill adult fleas and ticks and an insect growth regulator (IGR) to kill flea eggs before they hatch. Adult fleas spend virtually all of their time on your pet, but they produce vast numbers of eggs which drop off the pet and develop in the environment. Once fleas are apparent on your pet, there is already an infestation of their pre-adult stages in your home. Normal insecticides will not kill the flea eggs. But the Hartz Control Pet Care System Ultimate Flea Collar contains both a powerful, effective insecticide which kills adult fleas and ticks, and a long lasting insect growth regulator which prevents flea eggs and larvae from maturing into adults. It is designed to kill both the adult flea and its eggs and larvae, thereby breaking the flea life cycle. The collar will also break the tick life cycle by killing adult ticks, including the Deer Tick, which may carry Lyme Disease, and the Rocky Mountain Wood Tick, which may carry Rocky Mountain Spotted Fever.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REMOVE COLLAR FROM PACKAGE, UNROLL AND STRETCH TO ACTIVATE INSECTICIDE GENERATOR. AS THE COLLAR BEGINS TO WORK, A FINE WHITE POWDER WILL APPEAR ON THE SURFACE.

It is not advisable to use this or similar pesticides on puppies less than 8 weeks old. Do not unroll collar until ready to use. Place the Hartz Control Pet Care System Ultimate Flea Collar around the dog's or puppy's neck, adjust for proper fit and buckle in place. The collar must be worn loosely to allow for growth of the animal and to permit the collar to move about the neck. A properly fitted collar is one that, when fastened, will snugly slide over the pet's head. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length. Some animals may become irritated if the collar is applied too tightly. If this occurs, loosen the collar. If irritation continues, remove the collar from the animal. This collar is intended for use only as an insecticide/IGR generator.

The collar will begin to kill fleas, ticks, and flea eggs and larvae immediately. It's full protection against harder to kill ticks will be built up within a few days after being placed on the pet. For continuous flea and tick protection under normal conditions, replace the collar every 7 months. Under conditions where pets are exposed to severe flea or tick infestations, it may be necessary to replace the collar more frequently. Wetting will not impair the collar's effectiveness or the pet's protection. If the pet goes swimming or is out in the rain, it is not necessary to remove the collar. The Hartz Control Pet Care System Ultimate Flea Collar may be worn with a regular collar.

STORAGE: Store at room temperature.**DISPOSAL:** Do not reuse empty pouch.

Dispose in trash collection.

Unconditional Money-Back Guarantee. For more information

about flea and tick problems and how to solve them,

call 1-800-xxx-xxxx, weekdays, 9am to 5pm Eastern time.

EPA Reg. No. 2596-138 EPA Est. No. 2595-NJ-1

© The Hartz Mountain Corporation, Secaucus, NJ 07094

U.P.C.**ACCEPTED**

FEB 26 1996

Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 2596-138

PM-96

Reg # 2596-139

2/26/96

194

RELEVE
PET PROTECTION SYSTEM™

Flea & Flea Egg
Killing Collar
for Dogs and Puppies

bright silver collar

RELEVE
PET PROTECTION SYSTEM™

Flea & Flea Egg Killing Collar

for Dogs and Puppies

7 MONTH FLEA AND TICK COLLAR

- Prevents flea eggs from hatching for 7 months
- Kills Fleas & Ticks •Kills for 7 months •with Rabon®
- with viGRen™ •Kills flea eggs before they hatch
- Kills flea eggs and larvae •Kills hatching eggs

bright silver collar

contains one collar for all size dogs - Fits necks up to 23 inches

contains an insect growth regulator, contains an adulticide
stops the flea and tick life cycle, kills all stages of the flea life cycle, waterproof, not effected by water,
Kills the Deer Tick, which may carry Lyme Disease, Kills the Rocky Mountain Wood Tick, which may
carry Rocky Mountain Spotted Fever.

Continuous protection
satisfaction guaranteed

ACTIVE INGREDIENTS: By Weight (Nom.)
Tetrachlorvinphos: 2-Chloro-1-(2,4,5-trichlorophenyl)
vinyl dimethyl phosphate..... 14.55%
(S)-Methoprene: Isopropyl (2E, 4E, 7S)-11-methoxy-3,7,11-
trimethyl-2,4-dodecadienoate 1.02%
INERT INGREDIENTS: 84.43%

CAUTION: Do not let children play with this collar.
CONTENTS: 1 SILVER COLLAR, NET WT. 1.2 oz (35 g)

Habon® is a registered trademark for Tetrachlorvinphos.
viGRen™ is a registered trademark of Sandoz Ltd.

RELEVE
PET PROTECTION SYSTEM™

Flea & Flea Egg
Killing Collar
for Dogs and Puppies

bright silver collar



To activate collar hold
at each end... STRETCH...
it's ready to work

RELEVE
PET PROTECTION SYSTEM™

Step B- Protect Your Pet

Flea & Flea Egg Killing Collar for Dogs and Puppies 7 MONTH FLEA AND TICK COLLAR Important Information - The ABC's of Flea & Tick Control

Relève products are designed to work together in a complete insecticidal system. For total control of fleas and ticks, it is necessary to treat not only the pet but also its surrounding environment. Use Relève products to follow these simple ABC's for control of fleas and ticks on your pet and around your home.

Step A - TREAT YOUR PET with one of the Relève on-animal products such as Conditioning Shampoo, Dip, Powder or Spray. Use a Relève product containing viGRen®, an insect Growth Regulator (I.G.R.), to also stop hatching flea eggs from developing into biting adults.

Step B - PROTECT YOUR PET with a Relève repellent or flea and tick collar to keep fleas and ticks from reinfesting your pet. The Relève collar with viGRen® IGR will also prevent flea eggs from hatching.

Step C - TREAT YOUR HOME, both indoors and outdoors, with Relève home spray and fogger with viGRen® and Relève yard spray to protect your entire home and guard against reinfestation.

Be sure to read full directions and precautions on label of each product you use.

The Relève Flea & Flea Egg KILLING Collar contains both an insecticide to kill adult fleas and ticks and an insect growth regulator (IGR) to kill flea eggs before they hatch. Adult fleas spend virtually all of their time on your pet, but they produce vast numbers of eggs which drop off the pet and develop in the environment. Once fleas are apparent on your pet, there is already an infestation of their pre-adult stages in your home. Normal insecticides will not kill the flea eggs. But the Relève Flea & Flea Egg Killing Collar contains both a powerful, effective insecticide which kills adult fleas and ticks, and a long lasting insect growth regulator which prevents flea eggs and larvae from maturing into adults. It is designed to kill both the adult flea and its eggs and larvae, thereby breaking the flea life cycle. The collar will also break the tick life cycle by killing adult ticks, including the Deer Tick, which may carry Lyme Disease, and the Rocky Mountain Wood Tick, which may carry Rocky Mountain Spotted Fever.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REMOVE COLLAR FROM PACKAGE, UNROLL AND STRETCH TO ACTIVATE INSECTICIDE GENERATOR. AS THE COLLAR BEGINS TO WORK, A FINE WHITE POWDER WILL APPEAR ON THE SURFACE.

It is not advisable to use this or similar pesticides on puppies less than 8 weeks old. Do not unroll collar until ready to use. Place the Relève Flea & Flea Egg Killing Collar around the dog's or puppy's neck, adjust for proper fit and buckle in place. The collar must be worn loosely to allow for growth of the animal and to permit the collar to move about the neck. A properly fitted collar is one that, when fastened, will snugly slide over the pet's head. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length. Some animals may become irritated if the collar is applied too tightly. If this occurs, loosen the collar. If irritation continues, remove the collar from the animal. This collar is intended for use only as an insecticide/IGR generator.

The collar will begin to kill fleas, ticks, and flea eggs and larvae immediately. It's full protection against harder to kill ticks will be built up within a few days after being placed on the pet. For continuous flea and tick protection under normal conditions, replace the collar every 7 months. Under conditions where pets are exposed to severe flea or tick infestations, it may be necessary to replace the collar more frequently. Wetting will not impair the collar's effectiveness or the pet's protection. If the pet goes swimming or is out in the rain, it is not necessary to remove the collar. The Relève Flea & Flea Egg Killing Collar may be worn with a regular collar.

STORAGE: Store at room temperature.

DISPOSAL: Do not reuse empty pouch.

Dispose in trash collection.

Unconditional Money-Back Guarantee. For more information about flea and tick problems and how to solve them, call 1-800-RELEVED, weekdays, 9am to 5pm Eastern time.

EPA Reg. No. 2596-139 - 62725 EPA Est. No. 2595-NJ-1

© VMx Pet Products, Somerville, NJ 07084

U.P.C.

ACCEPTED

FEB 28 1991

Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 2596-139.

264

HARTZ**Control**

Pet Care System™

Ultimate Flea Collar for Cats and Kittens

Bright White &
Purple Collar**HARTZ****Control**

Pet Care System™

Ultimate Flea Collar for Cats and Kittens

7 MONTH FLEA AND TICK COLLAR

- Prevents flea eggs from hatching for 7 months
- Kills Fleas & Ticks •Kills for 7 months •with Rabon®
- with viGRen™ •Kills flea eggs before they hatch
- Kills flea eggs and larvae •Kills hatching eggs

Bright White & Purple Collar

contains one collar for all size cats

contains an insect growth regulator, contains an adulticide
stops the flea and tick life cycle, kills all stages of the flea life cycle, waterproof, not affected by water.
Kills the Deer Tick, which may carry Lyme Disease, Kills the Rocky Mountain Wood Tick, which may carry Rocky Mountain Spotted Fever.

Continuous protection
satisfaction guaranteed**ACTIVE INGREDIENTS:**

By Weight (Nom.)

Tetrachlorvinphos: 2-Chloro-1-(2,4,5-trichlorophenyl)
vinyl dimethyl phosphite..... 14.55%
(S)-Methoprene: Isopropyl (2E, 4E, 7S)-11-methoxy-3,7,11-
trimethyl-2,4-dodecadienoate 1.02%

INERT INGREDIENTS: 84.43%**CAUTION:** Do not let children play with this collar.**CONTENTS:** 1 WHITE AND PURPLE COLLAR, NET WT. .7 oz (19.8 g)

Rabon® is a registered trademark for Tetrachlorvinphos.
viGRen™ is a registered trademark of Sandoz Ltd.

HARTZ**Control**

Pet Care System™

Ultimate Flea Collar for Cats and Kittens

Bright White &
Purple Collar**HARTZ****Control**

Pet Care System™

Step B- Protect Your Pet

Ultimate Flea Collar for Cats and Kittens

7 MONTH FLEA AND TICK COLLAR

Important Information - The ABC's of Flea & Tick Control

Control products are designed to work together in a complete insecticidal system. For total control of fleas and ticks, it is necessary to treat not only the pet but also its surrounding environment. Use Control products to follow these simple ABC's for control of fleas and ticks on your pet and around your home.

Step A - TREAT YOUR PET with one of the Control on-animal products such as Conditioning Shampoo, Dip, Powder or Spray. Use a Control product containing viGRen®, an Insect Growth Regulator (IGR), to also stop hatching flea eggs from developing into biting adults.

Step B - PROTECT YOUR PET with a Control repellent or flea and tick collar to keep fleas and ticks from reinfesting your pet. The Control collar with viGRen® IGR will also prevent flea eggs from hatching.

Step C - TREAT YOUR HOME, both indoors and outdoors, with Control home spray and fogger with viGRen® and Control yard spray to protect your entire home and guard against reinfestation.

Be sure to read full directions and precautions on label of each product you use.

The Hartz Control Pet Care System Ultimate Flea Collar contains both an insecticide to kill adult fleas and ticks and an insect growth regulator (IGR) to kill flea eggs before they hatch. Adult fleas spend virtually all of their time on your pet, but their progeny vast numbers of eggs which drop off the pet and develop in the environment. Once fleas are apparent on your pet, there is already an infestation of their pre-adult stages in your home. Normal insecticides will not kill the flea eggs. But the Hartz Control Pet Care System Ultimate Flea Collar contains both a powerful, effective insecticide which kills adult fleas and ticks, and a long lasting insect growth regulator which prevents flea eggs and larvae from maturing into adults. It is designed to kill both the adult flea and its eggs and larvae, thereby breaking the flea life cycle. The collar will also break the tick life cycle by killing adult ticks, including the Deer Tick, which may carry Lyme Disease, and the Rocky Mountain Wood Tick, which may carry Rocky Mountain Spotted Fever.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REMOVE COLLAR FROM PACKAGE, UNROLL AND STRETCH TO ACTIVATE INSECTICIDE GENERATOR. AS THE COLLAR BEGINS TO WORK, A FINE WHITE POWDER WILL APPEAR ON THE SURFACE.

It is not advisable to use this or similar pesticides on kittens less than 6 weeks old. Do not unroll collar until ready to use. Place the Hartz Control Pet Care System Ultimate Flea Collar around the cat's or kitten's neck, adjust for proper fit and buckle in place. The collar must be worn loosely to allow for growth of the animal and to permit the collar to move about the neck. A properly fitted collar is one that, when fastened, will snugly slide over the pet's head. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length. Some animals may become irritated if the collar is applied too tightly. If this occurs, loosen the collar. If irritation continues, remove the collar from the animal. This collar is intended for use only as an insecticide/IGR generator.

The collar will begin to kill fleas, ticks, and flea eggs and larvae immediately. Its full protection against harder to kill ticks will be built up within a few days after being placed on the pet. For continuous protection under normal conditions, replace the collar every 7 months. Under conditions where pets are exposed to severe flea or tick infestations, it may be necessary to replace the collar more frequently. Wetting will not impair the collar's effectiveness or the pet's protection. If the pet goes swimming or is out in the rain, it is not necessary to remove the collar. The Hartz Control Pet Care System Ultimate Flea Collar may be worn with a regular collar.

STORAGE: Store at room temperature.**DISPOSAL:** Do not reuse empty pouch.

Dispose in trash collection.

Unconditional Money-Back Guarantee. For more information

about flea and tick problems and how to solve them,

call 1-800-XXX-XXXX, weekdays, 9am to 5pm Eastern time.

EPA Reg. No. 2596-139 EPA Est. No. 2596-NJ-1

© The Hartz Mountain Corporation, Secaucus, NJ 07094

U.P.C.**ACCEPTED**

FEB 26 1996

RECEIVED
FEB 26 1996
EPA Reg. No. 2596-139



To activate collar hold
at each end... STRETCH...
it's ready to work

PM-90

Log # 2596-139

2/26/96

384

HARTZ Rabon Collar

with Methoprene
for Dogs, Puppies, Cats and Kittens

Collar
with Deodorant

HARTZ Rabon Collar with Methoprene for Dogs, Puppies, Cats and Kittens 7 MONTH FLEA AND TICK COLLAR

- Prevents flea eggs from hatching for 7 months
- Kills Fleas & Ticks •Kills for 7 months •with Rabon®
- with vIGRen™ •Kills flea eggs before they hatch
- Kills flea eggs and larvae •Kills hatching eggs

Collar with Deodorant

contains one collar for all size dogs and cats
Fits necks up to 23 inches

contains an insect growth regulator, contains an adulticide
stops the flea and tick life cycle, kills all stages of the flea life cycle, waterproof, not affected by water,
Kills the Deer Tick, which may carry Lyme Disease, Kills the Rocky Mountain Wood Tick, which may
carry Rocky Mountain Spotted Fever.

Continuous protection
satisfaction guaranteed

ACTIVE INGREDIENTS:	By Weight (Nom.)
Tetrachlorvinphos: 2-Chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate.....	14.55%
(S)-Methoprene: Isopropyl (2E, 4E, 7S)-11-methoxy-3,7,11- trifluoro-2,4-dodecadienoate	1.02%
INERT INGREDIENTS:	84.43%

CAUTION: Do not let children play with this collar.
CONTENTS: 1 COLLAR, NET WT. RANGES FROM 10g to 50g

Rabon® is a registered trademark for Tetrachlorvinphos.
vIGRen™ is a registered trademark of Sandoz Ltd.

HARTZ Rabon Collar

with Methoprene
for Dogs, Puppies, Cats and Kittens

Collar
with Deodorant



To activate collar hold
at each end... STRETCH...
it's ready to work

HARTZ Rabon Collar with Methoprene for Dogs, Puppies, Cats and Kittens 7 MONTH FLEA AND TICK COLLAR Important Information - The ABC's of Flea & Tick Control

Step B - Protect Your Pet

Control products are designed to work together in a complete insecticidal system. For total control of fleas and ticks, it is necessary to treat not only the pet but also its surrounding environment. Use Control products to follow these simple ABC's for control of fleas and ticks on your pet and around your home.

Step A - TREAT YOUR PET with one of the Control on-animal products such as Conditioning Shampoo, Dip, Powder or Spray. Use a Control product containing vIGRen®, an Insect Growth Regulator (IGR) to also stop hatching flea eggs from developing into biting adults.

Step B - PROTECT YOUR PET with a Control repellent or flea and tick collar to keep fleas and ticks from reinfesting your pet. The Control collar with vIGRen® IGR will also prevent flea eggs from hatching.

Step C - TREAT YOUR HOME, both indoors and outdoors, with Control home spray and fogger with vIGRen® and Control yard spray to protect your entire home and guard against reinfestation.

Be sure to read full directions and precautions on label of each product you use.

The Hartz Rabon Collar with Methoprene contains both an insecticide to kill adult fleas and ticks and an insect growth regulator (IGR) to kill flea eggs before they hatch. Adult fleas spend virtually all of their time on your pet, but they produce vast numbers of eggs which drop off the pet and develop in the environment. Once fleas are present on your pet, there is already an infestation of their pre-adult stages in your home. Normal insecticides will not kill the flea eggs. But the Hartz Rabon Collar with Methoprene contains both a powerful, effective insecticide which kills adult fleas and ticks, and a long lasting insect growth regulator which prevents flea eggs and larvae from maturing into adults. It is designed to kill both the adult flea and its eggs and larvae, thereby breaking the flea life cycle. The collar will also break the tick life cycle by killing adult ticks, including the Deer Tick, which may carry Lyme Disease, and the Rocky Mountain Wood Tick, which may carry Rocky Mountain Spotted Fever.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REMOVE COLLAR FROM PACKAGE, UNROLL AND STRETCH TO ACTIVATE INSECTICIDE GENERATOR. AS THE COLLAR BEGINS TO WORK, A FINE WHITE POWDER WILL APPEAR ON THE SURFACE.

It is not advisable to use this or similar pesticides on puppies or kittens less than 6 weeks old. Do not unroll collar until ready to use. Place the Hartz Rabon Collar with Methoprene around the dog's, cat's, puppy's or kitten's neck, adjust for proper fit and buckle in place. The collar must be worn loosely to allow for growth of the animal and to permit the collar to move about the neck. A properly fitted collar is one that, when fastened, will snugly slide over the pet's head. Leave 2 or 3 inches on the collar for extra adjustment and out off and dispose of the extra length. Some animals may become irritated if the collar is applied too tightly. If this occurs, loosen the collar. If irritation continues, remove the collar from the animal. This collar is intended for use only as an insecticide/IGR generator.

The collar will begin to kill fleas, ticks, and flea eggs and larvae immediately. It's full protection against harder to kill ticks will be built up within a few days after being placed on the pet. For continuous flea and tick protection under normal conditions, replace the collar every 7 months. Under conditions where pets are exposed to severe flea or tick infestations, it may be necessary to replace the collar more frequently. Waiting will not impair the collar's effectiveness or the pet's protection. If the pet goes swimming or is out in the rain, it is not necessary to remove the collar. The Hartz Rabon Collar with Methoprene may be worn with a regular collar.

STORAGE: Store at room temperature.

DISPOSAL: Do not reuse empty pouch.

Dispose in trash collection.

Unconditional Money-Back Guarantee. For more information about flea and tick problems and how to solve them, call 1-800-XXX-XXXX, weekdays, 9am to 5pm Eastern time.

EPA Reg. No. 2596-139 EPA Est. No. 2595-NJ-1

© The Hartz Mountain Corporation, Secaucus, NJ 07094

U.P.C.

ACCEPTED

2596-139

48h