

Front Panel

HARTZ®
Rabon® Collar with Methoprene

Alternate Trade Name:



- Hartz® Control Pet Care System® Ultimate Flea Collar for Dogs
- Hartz® Control Pet Care System® Ultimate Flea Collar for Puppies
- Hartz® Control Pet Care System® Ultimate Flea Collar for Cats
- Hartz® Control Pet Care System® Ultimate Flea Collar for Kittens

- (With Safety Release Buckle)
- (With Safety Snap Buckle)
- (With Breakaway Collar)

(optional wording)

- For dogs (cats)
- For puppies (kittens)

- 7 month flea and tick collar
- Kills fleas and ticks
- Kills for 7 months
- Kills adult fleas
- Kills adult ticks
- with vIGRen®
- with Rabon®
- Plus IGR
- Prevents flea eggs from hatching (for 7 months)
- Kills (flea) eggs before they hatch
- Kills flea eggs (and larvae)
- Kills hatching eggs
- Kills all stages of the flea life cycle
- 7 Months Protection
- Revolutionary technology
- (Safety snap buckle)
- (Pulls apart for safety (reattachable))



(Bright blue - bright red - bright pink - bright purple - bright yellow - bright orange - bright silver - bright gold - bright white- white & purple – white & blue) collar

To activate collar hold at each end...stretch...it's ready to work.
Powder action

- Contains an insect growth regulator
- Contains an adulticide
- Contains PRECOR insect growth regulator
- Stops the flea and tick life cycle
- Waterproof
- Kills all stages of the flea (life cycle)
- Not effected by water
- Kills the Deer Tick, which may carry Lyme Disease
- Kills the Rocky Mountain Wood Tick, which may carry Rocky Mountain Spotted Fever (with deodorant)
- Continuous protection
- Dual Action
- Contains one collar (for all size dogs, cats)
(fits necks up to __ inches (__ cm))
- (100%) Satisfaction guaranteed
- (Unconditional) Money back guarantee

vIGRen, (PRECOR) (POWERBAND) (FleaTrol) (PREFLEA) (and) (Zodiac) is a (are) registered trademark(s) of Wellmark Intl.

(Ingredient Statement - optional front or back panel)

ACTIVE INGREDIENTS:	BY WEIGHT (NOM.)
tetrachlorvinphos: (Z)-2-chloro-1-(2,4,5-trichlorophenyl)- vinyl dimethyl phosphate	14.55%
(S)- methoprene: isopropyl (2E,4E,7S)-11-methoxy 3,7,11- trimethyl-2,4-dodecadienoate	1.02%
OTHER INGREDIENTS	84.43%
TOTAL	100.00%

(Alternate Ingredient Statement)

ACTIVE INGREDIENTS:	BY WEIGHT (NOM.)
tetrachlorvinphos (CAS # 22248-79-9)	14.55%
(S)- methoprene (CAS # 65733-16-6).....	1.02%
OTHER INGREDIENTS	84.43%
TOTAL	100.00%

CAUTION: Do not let children play with this collar
 (See back panel for additional Precautionary Statements and Directions for Use)
 (See back panel for ingredient statements)

CONTENTS: 1 (color designation) collar,
 Net Wt. (Range from 109 to 50g depending on animal for use)

BACK PANEL

[The Hartz® Rabon Collar with Methoprene contains both (an insecticide to kill adult fleas and ticks and an insect growth regulator (vIGRen®) to kill flea eggs before they hatch.) (a powerful, effective insecticide which kills adult fleas and ticks, and a long lasting insect growth regulator which prevents flea eggs and larvae from maturing into adults.)] [(Adult fleas spend virtually all of their time on your pet and develop in the environment.) (Once fleas are apparent on your pet, there is already an infestation of their pre-adult stages in your home.) (Normal insecticides will not kill the flea eggs. But the Hartz Rabon Collar with Methoprene is designed to kill both the adult flea and its eggs and larvae, thereby, breaking the flea life cycle.) (The collar will also break the tick life cycle by killing adult ticks, including the Deer Tick, which may carry Lyme Disease, and the Rocky Mountain Wood Tick, which may carry Rocky Mountain Spotted Fever.)

READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON DOGS (CATS) (or DOGS and CATS)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

Contains an organophosphate that inhibits cholinesterase.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIANS AND VETERINARIANS: This product contains an organophosphate and may cause cholinesterase inhibition. Cholinergic symptoms may include salivation, miosis, incoordination, muscle fasciculation and/or weakness, vomiting, and diarrhea. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine. In case of emergency call the Hartz Mountain Corporation at 1-800-275-1414 or your local Poison Control Center for further information.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

REMOVE COLLAR FROM PACKAGE, UNROLL AND STRETCH TO ACTIVATE INSECTICIDE GENERATOR. AS THE COLLAR BEGINS TO WORK., A FINE WHITE POWDER WILL APPEAR. ON THE SURFACE.

Do not use on puppies under 6 weeks old (kittens under 12 weeks old). Do not unroll collar until ready to use. Place the Hartz® Rabon Collar with Methoprene around the dog's or puppy's (cat's or kitten's) neck, adjust for proper fit, and buckle in place. The collar must be worn loosely to allow for growth of the animal and to permit the collar to move around the neck. A properly fitted collar is one that, when fastened, will snugly slide over the pet's head. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length. Consult a veterinarian before using this product on debilitated, aged or medicated animals. If used on pregnant or nursing dogs (cats) do not replace collar until the puppies are at least 6 weeks old (kittens are at least 12 weeks old). Sensitivity may occur after using ANY pesticide product for pets. Some animals may become irritated by any collar if it is applied too tightly. If this occurs loosen the collar. If irritation continues, remove the collar from the animal. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or similar chemicals. However, flea and tick collars may be immediately replaced with new collars. This collar is intended for use only as an insecticide/IGR generator. The collar will begin to kill fleas, ticks and flea eggs and larvae immediately. Its full protection against harder-to-kill ticks will be built up within a few days after being placed on the pet. For continuous protection under normal conditions replace the collar every 7 months. Under conditions where pets are exposed to severe flea and tick infestations it may be necessary to replace the collar more frequently. Wetting will not impair the collar's effectiveness or the pet's protection. If the pet goes swimming or is out in the rain it is not necessary to remove the collar. The Hartz® Rabon Collar with Methoprene may be worn with a regular collar.

STORAGE: Store at room temperature

DISPOSAL: Do not reuse empty pouch. Place in trash or offer for recycling if available.

(Unconditional Money-Back Guarantee. For more information about flea & tick problems (or help at any step) and how to solve them, call our flea and tick experts at 1-800-XXX-XXXX, weekdays, 9 am to 5 pm eastern

(FOR INFORMATION AND IN EMERGENCY CALL: 1-800-XXX-XXXX)

EPA Reg. No. 2596-139
EPA Est. No. 2596-NJ-1

Visit our website www.hartz.com

®The Hartz Mountain Corporation, Secaucus, NJ 07094

vIGRen® is a registered trademark of Wellmark Intl.

OPTIONAL WORDING

OPTIONAL COPY #1

(Step B Protect Your Pet)

(Important Information: The A B C's of Flea and Tick Control (Management))

(Control Pet Care System® products are designed to work together in a complete insecticidal system. For control of fleas and ticks, it is necessary to treat not only the pet but also its surrounding environment. Use Control Pet Care System and follow these simple ABC's to get rid of fleas and ticks on your pet and around your home.)

(Step A Treat Your Pet (with one of the Control Pet Care System on animal products such as Condition Shampoo, Dip or Spray) to kill fleas and ticks living on your pet. (Use a Control product containing vIGRen and insect growth regulator (I.G.R.) to also stop hatching flea eggs from developing into biting adults.))

(Step B Protect Your Pet (with a control pet Care System® Repellent or Flea and Tick Collar) to keep fleas and ticks from re-infesting your pet (and)). (The Hartz Rabon Collar with Methoprene with vIGRen® will also) prevent flea eggs from hatching.)

(Step C Treat Your Home both indoors and outdoors, (with Control Pet Care System® Home Spray Killer or Fogger with vIGRen and Control Pet Care System Yard and Kennel Spray) to protect your entire home and guard against re-infestation.)

(Be sure to read full directions and precautions on the label of each product you use.)
For more information or help at any step, call our flea and tick experts at 1-800-XXX-XXXX,
9am - 5pm E.S.T.

OPTIONAL COPY #2

(The Stress-Free System for Controlling Fleas & Ticks)

(On Animal Protection)

(Relief for your pet)

(Use Releve Pet Protection System Conditioning Shampoo, Dip, Spray or Powder to kill fleas and ticks living on you pet).

(Repellent)

(Keep fleas and ticks off you pet)

(Prevent any more fleas and ticks from coming on your pet by spraying your pet with Releve Pet Protection System Repellent for Dogs or Repellent for Cats.)

(Continuous Protection)

(Long-term protection for your pet)

(Keep fleas and ticks from re-infesting your pet with Releve Pet Protection System 7 Month Flea & Flea Egg Collar with vIGRen, which will prevent flea eggs from hatching and Rabon to kill adult fleas and ticks.)

(Home & Yard)
(Protect your home and yard)
(Kill fleas and ticks around you home with Releve Pet Protection System Carpet Powder, Yard and Kennel Spray, Home Flea & Tick Killer and Home Fogger.)

Alternate Copy #3 (to be use by private labeler)

Important Information About Flea Control

To minimize flea infestation, it is necessary to treat not only your pets, but their surrounding environment. Zodiac Products containing PRECOR Insect Growth Regulator and an adulticide have been formulated to work together. For best results, simply follow these four easy steps:

Step 1 Shampoo, mousse or dip your pet

- A shampoo, mousse, or dip will kill biting adult fleas on you pet
- Zodiac Fleatrol products in Step 1 kills fleas and flea eggs with a combination of PRECOR Insect Growth Regulator and an adulticide.

Step 2 Place a collar on your pet

- A Zodiac collar will provide long-lasting protection.
- This collar kills flea eggs & biting adult fleas

Step 3 Treat the areas your pet frequents

- Use a Zodiac aerosol, fogger or spray to kill adult fleas and flea larvae in your home. Zodiac Fleatrol products in a step 3 kill adult fleas and flea eggs with a combination of PRECOR Insect Growth Regulator and an adulticide. The Zodiac Fleatrol Yard Spray Concentrate kills flea larvae in your yard.
- Follow individual product directions to kill additional fleas which later emerge from protected cocoons.

Step 4 Maintain you flea-free pet

- Use Zodiac on-animal spray to kill fleas you pet picks up on outings
- Zodiac Fleatrol products in Step 4 kill adult fleas and flea eggs using a combination of PRECOR Insect Growth Regulator and an adulticide.

For Best Results – Follow these steps in order.

Be sure to read full directions and precautions on the label of each product that you use.

Alternate Copy #4 (to be used by private labeler)

Important Information – 3 Simple Steps of Flea & Tick Control

Vet-Kem products are designated to work together in a complete insecticidal system. For total control of fleas and ticks, it is necessary to treat not only the pet but also its surrounding environment. Use Vet-Kem products and follow these 3 Simple Steps for control of fleas and ticks on your pet and around your home.

Step 1 Treat Your Pet with on of the Vet-Kem on-animal products contain PRECOR Insect Growth Regulator (IGR) to stop hatching flea eggs from developing into biting adults.

Step 2 Protect Your Pet with a Vet-Kem flea and tick collar to keep fleas from re-infesting your pet. The Ovitrol Plus Complete Collar will also prevent flea eggs from hatching.

Step 3 Treat Your Home both indoors and outdoors, with Vet-Kem home and yard spray containing PRECOR IGR to protect your entire home and guard against re-infestation.

Be sure to read full directions and precautions on the label of each product that you use.

