

2596-139

5-6-2003

16

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 05-31-98

**EPA**

United States  
Environmental Protection Agency  
Washington, DC 20460

☐ Registration  
☐ Amendment  
☒ Other:

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number 2596-139	2. EPA Product Manager G. LaRocca	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>Hartz® Rabon Collar with Methoprene</b>	PM# Team 13	
5. Name and Address of Applicant (Include ZIP Code) <b>The Hartz Mountain Corporation 400 Plaza Drive Secaucus, NJ 07094</b>	6. <b>Expedited Review.</b> In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	
<p><b><u>PLEASE SEND ALL CORRESPONDENCE TO</u></b> <b><u>"CONTACT POINT" LISTED BELOW</u></b></p> <p><input type="checkbox"/> Check if this is a new address</p>		

**Section - II**

☐ Amendment - Explain below. ☐ Final printed labels in response to Agency letter dated \_\_\_\_\_  
☐ Resubmission in response to Agency letter dated \_\_\_\_\_ ☐ "Me Too" Application  
☒ Notification - Explain below. ☐ Other - Explain below

**Explanation:** Use additional page(s) if necessary. (For Section I and Section II.)**Notification:** per 40 CFR §152.46 Addition of Alternate Brand Names:

**Hartz® HealthCare™ 3 in 1 Control Collar for Cats**  
**Hartz® HealthCare™ 3 in 1 Control Collar for Kittens**  
**Hartz® HealthCare™ 3 in 1 Control Collar for Dogs**  
**Hartz® HealthCare™ 3 in 1 Control Collar for Puppies**

**Section - III**

1. Material This Product Will Be Packaged in:

Child-Resistant Packaging

☐ Yes\*  
☒ No

Unit Packaging

☐ Yes  
☒ No

Water Soluble Packaging

☐ Yes  
☒ No

2. Type of Container

☐ Metal  
☐ Plastic  
☐ Glass  
☒ Paper  
☐ Other (Specify)

**\*Certification must be submitted**

If "Yes"

Unit Packaging wgt.

No. per  
container  
1

If "Yes"

Package wgt.

No. per  
container

3. Location of Net Contents Information

☒ Label ☐ Container

4. Size(s) Retail Container

0.4oz - 1.6oz

5. Location of Label Directions

☒ On Label  
☐ On labeling accompanying product

6. Manner in Which Label is Affixed to Product

☐ Lithograph  
☒ Paper glued  
☐ Stenciled

☒ Other: product is enclosed in a paper pouch within a cardboard box

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name <b>Carol A. Oddi</b>	Title <b>Regulatory Specialist</b>	Telephone No. (Include Area Code) <b>201/271-4800</b>
------------------------------	---------------------------------------	--

**Certification**

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature

*Carol A. Oddi*

3. Title

**Regulatory Specialist**

4. Typed Name

**Carol A. Oddi**

5. Date

**05/30/03**

6. Date Application Received  
(Stamped)

.....  
.....  
.....  
.....  
.....

## HARTZ®

### Rabon® Collar with Methoprene

Alternate Trade Name:

**Hartz® HealthCare™ 3 in 1 Control Collar for Cats**

**Hartz® HealthCare™ 3 in 1 Control Collar for Kittens**

**Hartz® HealthCare™ 3 in 1 Control Collar for Dogs**

**Hartz® HealthCare™ 3 in 1 Control Collar for Puppies**

**Hartz® Control Pet Care System® Ultimate Flea Collar for Dogs**

**Hartz® Control Pet Care System® Ultimate Flea Collar for Puppies**

**Hartz® Control Pet Care System® Ultimate Flea Collar for Cats**

**Hartz® Control Pet Care System® Ultimate Flea Collar for Kittens**

To activate collar hold at each end...stretch...it's ready to work.

Powder action

(Ingredient Statement - optional front or back panel)

#### ACTIVE INGREDIENTS: BY WEIGHT (NOM.)

tetrachlorvinphos: (Z)-2-chloro-1-(2,4,5-trichlorophenyl)	
vinyl dimethyl phosphate.....	14.55%
(S)-methoprene: isopropyl (2E,4E,7S)-II-methoxy	
3,7,11-trimethyl-2,4-dodecadienoate.....	1.02%
OTHER INGREDIENTS.....	84.43%
TOTAL.....	100.00%

(Alternate Ingredient Statement)

#### ACTIVE INGREDIENTS: BY WEIGHT (NOM.)

tetrachlorvinphos (CAS # 22248-79-9).....	14.55%
(S)-methoprene (CAS # 65733-16-6).....	1.02%
OTHER INGREDIENTS.....	84.43%
TOTAL.....	100.00%

**CAUTION:** Do not let children play with this collar.

(See back panel for additional Precautionary Statements and Directions for Use) (See back panel for ingredient statements)

**CONTENTS:** 1 (color designation) collar,  
Net Wt. (Range from 109 to 50g depending on animal for use)

#### BACK PANEL

#### READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON DOGS (CATS) (or DOGS and CATS)

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation.

Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

#### FIRST AID

Contains an organophosphate that inhibits cholinesterase.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**NOTE TO PHYSICIANS AND VETERINARIANS:** This product contains an organophosphate and may cause cholinesterase inhibition. Cholinergic symptoms may include salivation, miosis, incoordination, muscle fasciculation and/or weakness, vomiting, and diarrhea. Atropine is antidotal. 2-P AM may be effective as

an adjunct to atropine. In case of emergency call the Hartz Mountain Corporation at 1-800-275-1414 or your local Poison Control Center for further information.

#### **DIRECTIONS FOR USE:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**REMOVE COLLAR FROM PACKAGE, UNROLL AND STRETCH TO ACTIVATE INSECTICIDE GENERATOR. AS THE COLLAR BEGINS TO WORK, A FINE WHITE POWDER WILL APPEAR ON THE SURFACE.**

Do not use on puppies under 6 weeks old (kittens under 12 weeks old). Do not unroll collar until ready to use. Place the Hartz® Rabon Collar with Methoprene around the dog's or puppy's (cat's or kitten's) neck, adjust for proper fit, and buckle in place. The collar must be worn loosely to allow for growth of the animal and to permit the collar to move around the neck. A properly fitted collar is one that, when fastened, will snugly slide over the pet's head. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length.

Consult a veterinarian before using this product on debilitated aged or medicated animals. If used on pregnant or nursing dogs (cats) do not replace collar until the puppies are at least 6 weeks old (kittens are at least 12 weeks old).

Sensitivity may occur after using ANY pesticide product for pets. Some animals may become irritated by any collar if it is applied too tightly. If this occurs loosen the collar. If irritation continues, remove the collar from the animal. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or similar chemicals. However, flea and tick collars may be immediately replaced with new collars.

This collar is intended for use only as an insecticide/IGR generator. The collar will begin to kill fleas, ticks and flea eggs and larvae immediately. Its full protection against harder-to-kill ticks will be built up within a few days after being placed on the pet. For continuous protection under normal conditions replace the collar every 7 months. Under conditions where pets are exposed to severe flea and tick infestations it may be necessary to replace the collar more frequently. Wetting will not impair the collar's effectiveness or the pet's protection. If the pet goes swimming or is out in the rain it is not necessary to remove the collar.

The Hartz® Rabon Collar with Methoprene may be worn with a regular collar.

**STORAGE:** Store at room temperature.

**DISPOSAL:** Do not reuse empty pouch. Place in trash or offer for recycling if available.

Unconditional Money-Back Guarantee. For more information about flea & tick problem (or help at any step) and how to solve them, call our flea and tick experts at 1-800-275-1414 weekdays, 9 am to 5 PM eastern

(FOR INFORMATION AND IN EMERGENCY CALL: 1-800-275-1414)

EPA Reg. No. 2596-139 EPA Est. No. 2596-NJ-1

Visit our website [www.hartz.com](http://www.hartz.com)

The Hartz Mountain Corporation, Secaucus, NJ 07094

vIGRen®, (PRECOR) (POWERBAND) (FleaTrol) (PREFLEA) (and) (Zodiac) is a (are) registered Trademark(s) of Wellmark Intl.

#### **OPTIONAL WORDING**

##### **OPTIONAL COPY #1**

(Step B Protect Your Pet)

(Important Information: The ABC's of Flea and Tick Control (Management))

(Control Pet Care System®) products are designed to work together in a complete insecticidal system. For control of fleas and ticks, it is necessary to treat not only the pet but also its surrounding environment. Use Control Pet Care System and follow these simple ABC's to get rid of fleas and ticks on your pet and around your home.)

(Step A Treat Your Pet (with one of the Control Pet Care System on animal products such as Condition Shampoo, Dip or Spray) to kill fleas and ticks living on your pet. (Use a Control product containing vIGRen and insect growth regulator (I.G.R.) to also stop hatching flea eggs from developing into biting adults.

(Step B Protect Your Pet (with a control pet Care System®) Repellent or Flea and Tick Collar) to keep fleas and ticks from re-infesting your pet (and)). (The Hartz Rabon Collar with Methoprene with vIGRen® will also) prevent flea eggs from hatching.)

(Step C Treat Your Home both indoors and outdoors: (with Control Pet Care System® Home Spray Killer or Fogger with vIGRen and Control Pet Care System

Yard and Kennel Spray) to protect your entire home and guard against re-infestation.)

(Be sure to read full directions and precautions on the label of each product you use)  
For more information or help at any step, call our flea and tick experts at 1-800-275-1414 weekdays, 9am-5pm EST

#### **OPTIONAL Copy #2**

(The Stress-Free System for Controlling Fleas & Ticks)

(On Animal Protection)

(Relief for your pet)

(Use Releve Pet Protection System Conditioning Shampoo, Dip, Spray or Powder to kill fleas and ticks living on you pet).

(Repellent)

(Keep fleas and ticks off you pet)

(Prevent any more fleas and ticks from coming on your pet by spraying your pet with Releve Pet Protection System Repellent for Dogs or Repellent for Cats.)

(Continuous Protection)

(Long-term protection for your pet)

(Keep fleas and ticks from re-infesting your pet with Releve Pet Protection System 7 Month Flea & Flea Egg Collar with vIGRen, which will prevent flea eggs from hatching and Rabon to kill adult fleas and ticks.)

(Home & Yard)

(Protect your home and yard)

(Kill fleas and ticks around you home with Releve Pet Protection System Carpet Powder, Yard and Kennel Spray, Home Flea & Tick Killer and Home Fogger.)

#### **Alternate Copy #3 (to be use by private labeler)**

##### **Important Information About Flea Control**

To minimize flea infestation, it is necessary to treat not only your pets, but their surrounding environment. Zodiac Products containing PRECOR Insect Growth Regulator and an adulticide have been formulated to work together. For best results, simply follow these four easy steps:

- Step 1** Shampoo, mousse or dip your pet
- A shampoo, mousse, or dip will kill biting adult fleas on you pet
  - Zodiac Fleatrol products in Step 1 kills fleas and flea eggs with a combination of PRECOR Insect Growth Regulator and an adulticide.

- Step 2** Place a collar on your pet
- A Zodiac collar will provide long-lasting protection.
  - This collar kills flea eggs & biting adult fleas

- Step 3** Treat the areas your pet frequents
- Use a Zodiac aerosol, fogger to spray to kill adult fleas and flea larvae in your home.
- Zodiac Fleatrol products in a step 3 kill adult fleas and flea eggs with a combination of PRECOR Insect Growth Regulator and an adulticide. The Zodiac Fleatrol-Yard Spray Concentrate kills flea larvae in your yard.
- Follow individual product directions to kill additional fleas which later emerge from protected cocoons.

- Step 4** Maintain you flea-free pet
- Use Zodiac on-animal spray to kill fleas your pet picks up on outings
  - Zodiac Fleatrol products in Step 4 kill adult fleas and flea eggs using a combination of PRECOR Insect Growth Regulator and an adulticide.

For Best Results - Follow these steps in order.

Be sure to read full directions and precautions on the label of each product that you use.

#### **Alternate Copy #4 (to be used by private labeler)**

##### **Important Information - 3 Simple Steps of Flea & Tick Control**

Vet-Kem products are designated to work together in a complete insecticidal system. For total control of fleas and ticks, it is necessary to treat not only the pet but also its surrounding environment. Use Vet-Kem products and follow these 3 Simple Steps for control of fleas and ticks on your pet and around your home.

**Step 1** Treat Your Pet with on of the Vet-Kem on-animal products contain PRECOR Insect Growth Regulator (IGR) to stop hatching flea eggs ITorn developing into biting adults.

**Step 2** Protect Your Pet with a Vet-Kem flea and tick collar to keep fleas from re-infesting your pet. The Ovitrol Plus Complete Collar will also prevent flea eggs from hatching.

**Step 3** Treat Your Home both indoors and outdoors, with Vet-Kem home and yard spray containing PRECOR IGR to protect your entire home and guard against re-infestation.

Be sure to read full directions and precautions on the label of each product that you use.

(optional wording)

(With Safety Release Buckle)

(With Safety Snap Buckle)

(With Breakaway Collar)

(Safety snap buckle)

(Pulls apart for safety (reattachable))

For dogs (cats)

For puppies (kittens)

7 month flea and tick collar

Kills fleas and ticks

Kills for 7 months

Kills adult fleas

Kills adult ticks

with vIGRen®

with Rabon®

Plus IGR

Prevents flea eggs from hatching (for 7 months) Kills (flea) eggs before they hatch

Kills flea eggs (and larvae)

Kills hatching eggs

Kills all stages of the flea life cycle

7 Months Protection

Revolutionary technology

(Bright blue - bright red - bright pink - bright purple - bright yellow - bright orange -  
bright silver - bright gold - bright white- white & purple - white & blue) collar

[The Hartz® Rabon Collar with Methoprene contains both (an insecticide to kill adult fleas and ticks and an insect growth regulator (vIGRen®) to kill flea eggs before they hatch.) (a powerful, effective insecticide which kills adult fleas and ticks, and a long lasting insect growth regulator which prevents flea eggs and larvae from maturing into adults.)] [(Adult fleas spend virtually all of their time on your pet and develop in the environment.) (Once fleas are apparent on your pet, there is already an infestation of their pre-adult stages in your home.) (Normal insecticides will not kill the flea eggs. But the Hartz Rabon Collar with Methoprene is designed to kill both the adult flea and its eggs and larvae, thereby, breaking the flea life cycle.) (The collar will also break the tick life cycle by killing adult ticks, including the Deer Tick, which may carry Lyme Disease, and the Rocky Mountain Wood Tick, which may carry Rocky Mountain Spotted Fever.)

4/6

# THE HARTZ MOUNTAIN CORPORATION

400 PLAZA DRIVE, SECAUCUS, NEW JERSEY 07094-3688 • 201/271-4800

May 30, 2003

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504C)  
U.S. Environmental Protection Agency  
Room 266A, Crystal Mall 2  
1921 Jefferson Davis Highway  
Arlington, VA 2202-4501

Subject: Notification of Alternate Brand Names

Dear Sir or Madam:

The Hartz Mountain Corporation wishes to add alternate brand names to the following product registrations:

- EPA Registration Number: 2596-62
- EPA Registration Number: 2596-86
- EPA Registration Number: 2596-94
- EPA Registration Number: 2596-124
- EPA Registration Number: 2596-125
- EPA Registration Number: 2596-126
- EPA Registration Number: 2596-139
- EPA Registration Number: 2596-140
- EPA Registration Number: 2596-150

In accordance with PR Notice 98-10, we are enclosing the completed EPA form 8570-1 for each registration and a copy of the label with the alternate names highlighted.

If you have any questions concerning this notification please do not hesitate to call me at (201) 271-4800.

Sincerely,



Carol A. Oddi  
Regulatory Specialist

Enclosures: EPA form 8570-1, highlighted labels

**MANUFACTURING FACILITIES**

192 BLOOMFIELD AVE., BLOOMFIELD, NEW JERSEY 07003-5696 • 201/271-4800  
L/M ANIMAL FARMS, 5374 LONG SPURLING ROAD, PLEASANT PLAIN, OHIO 45162 • 513/877-2131  
ROCKY MOUNTAIN PET PRODUCTS, 40 EAST INDUSTRIAL BOULEVARD, LOGANSPOUT, INDIANA 46947 • 219/722-1089  
GEORGIA TENNESSEE MINING & CHEMICAL COMPANY, 1359 HOYT BRASWELL ROAD, WRENS, GA 30833 • 706/547-6522

**DISTRIBUTION CENTERS**

305 BROADWAY, JERSEY CITY, NEW JERSEY 07306 • 201/271-4800  
6971 CENTRAL AVE., RIVERSIDE, CALIFORNIA 92504 • 909/687-4407