

2596-140

3/12/2014

1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

March 12, 2014

Mr. David Jones
Manager, Regulatory Affairs
The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094-3688

**Subject: Amended Labeling; Changes to DFU for Incorporation of Risk Mitigation
Hartz® Rabon® Spray with Methoprene Pump Formulation, EPA Reg. No. 2596-140
Your Submission Dated February 21, 2014 & E-Mail Resubmission Dated March 12, 2014**

Dear Mr. Jones:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

A copy of your label stamped "Accepted" is enclosed for your records. If you have any questions about this label review, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at Rodia.Carmen@epa.gov.

Sincerely Yours,


Richard J. Gebken

Product Manager (10)
Insecticide Branch
Registration Division (7504P)

Enclosure: Label stamped "Accepted," dated March 12, 2014

002596-00140 D487964

Hartz® Rabon® Spray with Methoprene Pump Formulation

03/12/2014

2/7

EPA Reg. No.: 2596-140

MASTER LABEL BASED ON 2/2/12 EPA STAMPED ACCEPTED LABEL

Hartz® Rabon® Spray with Methoprene Pump Formulation

Alternate Brand Names

Field & Stream® Flea & Tick Spray for Dogs
Field & Stream® by Hartz® Flea & Tick Spray for Dogs
Hartz® Presents Field & Stream® Flea & Tick Spray for Active Dogs

Hartz® UltraGuard Plus™ Flea & Tick Spray for Dogs
Hartz® UltraGuard Plus™ Flea & Tick Spray for Cats
Hartz® Advanced Care™ 3 in 1 Dog Spray
Hartz® Advanced Care™ 3 in 1 Cat Spray
Hartz® 3 in 1 Dog Spray
Hartz® 3 in 1 Cat Spray
Hartz® InControl Flea & Tick Dog Spray
Hartz® InControl Flea & Tick Cat Spray

ACCEPTED
March 12, 2014
Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for the
pesticide registered under:

Hartz® Rabon® Spray with Methoprene Pump Formulation

EPA. Reg. No: 2596-140

ACTIVE INGREDIENTS:

Tetrachlorvinphos	1.08%
[S]-Methoprene	0.07%
OTHER INGREDIENTS	98.85%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See (back) (side) panel(s) for (ingredient) (and) additional precautionary statements.
[Ingredient statement on the back of 8 fl oz bottle only]

NET CONTENT: _____ fl. oz. (_____ ml)

EPA Reg. No. 2596-140
EPA Est.

Made (in the USA) by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094

3/7

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

HAZARDS TO DOMESTIC ANIMALS

Do not use on (puppies) (kittens) (puppies or kittens) less than twelve (12) weeks old. Do not spray in eyes. To prevent harm to you or your pet, read entire label before use. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Sensitivity may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Using it in a manner other than that described by this label could result in harm to aquatic invertebrates.

FIRST AID

If on skin or clothing •Take off contaminated clothing. •Rinse skin immediately with plenty of water for 15-20 minutes. •Call a poison control center or doctor for treatment advice.

If in eyes •Hold eye open and rinse slowly and gently with water for 15-20 minutes. •Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. •Call a poison control center or doctor for treatment advice.

If swallowed •Call poison control center or doctor immediately for treatment advice. •Have person sip a glass of water if able to swallow. •Do not induce vomiting unless told to do so by the poison control center or doctor. •Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-275-1414 twenty-four (24) hours per day, seven (7) days per week.

NOTE TO PHYSICIANS AND VETERINARIANS: This product contains tetrachlorvinphos (an organophosphate), which is a cholinesterase inhibitor. Cholinergic symptoms may include salivation, miosis, incoordination, muscle fasciculation and/or weakness, vomiting, and diarrhea. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine. Call (1-800-275-1414 or) a Poison Control Center for further information.

(Remember to always read each product label and follow directions carefully.)

4/7

Hartz® Rabon® Spray with Methoprene Pump Formulation

03/12/2014

EPA Reg. No.: 2596-140

MASTER LABEL BASED ON 2/2/12 EPA STAMPED ACCEPTED LABEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON (DOGS) (CATS) (DOGS OR CATS)**

SHAKE WELL BEFORE USE:

1. Hold bottle upright about 6 inches from pet.
2. Spray (Apply) lightly until the tips of the pet's hair are moist. Keep spray out of pet's eyes.
3. Rub spray into animal's coat. For longhaired (dogs) (cats), ruffle fur to allow the spray to reach skin.
4. After 10 minutes, dry (dog) (cat) with towel.
5. Comb and brush coat.
6. Repeat once a week.
7. If you see a tick, spray (apply) it directly.
8. Be sure to treat the animal's bedding and surroundings (other areas) with a product registered for these uses, such as Hartz (brand name) line (products).

Recommended dosage for cats: Spray (Apply) 15-25 strokes for a small cat. Spray (Apply) 25-35 strokes for a large cat.

Recommended dosage for dogs: Spray (Apply) 25-35 strokes for a small dog. Spray (Apply) 30-40 strokes for a medium dog. Spray (Apply) 40-70 strokes for a large dog.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Do not store near heat or open flame. Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

Container Handling: **If empty:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

5/7

OPTIONAL/ALTERNATE LABEL TEXT

Flea and tick (spray) (killer)
Kills (adult) fleas and ticks for [(7) (seven) days] [(1) (one) week]
Kills (fleas) (+) (and) (•) (ticks) for [(7) (seven) days] [(1) (one) week]
Kills fleas, ticks, and lice
Prevents reinfestation and flea build-up for 1 (one) month
Kills insects, which reduces the incidence of itching and scratching
Contains an insect growth regulator
Prevents (flea) eggs (ova) (ovum) from hatching for [(1) (one) month] (28 days) (4 weeks)
Kills flea eggs (and larvae) for (1) (one) month (28 days) (4 weeks)
Kills (flea eggs) (+) (and) (•) (flea larvae) for (1) (one) month (28 days) (4 weeks)
Kills hatching eggs (ova) (ovum)
Repellent
Repels fleas and ticks
Kills and repels (adult) fleas and ticks
Fast-acting
Kills fleas in 10 minutes
Actually prevents fleas and ticks from living on your pet
Breaks the flea and tick life cycle
Kills all stages of the flea (life cycle)
Kills (Fleas) (&) (and) (Ticks) (through contact)
Kills (Fleas) (&) (and) (Ticks)
(Immediately) starts to kill (Fleas) (&) (and) (Ticks) (through contact)
Kills fleas which may cause (flea bite anemia) (flea allergy dermatitis)
Kills fleas that may transmit (tapeworm)
(Plus) kills (keeps killing) pre-adult flea stages (too)
Breaks the flea life cycle
(Plus) Kills (fleas) (and) (ticks) and pre-adult fleas (before they grow into biting adults)
(Plus) Kills fleas and ticks and (continues to protect against) (prevents) pre-adult fleas from (changing) (growing) (developing) into biting adults
(Plus) Prevents infestation by halting the flea reproductive cycle.
(Plus) halts the flea life cycle by killing flea eggs (and flea larvae)
One step to treat and prevent
One step to treat existing problem and prevent future infestations
(Plus) Provides protection against future infestations
Treats & (and) Prevents in one step
(Plus) Prevents Fleas Eggs (and flea larvae) from hatching for (1 month) (28 days) (4 weeks)
(Plus) Kills flea eggs (and flea larvae) helping to prevent re-infestations
(Plus) Kills (flea eggs) (and flea larvae) before they hatch
Helps prevent flea re-infestation for (1 month) (28 days) (4 weeks)
(Plus) Stops fleas from multiplying
(Plus) Protects against pre-adult fleas

- Kills (3 stages) of (tick) (the tick) life cycle
- (Plus) kills (adult-ticks) (larvae) (and) (&) (nymphs)
- Kills (pre-adult) ticks
- Kills (and Prevents) (Flea Eggs) (and) (Flea Larvae) for (one month) (4 weeks) (28 days)
- Kills and repels (fleas) (ticks) (flea eggs) (flea larvae) for (1 month) (28 days) (4 weeks)
- Kills (fleas) (ticks) (flea eggs) (flea larvae) for (1 month) (28 days) (4 weeks)
- (Starts) killing (through) contact
- Kills (through) contact
- Controls flea and tick infestations on dogs
- Flea and tick control
- (one product) kills (fleas) (ticks) plus flea eggs (flea larvae)
- Flea egg and flea larvae treatment
- Kills all stages of the flea life cycle
- Controls (kills) fleas, ticks round –the-clock for up to (1 month) (28 days) (4 weeks)
- Controls flea (population growth) (infestation)
- Focused on breaking the flea life cycle
- Controls flea infestation where it starts
- Active ingredient (specifically) targeting flea eggs and flea larvae – stopping their ability to mature and infest your home
- Help prevent flea re-infestation for (1 month) (28 days) (4 weeks)
- X Day Protection

(This product) (alternate brand name) contains [(both) (an adulticide to kill adult fleas and ticks) and an insect growth regulator (IGR) to kill fleas eggs before they hatch] [an insecticide which kills adult fleas and ticks and an insect growth regulator which prevents flea eggs and flea larvae from maturing into adults] (Adult fleas spend virtually all of their time on your pet, but they produce eggs which drop off the pet and develop in the environment) [once fleas are apparent on your pet, there can already be an infestation of their pre-adults stages in your home. (this product) (alternative brand name) is designed to kill adult fleas, flea eggs and flea larvae; therefore, breaking the flea life cycle]

NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT

Made in (the) USA

Conditions and Restores Shine

(Deep) (Rich) Conditioning

With (Conditioning) Aloe

Moisturizing Aloe

Aloe Relief

With Aloe to (Condition) (&) (Restore Shine)

With Soothing Aloe

Contains (Soothing) Aloe

(With) (Contains) Aloe to (Nourish) (&) (Moisturize)

(Calming) Aloe

Gentle Aloe

(With)(Contains) Aloe to (Calm) (&) (Soothe) (Skin)

(With) (Contains) Aloe to (Nourish) (&) (Moisturize) (Skin) (&) (Coat)

(With)(Contains) Aloe to sooth (irritated) (flea-bitten) skin

Hartz® and other trademarks are trademarks of the Hartz Mountain Corporation

For (dogs) (cats) (puppies over 12 weeks of age) (kittens over 12 weeks of age)

Fine mist spray

Water-based formula

Contains a conditioner

Conditioning formula

With deodorant

Direct treatment

Patented formula

For more information, call our experts at xxx-xxx-xxxx

Hartz (brand name) products are designed to complement each other in an integrated program for flea and tick management. To assure proper treatment, we recommend use of only Hartz (brand name) products.

As with all flea and tick products, they are most effective when used as part of a total program aimed at reducing fleas and ticks in the (dog's) (cat's) (pet's) environment

A single female flea can lay [an average of] 25 eggs per day [on average]

Complete your preventative program with products that kill both adult and pre-adult fleas.

(Complete your defense against fleas with) (two) ingredients targeted at (killing fleas) (breaking the life cycle)

Be sure to treat the animal's bedding and surroundings with product registered for these uses, such as Hartz (brand name) line (products)