

2596-147

05/13/2009

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

Robert Rosenwasser
Director, Regulatory Affairs
The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094

MAY 13 2009

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

**Subject: Hartz Ref 114 EPA Reg. No. 2596-147
Your letter dated July 8, 2008 submitting product label for review and
acceptance based on Agency stamped label dated December 9, 2005**

Dear Mr. Rosenwasser:

The amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(A)6, is acceptable provided that you:

- (1) Submit three (3) copies of your final printed labeling before you release the product for shipment. Final printed labeling means the label or labeling of the product when distributed or sold. Clearly legible reproductions of photo reductions will be accepted for unusual labels, such as those silk-screened directly onto glass or metal containers or large bags or drum labels.
- (2) Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c) (5) when the Agency requires all registrants of similar products to submit such data.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

If you have any questions, please contact Cheryl F. Greene at 703 308-0352 or greene.cheryl@epa.gov.

A stamped copy of the label is enclosed for your records.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda A. Hollis".

Linda A. Hollis, Chief
Biochemical Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511P)

2/6

Hartz® Ref. 114
EPA Reg. No.: 2596-147
MASTER LABEL

05/8/09

Hartz® Ref. 114

Alternate Brand Names

- Hartz® UltraGuard® One Spot® Flea Egg and Flea Larvae Treatment for Cats (and) (& (Kittens)
- Hartz® UltraGuard® Flea Egg and Flea Larvae Treatment for Cats (and) (& (Kittens)
- Hartz® UltraGuard® Plus Flea Egg and Flea Larvae Treatment for Cats (and) (& (Kittens)
- Hartz® UltraGuard™ One Spot® Insecticidal Treatment for Cats (and) (& (Kittens)
- Hartz® Advanced Care™ OneSpot® Flea Egg and (Flea) Larvae Treatment for Cats (and) (& (Kittens)
- Control Pet Care System® OneSpot® Flea Egg and (Flea) Larvae Treatment for Cats (and) (& (Kittens)
- Hartz® Control Pet Care System® OneSpot® Flea Egg and (Flea) Larvae Treatment for Cats (and) (& (Kittens)
- Hartz® InControl™ (Flea egg) (and) (& (Flea) (Larvae) Treatment for Indoor Cats (and) (& (Kittens)
- Hartz® InControl™ (Flea egg) (and) (& (Flea) (Larvae) Drops for Indoor Cats (and) (& (Kittens)
- Hartz® OneSpot® Flea Egg and (Flea) Larvae Treatment
- Hartz® OneSpot® Flea Egg and (Flea) Larvae Treatment for Cats (and) (& (Kittens)

ACTIVE INGREDIENT

(S)-Methoprene.....	2.9%
OTHER INGREDIENTS	97.1%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION:

See back panel for additional precautionary statements.

NET CONTENTS Contains (number) tubes, each ___ fl. oz. (___ ml)

[Note: Multiple packages containing from 1 tube to 150 tubes – each tube contains 0.03 fl. oz. (1 ml)]

EPA Reg. No. 2596-147
EPA Est. No. 2596-NJ-1

Made (in the U.S.A.) by
The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094
1-800-275-1414

ACCEPTED

MAY 13 2009

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for
the pesticide registered under
EPA Reg. No. 2596-147

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION: Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco products.

HAZARDS TO DOMESTIC ANIMALS

Do not use on kittens less than 12 weeks old. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish.

FIRST AID

Have label with you when obtaining treatment advice.

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor, or call Hartz emergency line at 1-800-275-1414 for treatment advice.

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON (CATS) (OR) (KITTENS) OVER 12 WEEKS OF AGE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product contains three monthly treatments, each 0.03 fl. oz., (1 ml)

To control fleas on cats:

1. Use ONLY on cats or kittens over 12 weeks of age. DO NOT USE ON OTHER ANIMALS.
2. Remove one applicator tube from package and hold in an upright position pointed away from your face.
3. Pull off cap. Turn the cap around and place on top.
4. Simply press cap down to break the seal of the tube. Remove cap carefully.
5. Position the tip of the tube on the cat's back between the shoulder blades and squeeze out the entire contents of the tube.
6. Repeat every month.

4/6

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store this product in a cool, dry place that is inaccessible to children.

Pesticide Disposal: If empty: Nonrefillable container. Do not refill or reuse this container. Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

BATCH CODE: _____

INDIVIDUAL TUBE TEXT

Hartz® UltraGuard® One Spot® Flea Egg and Flea Larvae Treatment for Cats (and) (&)
(Kittens)

Hartz® UltraGuard® Flea Egg and Flea Larvae Treatment for Cats (and) (&) (Kittens)

Hartz® UltraGuard® Plus Flea Egg and Flea Larvae Treatment for Cats (and) (&)
(Kittens)

Hartz® UltraGuard™ One Spot® Insecticide Treatment for Cats (and) (&) (Kittens)

Hartz® Advanced Care™ OneSpot® Flea Egg and (Flea) Larvae Treatment for Cats (and)
(&) (Kittens)

Control Pet Care System® OneSpot® Flea Egg and (Flea) Larvae Treatment for Cats
(and) (&) (Kittens)

Hartz® Control Pet Care System® OneSpot® Flea Egg and (Flea) Larvae Treatment for
Cats (and) (&) (Kittens)

Hartz® InControl™ (Flea egg) (and) (&) (Flea)(Larvae) Treatment for Indoor Cats
[(and)(&)(Kittens)]

Hartz® InControl™ (Flea egg) (and) (&) (Flea) (Larvae) Drops for Indoor Cats [(and)
(&) (Kittens)]

Hartz® OneSpot® Flea Egg and (Flea) Larvae Treatment

Hartz® OneSpot® Flea Egg and (Flea) Larvae Treatment for Cats (and) (&) (Kittens)

ACTIVE INGREDIENTS

(S)-Methoprene.....2.9%

CAUTION: Read entire label before each use.

.03 fl oz. (1ml)

EPA Reg. No. 2569-147

EPA Est. No. 2596-NJ-1

The Hartz Mountain Corp.

OPTIONAL/ALTERNATE LABEL TEXT

Controls (and) (&) (prevents) flea eggs (and) (&) flea (larvae) for (30 days) (one month)
(4 weeks)

Controls (and) (&) (prevents) flea eggs (and) (&) flea (larvae) (through contact) for (30
days) (one month) (4 weeks)

Controls hatching eggs
Flea egg (and) (&) (flea) larvae treatment

Controls and prevents flea eggs and (and)(&) (flea) larvae

(Advanced) flea egg (and)(&) (flea) larvae topical treatment that's easy and convenient to use

Advanced flea (egg and larvae) treatment

Prevents flea eggs (from hatching) (for 30 days) (1 month) (4 weeks)

Controls flea eggs before they hatch

Controls flea eggs (and)(&) (flea) larvae for 30 days

Prevents (flea) re-infestation for (1 month) (30 days) (4 weeks)

Contains an insect growth regulator

Breaks the flea life cycle

(This product) (alternate brand name) (with insect growth regulator)(IGR) is a monthly treatment that effectively controls fleas.

Hartz® UltraGuard™ (alternate brand name) products are designed to complement each other in an integrated program for flea management.

(alternate brand name) controls flea eggs (and) (&)(flea larvae)

One tube gives (30 days) (4 weeks) (1 month) control

Apply to one spot for (total body) flea control

Flea control for cats with Insect Growth Regulator (IGR)

A single female can lay (and average of) 25 eggs per day (on average)

As with all flea and tick products, (alternate brand name) is most effective when used as part of a total program aimed at reducing fleas

Controls flea (population growth) (infestation)

(alternate brand name) provides relief from flea populations on cats and kittens by controlling flea eggs (and)(&) flea larvae.

(alternate brand name) contains [an insect growth regulator (IGR) to kill flea eggs before they hatch.] [a long lasting insect growth regulator which prevents flea eggs and larvae from maturing into adults.]

Adult fleas spend virtually all of their time on your pet, but they produce eggs which drop off the pet and develop in the environment.

Once fleas are apparent (visible) on your pet, there is already an infestation of their pre-adult stages in your home.

(alternate brand name) is designed to control flea eggs (and) (&)(flea) larvae, thereby breaking the flea life cycle.

As with all flea products, (alternate brand name) is most effective when used as part of a total program aimed at reducing fleas in the cat's environment.

Be sure to treat the animal's bedding and surroundings with products registered for these

6/6

uses.

(alternate name) provides relief from flea infestations for one month by controlling and preventing flea eggs and larvae on your cat (or kitten).

After application, through its natural movement, your cat's skin and hair oils carry (alternate brand name) over the pet's body for control against flea eggs and larvae.

To control existing flea eggs and (flea) larvae (and control) (adult flea populations), you may need to treat the (your) (pet), home, pet's bed and yard with traditional flea products approved for use on pets, around the home, or in your yard (such as home sprays, foggers and/or yard and kennel spray).

(alternate name) can be used in conjunction with the entire (alternate name) product line.

NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT

X Month(s) Control

(Provides) X Months Control

X(s) Month supply

(Triple) (Four)(3) (4) pack

This product contains (X) monthly treatments, each 0.03 fl. oz. (1 cc).

To help remind you when you last applied treatment, simply write in the date when each treatment was applied:

First Treatment _____

Second Treatment _____

Third Treatment _____

Xth Treatment _____

Convenient, easy to use applicator

Easy (simple) to use (handle) (apply)

For (indoor) cats (and kittens)

Indoor cats (and kittens) can (easily) be exposed to fleas [through contact with (other pets) (and) (&) (people)]

(For best results) wait 48 hours after applying before bathing your cat.

(For best results) do not bathe your cat for 48 hours after application.

Water Resistant

After application, the treated area may appear wet or oily for up to 24 hours.

May stain leather and suede fabrics for (24) (24-48) hours after application.

VISIT (OUR) (WEBSITE)

(www.hartz.com)(www.hartzultraguard.com)(www.hartzincontrol.com)

Hartz® and other trademarks are trademarks of the Hartz Mountain Corporation

For more information call our experts at 1-800-275-1414 (weekdays, 9 am – 5 pm E.S.T.)