THE STATES TO A SERVICE TO A SE

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

JAN 17 2003

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Carol A. Oddi Hartz Mountain Corporation 400 Plaza Drive Secaucus, NJ 07094-3688

Dear Ms. Oddi:

Subject:

Hartz Ref. No. 117

EPA Reg. No. 2596-148 Submission dated 1/17/03

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

At the next printing of your label, in accordance with the new alternate brand names, delete other label references to kittens weighing more than 10 pounds.

If you have questions, please call Ann Sibold at 703 305-6502.

Sincerely,

Joseph Tavano

Acting Product Manager 10

Insecticide Branch

Registration Division (7505C)

DRAFT No. 1965 C.

Mandatory Copy

FRONT PANEL

- ACCEPTED with COMMENTS In EPA Forter Dated:

JAN 17 2003

Hartz Ref. No. 117 Fungicide, and

Under the as amended, for the publication

Alternate Brand Names:

registered under EPA Reg. No. 2596-148 Hertz Anvanced Clare Brand Flee & Tick Drops Plus+ for Cats and Kittons Weighing 10 the and Under Hartz Advanced Care Brand Flea & Tick Drops Plus+ for Cate Weighing Over 10 lbs.

New Alternate Brand Names:

Advanced Care + for Cats ≤ 10 lbs. Advanced Care + for Cate > 10 lbs.

KEEP OUT OF REACH OF CHILDREN

CAUTION: SEE BACK PANEL FOR (INGREDIENTS AND) ADDITIONAL PRECAUTIONARY

(Note: Optional language in parentheses or brackets)

For use on cats and kittens weighing 10 lbs. or less - Net Contents: [add in the number of tubes 0.03 fl.oz. (1cc) applicators

For use on cats (and kittens) weighing more than 10 lbs. - Net Contents: (add in the number of tubes) 0.04 flor. (1.3 cc) applicators

[Note - niultiple packages containing 1 to 150 tubes]

BACK PANEL

(Note to IIPA - Active ingredient statement has previously been approved for back panel piggement on this type of product due to package design.)

ACTIVE INGREDIENTS:

By Weight (Nom.)

(8'-methopiene (CAS #65733-16-8)2.9%

OTHER INGREDIENTS11.4%

READ ENTIRE LABEL BEFORE EACH USE LISE ONLY ON CATS AND KITTENS OVER 12 WEEKS OF AGE

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS

CAUTION: May cause eye irritation. Avoid contact with eyes or clothing. Wash the would with soap and water after handling.

HAZARDS TO DOMESTIC ANIMALS

1

Do not use on kittens less than 12 weeks old.

Hartz Ref. No. 117 EPA Reg. No. 2608-148 DRAFT November 11, 2002 Amendment

Do not use this product on debilitated, aged, medicated, pregnant, or nursing animals or on animals known to be sensitive to pesticide products without first consulting a veterinarian. Signs of individual animal sansitivity which may occur after use of this product include skin irritation or hair loss at the application site, salivation, tremors (twitching of muscles), and in some circumstances, severa full body tremors. Animals should be observed after application for any sign of sensitivity. If aligns of sensitivity occur, bathe your pet with mild soap, rinse with large amounts of water, and consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS: This product is toxic to fish.

FIRST AID

If in eyes:.

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- · Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

• Call : a poison control center or doctor for treatment advice.

Have the product container or label with you when calling for advice or going for treatment.

DIRECTIONS FOR UNE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove on applicator tube from the package and hold in an upright position (pointed away from your face). (Pull off cap. Turn the cap around and place on top of tube. Simply press cap down to break the soal of the tube. Remove cap carefully.) (Hold bottom of tube with one hand. With other hand, snap cap off.)

Position the tip of the tube at the base of the cat's head. Use the tip of the tubo to part the cat's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a spot at the base of the cat's head. Application to the base of the cat's head will reduce the opportunity for the cat to lick the product. Avoid contact with the cat's eyes and mouth.

Repeat every month.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage and disposal. Store in a cool, dry place. If empty: Do not re-use the container. Place in trash or offer for recycling if available. It partly filled: Call your local solid waste agency or 1-800-CLFANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

The	Ha	rtz Mounts	in Corp	oration,	Sec	aucus,	NJ	07094
and	St.	Thomas, (⊃ntarka,	N5P 31	N7 (Canada	3	

EPA	Reg.	No.	2696-146
FPA	Est. M	Ja.	

Hartz Ref. No. 117 EPA Reg. No. 2598-148

DRAFT November 11, 2002 Amendment (replacement page submitted on November 14, 2002)

Additional Labeling that is not mandatory but may be used for advertising or private label products*
*/\decidentale phrasing is designated by parentheses and/or brackets

[3 month (iy) Supply (Treatment(s))] (1st Dose, 2nd Dose, 3nd Dose) (3 Months Protection) (First Month, Second Month, Third Month) (Triple Pack)

(1 Month Supply) (6 Month Supply) (12 Month Supply) (Value Pack)

(Advanced Care)

(Advanced Flea and Tick (and Mosquito) Topical Treatment)

[4 in 1 (protection): ((this product) kills (controls) fleas, ticks, and mosquitoes plus flea eggs.]]]

[Kills (repels) fleati, ticks; & mosquitoes plus flea eggs]

[prevents flea eggs from hatching (for 30 days) (1 month) (4 weeks)]

(kills fice aggs before they hatch)

[prevents re-infestation for (1 month) (30 days) (4 weeks)]

(kills flos eggs (and larves))

(kills hatching eggs)

(contains an insect growth regulator).

(contains and adulticide)

(contains an ovicice effective against fies eggs)

(Stops the tick and mosquito life cycle by killing the adult form of these pests)

(Stops the flea life cycle by killing adult fleas and flea eggs and larvas)

(kills the Flocky Mcuntain Wood Tick which may carry Rocky Mountain Spotted Fever)

[Kills and Repais the Deer Tick which may carry Lyme Disease]

[Controls | Kills) (Rypels) (Lasts) (Works) (Protects) up to 30 days (1 month) (4 weeks)!

[Controls (Kills) (Rupels) [Lasts) (Works) (Protects) () Fleas, Ticks, (and Mosquitoes) Round-the-Clock for up to 30 days (1 month)]

(For use on cats and kittens only)

[Convenient, Easy to use Applicator]

Hartz Ref. No. 117

EPA Reg. No. 2596-148

PRAFT November 11, 2002 Amendment (replacement page submitted on November 14, 2002)

[Easy (simple) to (Handle) (Apply)]

[Spreads Naturally with Cat's Movement (Skin and Hair Oils)]

[Controls (Kills) \$5% of Fleas and 81% of Ticks in 24 Hours (1 Day)]

[Repair 96% of Ticks within 1 day (24 Hours)]

Repels 95% of Flass within 1 day (24 Hours)]

[(Special Formula for Cats)] [(Specially formulated for cats.)]

(For all cats and kittens over 12 weeks of age) (For cats and kittens)

(Flea Egg and Linvae Treatment)

(Kills and Prevents Flett Eggs and larvae)

(Advanced Flee Egg and Larvae Topical Treatment That's Easy and Convenient to Use)

[Fast Acting]

[Long Lasting]

[Gentle Formula: (Note: This phrase will appear only on the rear label of the package)

(it is also waterp/oof)

[Effective Fles & Tick Control]

[Controls fles and tick infestations]

[Controls (Kills) (Repells) (Laste) (Works) (Protects) () up to 30 days (1 month) (4 weeks)]

[Flea Control for Cats with (PRECOR®) (viGRen®) Insect Growth Regulator (IGR)]

[Hartz Fiel, No. 117 provides rolled from flee and tick infestation (from flee and tick populations) on cats and kittens by controlling and preventing adult ticks and flees and flee eggs and larvae.]

(No meis)

(Disposable Applicator)

[Apply to one spot for full body (Total Body) Fles and Tick (and Mosquito) Protection (Control)]

1 1

[Apply to one sput - spreads over the cat's complete body through the notical motion of the

Hartz Ref. No. 117 FPA Reg. No. 2596 148 DRAFT November 11, 2002 Amendment

[This product contains three monthly doses (one monthly dose) each (1cc)]

[One tube give 30 days protection]

[Flea Control for Cats with (PRECOR®) (vIGRen®) Insect Growth Regulator (IGR)]

(Satisfaction Guaranteed) (Money-back Guarantee)

(Guaranteed to Work!

*If not completely satisfied return unused portion for a full refund)

[(PRECOR®) (and) (viGRen®) (is a) (are) registered trademark(s) of Wellmark Intl.]

Why use Hartz Rof. No. 117? Hartz Ref. No. 117 contains two (2) special (active) ingredients. The first (active) ingredient, phenothrin, is specifically designed to kill adult fleas, ticks, and (repel) mosquitoes. The second (active) ingredient, (S)-methoprene, is designed to kill flea eggs and larvae. This combination provides your pet with complete protection. Why is it important to kill flea eggs and larvae? Fleas spend virtually all their life on your pet and they produce a vast number of eggs which drop off the pet and develop in the environment. Once you see fleas on your bet there is already an infestation of pre-adult flea stages in your home. Hartz Ref. No. 117 is specifically designed to kill adult fleas, flea eggs, and larvae, thereby breaking the flea lifecycle and making your pet flea free.

(Hartz Control Pet Care System products are designed to complement each other in an integrated program for flea & tick management. To assure proper treatment, we recommend use of only Hartz Control Pet Care System products.)

(After application, the treated area may appear wet or oily for up to 24 hours.)

[Hartz Ref. No. 117 with viGRen®—Insect Growth Regulator, is the monthly treatment that effectively controls flea & tick infestations. This gentle formula kills and prevents adult fleas and ticks plus flea uggs and larvae (Note: This phrase will appear only on the rear label of the package). (It also repais and kills mosquitoss.)]

[As with all fles and tick products, they are) (Hartz Ref. No. 117 is) most effective when used as part of a total program salmed at reducing fless and ticks (and mosquitoes) in the cat's environment.] (Be sure to treat the animal's bedding and surroundings with products registered for these uses, such as the Hartz Control Pet Care System line.)

The Hartz Ref. No. 117 contains both (an insecticide to kill adult fleas and ticks (and mosquitoes) and an insect growth regulator (IGR) to kill flea eggs before they hatch.) [a powerful, effective insecticide which kills adult fleas and ticks (and mosquitoes), and a long lasting insect growth regulator which prevents flea eggs and larvae from maturing into adults.)] [Adult fleas spend virtually all of their time on your pet, but they produce vast numbers of eggs which drop off the pet and develop in the environment.) (Once fleas are apparent on your pet, there is already an infestation of their pre-adult stages in your home.) Hartz Ref. No. 117-is designed to kill both the adult flea (and adult mosquito) and flea eggs and larvae, thereby.

Hertz Ref. No. 117 EPA Reg. No. 2696-140 DRAFT November 11, 2002 Amendment

breaking the (pest) (insect) (flea) (and mosquito) life cycle.) (The repellent will also break the tick life cycle by killing adult ticks, including the Deer Tick, which may carry Lyme Disease and the Rocky Mountain 'Wood Tick, which may carry Rocky Mountain Spotted Fever.)

Hartz Ref. No. 117 provides relief from flea infestations for one month by controlling and preventing fleas on you cat and kitten. Adult fleas can live on your pet while also producing vast numbers of eggs which drop off your pet and develop in the surrounding environment. Hartz Ref. No. 17 kills the adult flea, its eggs and larvae, thereby breaking the flea life cycle. Hartz Ref. No. 117 breaks the tick life cycle by killing ticks, including the Rocky Mountain Wood Tick and the Deer Tick (which may carry Lyme Disease). Hartz Ref. No. 117 also kills and repels mosquitoes, which may carry canine heartworms.

After application, through its natural movement, your pot's skin and heir oils carry Hartz Ref. No. 117 over the pet's body for protection against fleas, ticks, (mosquitoes), flea eggs and larvae, initially, to kill existing adult flea populations, you may need to treat the home, pet's bed and yard with traditional flua products such as home sprays, foggers and/or yard & kennel spray. Hartz Ref. No. 117 can be used in conjunction with the entire Hartz Control Pet Care System product line.

To remind y	ou when	ou last opp	lind treatment	, simply write	in the date	when each	ei eaob
applied.							

First Dose	
Boc: bnooes	9
Third Dose_	1

Visit our website

www.hartz.com

Hartz. Every Pet's Best Friend.

[If not completely satisfied with this product, return (unused portion) (it to place of purchase with your receipt) for a full refund.]

(For more information about [Brand Name] products call 1-800-xxx-xxxx weekdays from 8 am to 8 pm EST.)

(For more information or (in case of emergency) help at any step), call our Flea and Tick experts at (telephone number), (time),

Protect Your Pet

Important Information: The A B C's of Flea and Tick Management

- A Treat Your Pet to kill fleas and ticks living on your pet.
- B Protect Your Pet to keep fleas and ticks from re-infesting your pet.

C - Treat Your Home both indoors and outdoors, to protect your entire home and guerd against re-infestation.

Be sure to read the full directions and precautions on the label of each product you use.

Hartz Ref. No. 117 EPA Reg. No. 2596-148 DRAFT November 11, 2002 Amendment

Step A – Treat Your Pet with one of the Hartz Control Pet Care System on-animal products, such as Conditioning Shampoo, Dip, Powder or Spray to kill fleas and ticks living on your pet. Use a Hartz Control Pet Care System product containing vIGRen®, and Insect Growth Regulator (IGR), to also stop hatching flea eggs from developing into biting adults.

Step 8 — Protect Your Pet with a Hartz Control Pet Care System repellent or flea and tick collar to keep fleas and ticks from re-infesting your pet. The Hartz Control Pet Care System Ultimate Flea Collar with vIGRan® and Rabon® will also prevent flea eggs from hatching.

Step C – Trent your Home both indoors and outdoors, with Hartz Control Pet Care System Home Flea and Tick Killer or Fogger with viGRen and Hartz Control Pet Care System Yard and Kennel Spray to protect your entire home and guard against re-infestation. The Hartz Control Pet Care System Flea Trap will also serve to help break the flea life cycle by killing in hard-to-reach areas of your home.

*Rabon is a registered trademark of tetrachlorvinphos

*ViGRen is a registered trademark of Wellmark International.



JAN 16'03

15:50 No.007 P.09

Hartz Ref. No. 117 EPA Reg. No. 2596-148

DRAFT November 11, 2002 Amendment (replacement page submitted on November 14, 2002) idual dost in TUBE language to be sold or distributed by Hartz no later than 12

individual dosing TUBE language to be sold or distributed by Hartz no later than 12 months from the effective date of this amendment.

Advanced Care + for Cats ≤ 10 lbs. OR Advanced Care + for Cats > 10 lbs.

ID:

Keep Out Of Reach of Children

CAUTICN

Read or tire label before use

0.03 fl.or. (100) or 0.04 fl.oz. (1.300)

EPA Re(). No. 2596-148

The Hartz Mountain Corp.