



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

December 23, 2014

David Jones
Manager Regulatory Affairs
The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094

Subject: PRIA Label Amendment – multiple label changes
Product Name: Hartz Reference 118
EPA Registration Number: 2596-150
Application Date: July 23, 2014
Decision Number: 493527

Dear Mr. Jones:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable with the following label revision provision(s):

Conditions of acceptance

1. This registration is now time-limited and expires two years from the date of this letter.
2. Please consider limiting the formulations of this product to one basic confidential statement of formula. The Agency may require this in the future and no additional alternate formulations or minor formulation amendments will be approved for this product in the future.
3. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product beginning January 1, 2015. Please flag any Confidential Business Information as such. Enhanced incident reporting and quarterly sales information should be submitted to the Product Manager. The following is a list of information that must be included in the quarterly reports for each incident:

EPA Registration Number
Product name (brand name)
Lot #
Where purchased: internet, store, veterinarian
Active Ingredient(s)
Weight range for product

Date on which incident occurred. (mm/dd/yyyy)
State in which the incident occurred. (standard 2 letter abbreviation)
Registrant case #

Species: dog, cat, other (specify)
Breed: (as reported by pet owner)
Age: months or years
Sex: M, F, or neutered
Weight: pounds

Primary Route of Exposure: dermal, oral, other animal, inhalation, other
Body System: neurological, dermatological, GI, respiratory, ocular, other
Major signs noted with separate column for each sign, using standard terminology
Time to Onset: (hours, days)
Treated by veterinarian: yes or no
First time product used: yes or no
Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)
Any known precondition
EPA Severity Code: death, major, moderate, minor
Outcome: died, recovered, still treated, unknown

4. Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:
 - All incidents should be reported including all minor dermal and ocular irritation reports.
 - Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.
 - A similar summary table for cats (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
 - Summary table for dogs and table for cats showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
 - A summary table for dogs showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.

- A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label.
- A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range.
- Table showing number of incidents for each dog breed.
- Table showing number of incidents in dogs for each clinical sign.
- Table showing number of incidents in dogs for each organ system.
- Report aggregate incidents, but do not combine moderate and minor incidents.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Elizabeth Fertich at (703) 347-8560 or Fertich.elizabeth@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'Kable Bo Davis', enclosed within a large, hand-drawn oval.

Kable Bo Davis, Product Manager 3
Invertebrate and Vertebrate Branch 1 (IVB1)
Registration Division (7505P)
Office of Pesticide Programs

Hartz® Reference No. 118

EPA Reg. No.: 2596-150

MASTER LABEL BASED ON 1/13/09 EPA STAMPED APPROVED LABEL

11/6/2014

Hartz® Reference 118

Front Panel


Alternate Brand Names

Hartz® InControl™ Flea & Tick Drops for Dogs & Puppies Weighing 5 to 14 lbs.
Hartz® InControl™ Flea & Tick Drops for Dogs and Puppies Weighing 5 to 14 lbs.
Hartz® InControl™ Flea & Tick Drops for Dogs Weighing 5 to 14 lbs.
Hartz® InControl™ Flea & Tick Drops for Dogs & Puppies Weighing 14.1 to 30 lbs.
Hartz® InControl™ Flea & Tick Drops for Dogs and Puppies Weighing 14.1 to 30 lbs.
Hartz® InControl™ Flea & Tick Drops for Dogs Weighing 14.1 to 30 lbs.
Hartz® InControl™ Flea & Tick Drops for Dogs & Puppies Weighing 30.1 to 60 lbs.
Hartz® InControl™ Flea & Tick Drops for Dogs and Puppies Weighing 30.1 to 60 lbs.
Hartz® InControl™ Flea & Tick Drops for Dogs Weighing 30.1 to 60 lbs.
Hartz® InControl™ Flea & Tick Drops for Dogs & Puppies Weighing over 60 lbs.
Hartz® InControl™ Flea & Tick Drops for Dogs and Puppies Weighing over 60 lbs.
Hartz® InControl™ Flea & Tick Drops for Dogs Weighing over 60 lbs.

Hartz® InControl Advanced™ Flea & Tick Drops for Dogs & Puppies Weighing 5 to 14 lbs.
Hartz® InControl Advanced™ Flea & Tick Drops for Dogs and Puppies Weighing 5 to 14 lbs.
Hartz® InControl Advanced™ Flea & Tick Drops for Dogs Weighing 5 to 14 lbs.
Hartz® InControl Advanced™ Flea & Tick Drops for Dogs & Puppies Weighing 14.1 to 30 lbs.
Hartz® InControl Advanced™ Flea & Tick Drops for Dogs and Puppies Weighing 14.1 to 30 lbs.
Hartz® InControl Advanced™ Flea & Tick Drops for Dogs Weighing 14.1 to 30 lbs.
Hartz® InControl Advanced™ Flea & Tick Drops for Dogs & Puppies Weighing 30.1 to 60 lbs.
Hartz® InControl Advanced™ Flea & Tick Drops for Dogs and Puppies Weighing 30.1 to 60 lbs.
Hartz® InControl Advanced™ Flea & Tick Drops for Dogs Weighing 30.1 to 60 lbs.
Hartz® InControl Advanced™ Flea & Tick Drops for Dogs & Puppies Weighing over 60 lbs.
Hartz® InControl Advanced™ Flea & Tick Drops for Dogs and Puppies Weighing over 60 lbs.
Hartz® InControl Advanced™ Flea & Tick Drops for Dogs Weighing over 60 lbs.

Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs Weighing 5 to 14 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs & Puppies Weighing 5 to 14 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs and Puppies Weighing 5 to 14 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs Weighing 14.1 to 30 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs & Puppies Weighing 14.1 to 30 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs and Puppies Weighing 14.1 to 30 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs Weighing 30.1 to 60 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs & Puppies Weighing 30.1 to 60 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs and Puppies Weighing 30.1 to 60 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs Weighing >60 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs & Puppies Weighing >60 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs and Puppies Weighing >60 lbs.

Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs Weighing 5 to 14 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs & Puppies Weighing 5 to 14 lbs.



Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs and Puppies Weighing 5 to 14 lbs.

Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs Weighing 14.1 to 30 lbs.

Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs & Puppies Weighing 14.1 to 30 lbs.

Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs and Puppies Weighing 14.1 to 30 lbs.

Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs Weighing 30.1 to 60 lbs.

Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs & Puppies Weighing 30.1 to 60 lbs.

Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs and Puppies Weighing 30.1 to 60 lbs.

Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs Weighing >60 lbs.

Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs & Puppies Weighing >60 lbs.

Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs and Puppies Weighing >60 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs Weighing 5 to 14 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs & Puppies Weighing 5 to 14 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs and Puppies Weighing 5 to 14 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs Weighing 14.1 to 30 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs & Puppies Weighing 14.1 to 30 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs and Puppies Weighing 14.1 to 30 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs Weighing 30.1 to 60 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs & Puppies Weighing 30.1 to 60 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs and Puppies Weighing 30.1 to 60 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs Weighing >60 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs & Puppies Weighing >60 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs and Puppies Weighing >60 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs Weighing 5 to 14 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs & Puppies Weighing 5 to 14 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs and Puppies Weighing 5 to 14 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs Weighing 14.1 to 30 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs & Puppies Weighing 14.1 to 30 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs and Puppies Weighing 14.1 to 30 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs Weighing 30.1 to 60 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs & Puppies Weighing 30.1 to 60 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs and Puppies Weighing 30.1 to 60 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs Weighing >60 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs & Puppies Weighing >60 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs and Puppies Weighing >60 lbs.

[Include a large clear picture of dog species appropriate for weight class on the front panel.]

[Use one of the following:]

For use ONLY on dogs 12 weeks and older, weighing 5 to 14 lbs.

For use ONLY on dogs 12 weeks and older, weighing 14.1 to 30 lbs.

For use ONLY on dogs 12 weeks and older, weighing 30.1 to 60 lbs.

For use ONLY on dogs 12 weeks and older, weighing over 60 lbs.

ACTIVE INGREDIENTS

Phenothrin.....85.7%

(S) – Methoprene.....2.3%

OTHER INGREDIENTS12.0%

TOTAL100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See (back) (side) panel for (ingredients and) additional precautionary statements.

NET CONTENTS Contains (number) tubes, each __fl. oz. (__ml)

[Note: Multiple packages containing from 1 tube to X tubes – each tube contains fl. oz. (__ml)]

For Dogs and Puppies Weighing:	Net Contents (Each tube)
5 to 14 lbs.	0.021 fl. oz. (0.65 ml)
14.1 to 30 lbs.	0.043 fl. oz. (1.3 ml)
30.1 to 60 lbs.	0.138 fl. oz. (4.1 ml)
> 60 lbs.	0.199 fl. oz. (5.9 ml)

EPA Reg. No. 2596-150

EPA Est. No. 2596-OH-1[= PP]

[See lot # for EPA Est. No.]

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation

Made (in the U.S.A.) by

The Hartz Mountain Corporation

400 Plaza Drive

Secaucus, NJ 07094 (U.S.A.)

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS OR ON PUPPIES 12 WEEKS OF AGE OR OLDER

DO NOT USE ON DOGS OR PUPPIES WEIGHING LESS THAN 5 LBS. [*Use only on label for product intended for dogs weighing 5 to 14 lbs.*]



DO NOT USE ON CATS

BACK PANEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

DO NOT USE ON CATS OR KITTENS. Do not use on dogs or puppies less than **12** weeks of age. Do not use on dogs or puppies less than 5 lbs. Do not use this product on debilitated, aged, medicated, pregnant or nursing dog(s) or on dog(s) known to be sensitive to pesticide products without first consulting a veterinarian. Sensitivity, such as slight transitory redness of the skin at the site of application, may occur after using ANY pesticide product for dog(s). If signs of sensitivity occur, bathe your dog(s) with mild soap, rinse with large amounts of water, and consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic invertebrates. Do not apply directly to water.

FIRST AID

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice. **If in eyes:** • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. • **HOTLINE NUMBER:** • Have the product container or label with you when calling a poison control center, doctor or veterinarian, or going for treatment. For additional information on this pesticide product (including human and veterinary health concerns, medical emergencies or pesticide incidents), you may call 1-800-275-1414, twenty-four (24) hours per day, seven (7) days per week.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON DOGS OR PUPPIES WEIGHING LESS THAN 5 LBS. [*Use on 7 – 15 lbs. package only, bold and capitalized letters.*]

Do not apply this product in a way that will contact children, either directly or through drift/runoff.

(*For product labeled for dogs over 60 lbs. state: “Do not double dose animals over 60 lbs.”*)

(*For product labeled for dogs from 5 to 14 lbs. state: “Do not apply to dogs weighing less than 5 pounds.”*)

(The application steps below may optionally be numbered or bulleted to clarify the order, depending on the final physical layout of the label)

[There are 4 closure options for the tube. The first represents the currently used cap. The following 3 closure options are proposed for use with this product.]

[Current cap]

Remove one applicator tube from the package and hold in an upright position (pointed away from your face). (Pull off cap. Turn the cap around and place on top of tube. Simply press cap down to break the seal of the tube. Remove cap carefully.) (Hold bottom of tube with one hand. With the other hand, snap cap off.)

Position the tip of the tube on the dog’s back between the shoulder blades. Use the tip of the tube to part the dog’s hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog’s back to the base of the tail. Repeat every month.

[Optional cap #1]

Remove one applicator tube from the package and hold in an upright position pointed away from your face. Twist dispensing tip clockwise about ½ turn while pushing down to break the tube’s seal. Do not remove the dispensing tip.

Position the dispensing tip on the dog’s back between the shoulder blades. Use the dispensing tip of the tube to part the dog’s hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog’s back to the base of the tail. Repeat every month.

[Optional cap #2]

Remove one applicator tube from the package and hold in an upright position pointed away from your face. Squeeze the middle of the dispensing tip at the grooved pad to break the inner seal.

Position the dispensing tip of the tube on the dog’s back between the shoulder blades. Use the tip of the tube to part the dog’s hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog’s back to the base of the tail. Repeat every month.

[Optional cap #3]

Remove one applicator tube from the package and hold in an upright position pointed away from your face. Twist dispensing tip clockwise about ½ turn until you feel it click into place. Push down to break the tube's seal. Do not remove the dispensing tip.

Position the dispensing tip of the tube on the dog's back between the shoulder blades. Use the tip of the tube to part the dog's hair so that the product will be applied at skin level.

Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail. Repeat every month

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool, dry (preferably locked) place in an area that is inaccessible to children and animals.

Container Handling: Nonrefillable container. Do not refill or reuse this container.

If empty: Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Side Effects – Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort.

Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-275-1414.



DO NOT USE ON CATS – MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to or ingested by a cat, contact your veterinarian immediately.

INDIVIDUAL TUBE TEXT

Hartz® InControl™ Flea& Tick Drops for Dogs (&) (and) (Puppies)
Hartz® InControl Advanced™ Flea& Tick Drops for Dogs (&) (and) (Puppies)
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs (&) (and) (Puppies)
Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs (&) (and) (Puppies)
Hartz® UltraGuard Pro® Flea & Tick Drops (with Pro-cision Flo™ Applicator) for Dogs (&) (and) (Puppies)
Hartz® UltraGuard Plus™ Flea & Tick Drops (with Pro-cision Flo™ Applicator) for Dogs (&) (and) (Puppies)

[Product name will be followed by weight of dog for which tube is intended]

[Active Ingredients:]

Phenothrin85.7%
(S) – Methoprene2.3%

Range of volumes from 0.021 fl. oz. (0.65 ml) to 0.199 fl. oz (5.9 ml) depending upon size of dog

[Note: Multiple packages containing from 1 tube to X tubes – each tube contains fl. oz. (__ml)]

KEEP OUT OF REACH OF CHILDREN

CAUTION:

Read accompanying label before use

EPA Reg. No. 2596-150
EPA Est. No. 2596-OH-1 [= PP]
[See lot # for EPA Est. No.]
The Hartz Mountain Corp.

OPTIONAL/ALTERNATE LABEL TEXT

(Kills) (and) (&) (Repels) Fleas (and) (&) Ticks for (up to) (30 days) (1 month)
Kills (fleas) (ticks) (mosquitoes) (flea eggs) (&) (and) (flea larvae) (for up to 30 days)
Prevents flea eggs from hatching (for 30 days) (1 month)(4 weeks)
Starts killing through contact
Flea egg and (&) (flea) larvae treatment
Contains an adulticide and an insect growth regulator
Kills hatching flea eggs
Kills mosquitoes
Flea and tick control
Flea and tick (and mosquito) topical treatment
Kills pre-adult stages of the flea life cycle

Kills all stages of the flea life cycle

Kills (and repels) fleas which may cause (flea bite anemia)(and)(or)(flea allergy dermatitis) on dogs

Prevents mosquitoes from feeding on dogs for up to (one month) (4 weeks)(30 days) (per application)

A single female flea can lay (an average of) 25 eggs per day (on average)

Flea (and)(&) tick control

For use on dogs and puppies 12 weeks of age or older only

For dogs and puppies at least 12 weeks old

For dogs and puppies over 5 lbs.

One tube gives (provides) (30 days) (one month) (4 weeks) protection

Hartz® UltraGuard (alternate brand name) flea and tick products are most effective when used as part of a total program aimed at reducing fleas and ticks

NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT

Convenient (easy to use) applicator

X Pro-Glide™ Applicator(s)

(Now) (featuring the angled) Pro-Glide™ Applicator easily gets through dog's fur, for on-skin application

(Now) (featuring the angled) Pro-Glide™ Applicator quickly gets through dog's fur, for on-skin application

(Now) (featuring the angled) Pro-Glide™ Applicator easily penetrates dog's fur, for on-skin application

(Now) (featuring the angled) Pro-Glide™ Applicator quickly penetrates dog's fur, for on-skin application

Pro-Glide™ Applicator gently glides through the dog's fur

Pro-Glide™ Applicator easily gets through dog's fur to minimize (oily) residue

Pro-Glide™ Applicator easily penetrates dog's fur to minimize (oily) residue

Pro-Glide™ Applicator features rounded edges for on-skin application

Pro-Glide™ Applicator glides smoothly through the dog's fur

Pro-Glide™ Applicator features an angled tip to help guide the application

Easy to use Pro-Glide™ Applicator

Easy to (use) (apply)

Simple to (use) (apply)

(Featuring the) (with) Clearview™ tube

Passes easily through the dog's coat to the skin.

Glides quickly through dog's coat

Applies smoothly on dog's skin

Applies directly on dog's skin

(Clearview™) tube (visually) ensures all product has been dispensed
(Clearview™) tubes give you the assurance all the product has been applied

Stops (and) (&) prevents re-infestations on your dog for 30 days
Prevents re-infestations on your dog for 30 days

(Patent pending)

(X) Pro-cision Flo™ Applicator(s)

(Pro-cision Flo™ Applicator)(Applicator) for (direct-to-skin) (direct to skin) application

(Pro-cision Flo™ Applicator)(Applicator) for direct application

Pro-cision Flo™ Applicator

Applicator (easily penetrates dog's fur) (dog's coat) for direct application

Applicator (easily penetrates dog's fur) (dog's coat) for application directly to your dog's skin

Direct to your dog's skin

For Dogs and Puppies (weighing) (5 to 14 lbs.) (14.1-30 lbs.) (30.1-60 lbs.) (> 60 lbs.)

This product contains three (four) monthly doses (one monthly dose), each X (fl. oz.) (cc)
1st dose, 2nd dose, 3rd dose (Xth dose)

First month, second month, third month (Xth month)

Triple pack

X-pack

X-tubes

Value pack

X monthly treatments

Fresh (scent) (fragrance)

Powder (scent) (fragrance)

Pleasant (scent) (fragrance)

Spreads naturally with dog's (movement) (skin and hair oils)

After application, the treated area may appear wet or oily for up to 24 hours

No mess

Wait 48 hours after applying before bathing your dog.

Do not bathe your dog for 48 hours after application.

May stain leather and suede fabrics for (24) (24 to 48) hours after application.

To help remind you when you last applied treatment, simply write in the date when each dose is applied:

First Dose _____

Second Dose _____

Third Dose _____

Xth Dose _____

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation

Hartz recommends that you visit your veterinarian twice a year.

For more information call our experts at 1-800-275-1414 (weekdays, 9 am – 5 pm E.S.T.)