



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

2596-150

Date of Issuance:

6/7/17

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited
Expires: 6/7/2019

Name of Pesticide Product:

HARTZ REFERENCE 118

Name and Address of Registrant (include ZIP Code):

Anna McGrath
The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Sincerely, 

Gene Benbow, Acting Product Manager 4
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

Date:

6/7/17

2. The Agency has found your company to be in compliance with the terms and conditions for the subject product, and is extending the two-year registration restriction. This registration is time-limited and expires 6/7/2019.
3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated the amendment letter dated 6/23/12.
4. You are required to comply with the data requirements described in the DCI Order identified below:
 - a. Phenothrin GDCI- 069005-1285

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI Order listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:

<http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

5. Submit one copy of the final printed label for the record before you release the product for shipment.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 07/14/11

If you have any questions, you may contact Julie Breeden-Alemi at 703-347-0511 or via email at Breeden-Alemi.Julie@epa.gov.



Hartz® Reference 118

{**Note to Reviewer** - Brackets used in this label are as follows: [] are for optional wording, { } are for notes to reviewer, () are for text location/positioning }

(Primary Brand Name not to be used on any product labels. The word Dog will be included in all Alternate Brand Names and be at least 75% of the size of the largest letter in the product name)

(Alternate Brand Names to be listed at end of document)

(Front Panel)

(Included on front panel is a large, clear picture of a dog in the weight range for the product.)

ACTIVE INGREDIENTS

Phenothrin.....85.7%

[S] – Methoprene.....2.3%

OTHER INGREDIENTS12.0%

TOTAL100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for First Aid and additional Precautionary Statements.

NET CONTENTS

(For 1 applicator package and each weight class noted is for separate tube text)

Only For Dogs and Puppies 12 Weeks and Older Weighing:	Net Contents [Each tube]
5 to 14 lbs.	0.021 fl. oz. [0.65 ml]
14.1 to 30 lbs.	0.043 fl. oz. [1.3 ml]
30.1 to 60 lbs.	0.138 fl. oz. [4.1 ml]
> 60 lbs.	0.199 fl. oz. [5.9 ml]

(For 3 applicator pack)

[For use] ONLY [for use] on Dogs and Puppies 12 weeks and older Weighing:	Net Contents
5 to 14 lbs.	0.063 fl oz [1.95 mL], Contains 3[-] tubes, each 0.021 fl. oz. [0.65 mL]
14.1 to 30 lbs.	0.129 fl oz [3.9 mL], Contains 3 [-] tubes, each 0.043 fl. oz. [1.3 mL]
30.1 to 60 lbs.	0.414 fl oz [12.3 mL], Contains 3[-] tubes, each 0.138 fl. oz. [4.1 mL]
> 60 lbs.	0.597 fl oz [17.7 mL], Contains 3 [-] tubes, each 0.199 fl. oz. [5.9 mL]

(Cat Warning: A cat prohibition icon in a box, 1.5 cm x 1.5cm, black image on a yellow background, will appear on the lower right hand corner of the front panel.)

DO NOT USE ON CATS



[1.5 x 1.5 cm icon]

(BACK PANEL)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

DO NOT USE ON CATS OR KITTENS. For external use only. Do not use on dogs or puppies less than **12** weeks of age. Do not use on dogs or puppies less than (insert lower

end of weight of weight range). Do not use this product on debilitated, aged, medicated, pregnant or nursing dog[s] or on dog[s] known to be sensitive to pesticide products without first consulting a veterinarian. Sensitivity, such as slight transitory redness of the skin at the site of application, may occur after using ANY pesticide product for dog[s]. If signs of sensitivity occur, bathe your dog[s] with mild soap, rinse with large amounts of water, and consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic invertebrates. Do not apply directly to water.

FIRST AID

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If in eyes:** • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. • **HOTLINE NUMBER:** • Have the product container or label with you when calling a poison control center, doctor or veterinarian, or going for treatment. For additional information on this pesticide product (including human and veterinary health concerns, medical emergencies or pesticide incidents), you may call 1-800-275-1414, twenty-four (24) hours per day, seven (7) days per week.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

RESTRICTIONS:

USE ONLY ON DOGS OR PUPPIES 12 WEEKS OF AGE OR OLDER

DO NOT USE ON DOGS OR PUPPIES WEIGHING UNDER [Insert lowest weight of weight range] LBS.

DO NOT EXCEED LISTED DOSAGE AMOUNT FOR DOGS.

DO NOT ALLOW YOUR DOG TO INGEST THIS PRODUCT.

WAIT 48 HOURS AFTER APPLICATION BEFORE BATHING YOUR DOG.

DO NOT APPLY MORE THAN ONE APPLICATOR PER TREATMENT FOR ONE DOG REGARDLESS OF DOG'S WEIGHT

DO NOT REAPPLY PRODUCT FOR 30 DAYS.

[Current cap]

Remove one applicator tube from the package and hold in an upright position [pointed away from your face]. [Pull off cap. Turn the cap around and place on top of tube. Simply press cap down to break the seal of the tube. Remove cap carefully.] [Hold

bottom of tube with one hand. With the other hand, snap cap off.]

Position the tip of the tube on the dog's back between the shoulder blades. Use the tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail. Repeat every month.

[Optional cap #1]

Remove one applicator tube from the package and hold in an upright position pointed away from your face. Twist dispensing tip clockwise about ½ turn while pushing down to break the tube's seal. Do not remove the dispensing tip.

Position the dispensing tip on the dog's back between the shoulder blades. Use the dispensing tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail. Repeat every month.

[Optional cap #2]

Remove one applicator tube from the package and hold in an upright position pointed away from your face. Squeeze the middle of the dispensing tip at the grooved pad to break the inner seal.

Position the dispensing tip of the tube on the dog's back between the shoulder blades. Use the tip of the tube to part the dog's hair so that the product will be applied at skin level.

Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail. Repeat every month.

[Optional cap #3]

Remove one applicator tube from the package and hold in an upright position pointed away from your face. Twist dispensing tip clockwise about ½ turn until you feel it click into place. Push down to break the tube's seal. Do not remove the dispensing tip.

Position the dispensing tip of the tube on the dog's back between the shoulder blades. Use the tip of the tube to part the dog's hair so that the product will be applied at skin level.

Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail. Repeat every month

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container, when not in use. Store in a cool, dry [preferably locked] area that is inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. *If empty:* Offer for recycling, if available. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

SIDE EFFECTS (Located in a box immediately above the cat warning)

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-275-1414.

(Cat Warning: (A 1.5 cm x 1.5 cm cat prohibition icon, black image on a yellow background and warning text in a box will be placed in the lower right hand corner of the back panel.)



DO NOT USE ON CATS – MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

EPA Reg. No. 2596-151
EPA Est. No. 2596-OH-1

[Made [in the U.S.A.] [by]]
The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094 [U.S.A.]

(INDIVIDUAL TUBE TEXT)

[Alternate Brand Name]

For use ONLY on DOGS AND PUPPIES 12 WEEKS OR OLDER weighing (insert from weight range list below) -

5 to 14 lbs. - 0.021 fl. oz. [0.65 ml]
14.1 to 30 lbs. - 0.043 fl. oz. [1.3 ml]
30.1 to 60 lbs. - 0.138 fl. oz. [4.1 ml]
> 60 lbs. - 0.199 fl. oz. [5.9 ml]

KEEP OUT OF REACH OF CHILDREN

CAUTION:

Read accompanying label before use

[Active Ingredients:]

Phenothrin85.7%
[S] – Methoprene2.3%

EPA Reg. No. 2596-150
EPA Est. No. 2596-OH-1

[Lot number to appear on tube]

(OPTIONAL/ALTERNATE LABEL TEXT)

[Kills] [and] [&] [Repels] Fleas [and] [&] Ticks for [up to] [30 days] [1 month]
Kills [fleas] [ticks] [mosquitoes] [flea eggs] [&] [and] [flea larvae] [for up to 30 days]
Prevents flea eggs from hatching [for 30 days] [1 month][4 weeks]
Starts killing through contact
Flea egg and [&] [flea] larvae treatment
Contains an adulticide and an insect growth regulator
Kills hatching flea eggs
Kills mosquitoes
Flea and tick control
Flea and tick [and mosquito] topical treatment
Kills pre-adult stages of the flea life cycle
Kills all stages of the flea life cycle
Kills [and repels] fleas which may cause [flea bite anemia] [and][or] [flea allergy dermatitis] on dogs
Prevents mosquitoes from feeding on dogs for up to [one month] [4 weeks] [30 days] [per application]
A single female flea can lay [an average of] 25 eggs per day [on average]
Flea [and][&] tick control
For use on dogs [and] [&] puppies 12 weeks of age or older weighing (insert weight range)
For dogs [and] [&] puppies at least 12 weeks old weighing (insert weight range)
For dogs [and] [&] puppies 12 weeks of age or older weighing (insert weight range)

One tube gives [provides] [30 days] [one month] [4 weeks] protection

(Alternate brand name) flea and tick products are most effective when used as part of a total program aimed at reducing fleas and ticks

(NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT)

Convenient [easy to use] applicator
X Pro-Glide™ Applicator[s]
[Now] [featuring the angled] Pro-Glide™ Applicator easily gets through dog's fur, for on-

skin application

[Now] [featuring the angled] Pro-Glide™ Applicator quickly gets through dog's fur, for on-skin application

[Now] [featuring the angled] Pro-Glide™ Applicator easily penetrates dog's fur, for on-skin application

[Now] [featuring the angled] Pro-Glide™ Applicator quickly penetrates dog's fur, for on-skin application

Pro-Glide™ Applicator gently glides through the dog's fur

Pro-Glide™ Applicator easily gets through dog's fur to minimize [oily] residue

Pro-Glide™ Applicator easily penetrates dog's fur to minimize [oily] residue

Pro-Glide™ Applicator features rounded edges for on-skin application

Pro-Glide™ Applicator glides smoothly through the dog's fur

Pro-Glide™ Applicator features an angled tip to help guide the application

Easy to use Pro-Glide™ Applicator

Easy to [use] [apply]

Simple to [use] [apply]

[Featuring the] [with] Clearview™ tube

Passes easily through the dog's coat to the skin.

Glides quickly through dog's coat

Applies smoothly on dog's skin

Applies directly on dog's skin

[Clearview™] tube [visually] ensures all product has been dispensed

[Clearview™] tubes give you the assurance all the product has been applied

Stops [and] [&] prevents re-infestations on your dog for 30 days

Prevents re-infestations on your dog for 30 days

[Patent pending]

[X] Pro-cision Flo™ Applicator[s]

[Pro-cision Flo™ Applicator][Applicator] for [direct-to-skin] [direct to skin] application

[Pro-cision Flo™ Applicator][Applicator] for direct application

Pro-cision Flo™ Applicator

Applicator [easily penetrates dog's fur] [dog's coat] for direct application

Applicator [easily penetrates dog's fur] [dog's coat] for application directly to your dog's skin

Direct to your dog's skin

For Dogs and Puppies 12 weeks of age or older weighing [5 to 14 lbs.] [14.1-30 lbs.]

[30.1-60 lbs.] [> 60 lbs.]

This product contains three monthly doses each [add individual tube fl oz and ml]

1st dose, 2nd dose, 3rd dose

First month, second month, third month

Triple pack

[1] [3] - pack

[1] [3] - tubes

[1] [3] monthly treatment[s]

Fresh [scent] [fragrance]

Powder [scent] [fragrance]

Pleasant [scent] [fragrance]

Spreads naturally with dog's [movement] [skin and hair oils]

After application, the treated area may appear wet or oily for up to 24 hours

No mess

Wait 48 hours after applying before bathing your dog.

Do not bathe your dog for 48 hours after application.

May stain leather and suede fabrics for [24] [24 to 48] hours after application.

To help remind you when you last applied treatment, simply write in the date when each dose is applied:

First Dose _____

Second Dose _____

Third Dose _____

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation

Hartz recommends that you visit your veterinarian twice a year.

For more information call our experts at 1-800-275-1414 [weekdays, 9 am – 5 pm E.S.T.]

(Alternate Brand Names)

Hartz® InControl™ Flea & Tick Drops for Dogs & Puppies Weighing 5 to 14 lbs.

Hartz® InControl™ Flea & Tick Drops for Dogs and Puppies Weighing 5 to 14 lbs.

Hartz® InControl™ Flea & Tick Drops for Dogs Weighing 5 to 14 lbs.

Hartz® InControl™ Flea & Tick Drops for Dogs & Puppies Weighing 14.1 to 30 lbs.

Hartz® InControl™ Flea & Tick Drops for Dogs and Puppies Weighing 14.1 to 30 lbs.

Hartz® InControl™ Flea & Tick Drops for Dogs Weighing 14.1 to 30 lbs.

Hartz® InControl™ Flea & Tick Drops for Dogs & Puppies Weighing 30.1 to 60 lbs.

Hartz® InControl™ Flea & Tick Drops for Dogs and Puppies Weighing 30.1 to 60 lbs.

Hartz® InControl™ Flea & Tick Drops for Dogs Weighing 30.1 to 60 lbs.

Hartz® InControl™ Flea & Tick Drops for Dogs & Puppies Weighing over 60 lbs.

Hartz® InControl™ Flea & Tick Drops for Dogs and Puppies Weighing over 60 lbs.

Hartz® InControl™ Flea & Tick Drops for Dogs Weighing over 60 lbs.

Hartz® InControl Advanced™ Flea & Tick Drops for Dogs & Puppies Weighing 5 to 14 lbs.

Hartz® InControl Advanced™ Flea & Tick Drops for Dogs and Puppies Weighing 5 to 14 lbs.

Hartz® InControl Advanced™ Flea & Tick Drops for Dogs Weighing 5 to 14 lbs.

Hartz® InControl Advanced™ Flea & Tick Drops for Dogs & Puppies Weighing 14.1 to 30 lbs.

Hartz® InControl Advanced™ Flea & Tick Drops for Dogs and Puppies Weighing 14.1 to 30 lbs.

Hartz® InControl Advanced™ Flea & Tick Drops for Dogs Weighing 14.1 to 30 lbs.

Hartz® InControl Advanced™ Flea & Tick Drops for Dogs & Puppies Weighing 30.1 to 60 lbs.

Hartz® InControl Advanced™ Flea & Tick Drops for Dogs and Puppies Weighing 30.1 to 60 lbs.

Hartz® InControl Advanced™ Flea & Tick Drops for Dogs Weighing 30.1 to 60 lbs.
Hartz® InControl Advanced™ Flea & Tick Drops for Dogs & Puppies Weighing over 60 lbs.
Hartz® InControl Advanced™ Flea & Tick Drops for Dogs and Puppies Weighing over 60 lbs.
Hartz® InControl Advanced™ Flea & Tick Drops for Dogs Weighing over 60 lbs.

Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs Weighing 5 to 14 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs & Puppies Weighing 5 to 14 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs and Puppies Weighing 5 to 14 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs Weighing 14.1 to 30 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs & Puppies Weighing 14.1 to 30 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs and Puppies Weighing 14.1 to 30 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs Weighing 30.1 to 60 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs & Puppies Weighing 30.1 to 60 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs and Puppies Weighing 30.1 to 60 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs Weighing >60 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs & Puppies Weighing >60 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops for Dogs and Puppies Weighing >60 lbs.

Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs Weighing 5 to 14 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs & Puppies Weighing 5 to 14 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs and Puppies Weighing 5 to 14 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs Weighing 14.1 to 30 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs & Puppies Weighing 14.1 to 30 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs and Puppies Weighing 14.1 to 30 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs Weighing 30.1 to 60 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs & Puppies Weighing 30.1 to 60 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs and Puppies Weighing 30.1 to 60 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs Weighing >60 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs & Puppies Weighing >60 lbs.
Hartz® UltraGuard Pro® Flea & Tick Drops with Pro-cision Flo™ Applicator for Dogs and Puppies Weighing >60 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs Weighing 5 to 14 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs & Puppies Weighing 5 to 14 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs and Puppies Weighing 5 to 14 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs Weighing 14.1 to 30 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs & Puppies Weighing 14.1 to 30 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs and Puppies Weighing 14.1 to 30 lbs.

Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs Weighing 30.1 to 60 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs & Puppies Weighing 30.1 to 60 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs and Puppies Weighing 30.1 to 60 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs Weighing >60 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs & Puppies Weighing >60 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops for Dogs and Puppies Weighing >60 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs Weighing 5 to 14 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs & Puppies Weighing 5 to 14 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs and Puppies Weighing 5 to 14 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs Weighing 14.1 to 30 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs & Puppies Weighing 14.1 to 30 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs and Puppies Weighing 14.1 to 30 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs Weighing 30.1 to 60 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs & Puppies Weighing 30.1 to 60 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs and Puppies Weighing 30.1 to 60 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs Weighing >60 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs & Puppies Weighing >60 lbs.
Hartz® UltraGuard Plus™ Flea & Tick Drops With Pro-cision Flo™ Applicator for Dogs and Puppies Weighing >60 lbs.