

2596-151

4/29/2014

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

April 29, 2014

Mr. David Jones
Manager, Regulatory Affairs
The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094-3688

Subject: Acceptance of Amended Reregistration Label
Product Name: Hartz® Reference #119
EPA Registration Number: 2596-151
EPA Decision Number: D427071
Your E-Submission Dated July 18, 2013

Dear Mr. Jones:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the referenced product in connection with the **RED for Phenothrin**, and has concluded that your submission is acceptable.

Please note that the record for this product currently contains the CSFs listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated July 5, 2011
- Alternate CSF, dated July 6, 2011

PLEASE NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

A copy of your label stamped "Accepted" is enclosed for your records. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with section 6(e) of FIFRA.

If you have any questions about this letter, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at Rodia.Carmen@epa.gov or Mr. Richard J. Gebken at (703) 305-6701 or via e-mail at Gebken.Richard@epa.gov during the hours of 9:00 A.M. to 5:30 P.M. EST.

Sincerely Yours,

A handwritten signature in black ink, appearing to read "Richard J. Gebken".

Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

Hartz® Reference 119

July 18, 2013

2/8

EPA Reg. No.: 2596-151

MASTER LABEL BASED ON 1/9/09 EPA STAMPED APPROVED LABEL

Front Panel

Hartz® Reference 119

Alternate Brand Names

Hartz® InControl® Flea & Tick Topical Drops for Dogs [for Dogs (&) (and) (Puppies)
(Weighing _ to _ lbs.)]

Hartz® UltraGuard™ Flea (&) (and) Tick Drops for Dogs [for Dogs (&) (and) (Puppies)
(Weighing _ to _ lbs.)]

ACTIVE INGREDIENT

Phenothrin.....85.7%

OTHER INGREDIENTS.....14.3%

TOTAL.....100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for (ingredients and) additional precautionary statements

NET CONTENTS Contains (number) tubes, each _ fl. oz. (_ ml)

[Note: Multiple packages containing from 1 tube to X tubes – each tube contains fl. oz. (_ ml)]

Only For Dogs and Puppies Weighing:	Net Contents (Each tube)
5 to 14 lbs.	0.021 fl. oz. (0.65 ml)
14.1 to 30 lbs.	0.043 fl. oz. (1.3 ml)
30.1 to 60 lbs.	0.138 fl. oz. (4.1 ml)
> 60 lbs.	0.199 fl. oz. (5.9 ml)



DO NOT USE ON CATS

ACCEPTED
April 29, 2014
Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for the
pesticide registered under:

EPA. Reg. No: 2596-151

[Cat Warning: A cat prohibition icon will appear on the front panel and back panel.]

MASTER LABEL BASED ON 1/9/09 EPA STAMPED APPROVED LABEL

Back Panel

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

DO NOT USE ON CATS OR KITTENS. Do not use on puppies less than 12 weeks old. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Sensitivity such as slight transitory redness of the skin at the site of application may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS: This product is highly toxic to fish and aquatic organisms.

FIRST AID

If in eyes: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. • You may also contact 1-800-275-1414 for emergency medical treatment information. • Have the product container or label with you when calling for advice or going for treatment.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON DOGS OR PUPPIES 12 WEEKS OF AGE OR OLDER.

DO NOT USE ON DOGS OR PUPPIES WEIGHING UNDER 5 LBS. (Use on the 5 - 14 lbs. dog and puppy weight range package only)

DO NOT EXCEED RECOMMENDED DOSAGE AMOUNT FOR DOGS.

DO NOT ALLOW YOUR DOG TO INGEST THIS PRODUCT

Remove one applicator tube from the package and hold in an upright position (pointed away from your face). (Pull off cap, turn the cap around and place on top of tube. Simply press cap down to break the seal of the tube. Remove cap carefully.) (Hold bottom of tube with one hand. With the other hand, snap cap off.)

Position the tip of the tube on the dog's back between the shoulder blades. Use the tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dogs back to the base of the tail. Repeat every month.

SIDE EFFECTS

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-275-1414.



[Cat Warning: A cat prohibition icon will appear on the back panel.]

DO NOT USE ON CATS – MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

EPA Reg. No. 2596-151

EPA Est. No. 2596-NJ-01 = BL

2596-OH-01 = PP

See lot # for EPA Est. No.

[Made (in the U.S.A.) (by)]

The Hartz Mountain Corporation

400 Plaza Drive

Secaucus, NJ 07094 (U.S.A.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. *If empty:* Offer for recycling, if available. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

5/8

Hartz® Reference 119

July 18, 2013

EPA Reg. No.: 2596-151

MASTER LABEL BASED ON 1/9/09 EPA STAMPED APPROVED LABEL

INDIVIDUAL TUBE TEXT

Hartz® InControl® Flea & Tick Topical Drops for Dogs (&) (and) (Puppies)

Hartz® UltraGuard™ Flea (&) (and) Tick Drops for Dogs (&) (and) (Puppies)

[Product name will be followed by weight of dog for which tube is intended]

KEEP OUT OF REACH OF CHILDREN

CAUTION: Read accompanying label before use.

[Active Ingredient:]

Phenothrin.....85.7%

Range of volumes from 0.021 fl. oz. (0.65 ml) to 0.199 fl. oz. (5.9 ml) depending upon size of dog

EPA Reg. No. 2596-151

EPA Est. No.

2596-NJ-01 = BL

2596-OH-01 = PP

See lot # for EPA Est. No.

The Hartz Mountain Corp.

MASTER LABEL BASED ON 1/9/09 EPA STAMPED APPROVED LABEL

OPTIONAL/ALTERNATE LABEL TEXT

(Kills) (Fleas) (&) (and) (Ticks) for (up to) (30 days) (1 month) (4 weeks)
(Kills) (&) (and) (Repels) (Ticks) for (up to) (30 days) (1 month) (4 weeks)
(Repels) (Fleas) for (up to) (25 days)

(Kills) (Fleas) (&) (and) (Ticks) (through contact) for (up to) (30 days) (1 month) (4 weeks)
Kills (Fleas) (&) (and) (Ticks) (&) (and) (mosquitoes) for (up to) (28 days)
Kills (Fleas) (&) (and) (mosquitoes) for (up to) (28 days)
Kills (Ticks) (&) (and) (mosquitoes) for (up to) (28 days)

Kills (Fleas) (&) (and) (Ticks) (&) (and) (mosquitoes) (through contact) for (up to) (28 days)
(Starts killing) (fleas) (&) (and) (ticks) (and) (&) (mosquitoes) (through contact)
(Starts to kill) (fleas) (&) (and) (ticks) (and) (&) (mosquitoes) (through contact)
Controls (Fleas) (&) (and) (Ticks) (&) (and) (mosquitoes)
Prevents re-infestation by ticks for (30 days) (1 month) (4 weeks)
Prevents re-infestation for 30 days

Contains an adulticide
Stops (Flea) (&) (and) (Tick) (&) (and) (mosquito) infestations by killing the adult form of these
pests
Kills adult (Fleas) (&) (and) (Ticks) (&) (and) (mosquitoes)
Kills (pre-adult) ticks
Kills fleas before they lay eggs
One tube gives (or provides) 30 days of protection (fleas) (ticks)

Kills (and) (&) (repels) fleas which may cause (flea bite anemia) (and) (or) (flea allergy
dermatitis)
Kills (and) (&) (repels) fleas that may transmit tapeworm infestation
Flea (and) (&) tick topical treatment
(Controls) (kills) (repels) adult fleas (and) (&) ticks (mosquitoes) round-the-clock (for up to) (28
days)
Controls (kills) (repels) up to (28 days)
Flea & tick control
Controls flea and tick infestations
Controls (kills) (repels) up to 28 days
Flea tick (and mosquito) control for (dogs) (and) (or) (puppies)
Flea control for dogs
Only for Dogs (&) (and) Puppies weighing 5 lbs. and over
Only for (dogs) (and) (or) puppies over 12 weeks of age
Only for (dogs) (and) (or) puppies 5 lbs. and over

MASTER LABEL BASED ON 1/9/09 EPA STAMPED APPROVED LABEL

Hartz Ref. 119 (alternate name brand) contains (an insecticide to kill adult fleas and ticks) (and mosquitoes) [an insecticide that kills adult fleas and ticks (and mosquitoes)].

(This product)(alternate brand name) is most effective when used as part of a total program aimed at reducing fleas and ticks (in the dog's environment)

Be sure to treat the animal's bedding and surroundings with a product registered for these uses, such as Hartz® (UltraGuard) (alternate brand name)

NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT

Fresh scent

X month supply

1st dose, 2nd dose, 3rd dose, Xth dose

first month, second month, third month, Xth month

X monthly treatments

Triple pack

Value pack

No mess

This product (package) contains X monthly doses, each ___ fl. oz. (___ ml)

Hartz (brand name) products are designed to complement each other in an integrated program for flea & tick management. To assure proper treatment, we recommend use of (only) Hartz (Brand name) products

After application, the treated area may appear wet or oily for up to 24 hours.

(As with all flea and tick products, they are)[Hartz Ref. 119 (alternate name brand) is] most effective when used as a part of a total program aimed at reducing fleas and ticks (and mosquitoes) in the (dog's) (and) (or) (puppy's) environment(s).

Be sure to treat the animal's bedding and surroundings with products registered for these uses, such as the Hartz (alternate name brand) Line.

Adult fleas spend virtually all of their time on your pet.

Once fleas are (apparent) (visible) on your pet, there is already an infestation of their pre-adult stages in your home.

Spreads naturally with (dog's) movement (skin and hair oils)

Initially, to kill existing adult flea populations, you may need to treat the home, pet's bed and yard with traditional flea products such as home sprays, foggers, and/or yard & kennel sprays. Hartz Ref. 119 (alternate name brand) can be used in conjunction with the entire (brand name) product line.

Hartz® Reference 119

July 18, 2013

8/
8

EPA Reg. No.: 2596-151

MASTER LABEL BASED ON 1/9/09 EPA STAMPED APPROVED LABEL

Wait 48 hours after applying before bathing your dog.

May stain leather and suede fabrics for (24) (24 to 48) hours after application.

To help remind you when you last applied treatment, simply write in the date when each dose is applied.

First Dose _____

Second Dose _____

Third Dose _____

Xth Dose: _____

For more information our experts at 1-800-275-1414 (weekdays, 9 am – 5 pm E.S.T.)

VISIT (OUR) (WEBSITE) (www.hartz.com) (www.hartzultraguard.com)
(www.hartzincontrol.com)

Hartz recommends that you visit your veterinarian twice a year.

Hartz® and other trademarks are trademarks of the Hartz Mountain Corporation

Producing establishment will add manufacturing site identifiers, lot codes and other traceability elements to all packages.