



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON D C 20460

JUL 2 4 2012

OFFICE OF
CHEMICAL SAFFTY
AND POLITION PREVENTION

Ms Heather Masch The Hartz Mountain Corporation 400 Plaza Drive Secaucus NJ 07094 3688

Dear Ms Masch

Subject Notification to Add Optional Marketing Statements and Alternate Brand Names

EPA Registration Number 2596 167 Date of Submission April 2 2012

Decision 463398

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98 10 dated April 2 2012 for the product Hartz Reference #132 The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98 10 and finds that the action(s) requested fall within the scope of PRN 98 10 The Confidential Statement of Formula (CSF) and/or label submitted with the application has (have been stamped Notification and will be placed in our records

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007 4 dated for April 2 2012

Alternate Brand Names

Field & Stream® Flea & Tick Treatment for Dogs (and) (&)

Puppies

Field & Stream® by Hartz & Tick Treatment for Dogs (and)

(&) Puppies

Hartz® Presents Field & Stream® Flea & Tick Treatment

[for Dogs (and) (&) Puppies

If you have any questions please contact Melody Banks on 703 305 5413or banks melopdy@epa gov

Sincerely

Rıchard Gebken

Product Manager

Insecticide Branch

Registration Division (7504P)

	(_					2	
CEPA United States Environmental Protection Washington DC 204			ion Agency		Registra Amendr	ation	O. Approvel expires 2 28 95 OPP Identifier Number	
		Application	n for Pesticio	de Secti	on I			
1 Company/Product Number 2596 167	r		2 EPA Product Manager :		[]	posed Classification		
4 Company/Product (Name) Hartz Reference #132			PM# 10	PM# 10				
5 Name and Address of Applicant (Include ZIP Code) The Hartz Mountain Corporation 400 Plaza Drive Secaucus NJ 07094 3688 Check if this is a new address			6 Expedited Reveiw In a Sold Float TOPA Section 3(c)(3) (b)(i) my product is similar or identical in composition and labeling to EPA Reg No Product Name					
			Section I	Î				
Amendment Explain below Resubmission in response to Agency letter dated Notification Explain below				Final printed lebels in repsonse to Agency letter deted Me Too Application Other Explain below				
Addition of alternate brand not be a consistent with labeling or the Confidential Strong EPA I further understand to EPA and I may be subject to the confidence of the confide	n the provisions of PR N tatement of Formula of that if this notification is	lotices 98 10 and this product I un not consistent w	nderstand that it is a with the terms of PR der sections 12 and	a violation of 18 Notice 98 10 a 14 of FIFRA	USC Sec 1001	to willfully	make any false statement	
			Section II	1				
1 Material This Product Will Child Resistant Packaging Yes No * Certification must be submitted	T T		Water Soluble Packaging Yes No If Yes Package wgt No per Package wgt No per Package wgt		Metal Plastic Glass Paper	Metal Plastic Glass		
3 Location of Net Contents Information 4 Size(s) Re [Label		4 Size(s) Reta	etail Container 5 Location of Label Directions					
		Lithogra Paper g Stencile	aph lued ad	Other				
			Section IV	/				
1 Contact Point (Complete	items directly below for	or identification	of individual to be	contacted if	necessary to pro	ocess this	application)	
Name Heather Masch			, ·			-	No (Include Area Code) 1800 ext 7036	
I certify that the stater I acknowledge that an both under applicable I	y knowlinglly false or i		all attachments the				6 Dete Application Rece ved (Stamped)	
2 Signature			3 Title Regulatory Affairs Specialist					
4 Typed Name Heather Masch			5 Date 4/2/12					



THE HARTZ MOUNTAIN CORPORATION 400 PLAZA DRIVE SECAUCUS NEW JERSEY 07094 3688 201/271 4800

April 2 2012

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S 4900 One Potomac Yard
2777 South Crystal Drive
Arlington VA 22202 4501

Attention Mr Richard Gebken (PM # 10)

RE Hartz Reference #132 EPA Reg No 2596 167

Addition of optional marketing statements per PR Notice 98 10

Dear Mr Gebken

The Hartz Mountain Corporation 400 Plaza Drive Secaucus NJ 07094 3688 is filing this notification to add new optional marketing statements for the product **Hartz Reference #132 EPA Reg No 2596 167**

The Hartz Mountain Corporation is submitting the following information

- A completed application (EPA Form 8570 1) and
- Twee copies of the proposed notification label

This notice is consistent with the provisions of PR Notice 98 10 and EPA regulations at 40 CFR §152 46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98 10 and 40 CFR. 152 46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or need additional information please feel free to contact mo at (201) 271 4800 ext 7036 or hmasch@hartz.com

Heather Masch

Sincerely

Regulatory Affairs Specialist

واله

NOTIFICATION

JUL 2 1 2012

Hartz[®] Reference #132

Alternate Brand Names

Hartz[®] UltraGuard [®] Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]

Hartz® UltraGuard® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies]

Hartz[®] UltraGuard [®] Topical Flea & Tick Control [for Dogs [(&) (and) Puppies]

Hartz[®] UltraGuard[®] Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies]

Field & Stream® Flea & Tick Treatment [for Dogs (and) (&) Puppies]
Field & Stream® by Hartz® Flea & Tick Treatment [for Dogs (and) (&) Puppies]
Hartz® Presents Field & Stream® Flea & Tick Treatment [for Dogs (and) (&) Puppies]

Hartz® Revo® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]

Hartz® Revo® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]

Hartz® Revo® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies]

Hartz® Revo® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies]

Hartz® Revo360°® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]

Hartz® Revo360°® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies]

Hartz® Revo360°® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies]

Hartz® Revo360°® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies]

Revo® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]

Revo® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies]

Revo® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies]

Revo® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies]

Revo360°® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]

Revo360°® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies]

Revo360°® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies]

Revo360°® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies]

Revo® Topical Drops [for Dogs [(&) (and) Puppies]

Revo360°® Topical Drops [for Dogs [(&) (and) Puppies]

Hartz® Revo® Topical Drops [for Dogs [(&) (and) Puppies]

Hartz® Revo360°® Topical Drops [for Dogs [(&) (and) Puppies]

Hartz® Pro ForceTM Topical Solution for Dogs (& Puppies) Pro ForceTM Topical Solution for Dogs (& Puppies)

Hartz® Pro ForceTM Topical Solution for Dogs (& Puppies) Pro ForceTM Topical Solution for Dogs (& Puppies) Hartz [®] Reference #132 EPA Reg No 2596 167 MASTER LABEL April 2, 2012

5/13

Hartz® FieldForce™ Topical Solution for Dogs (& Puppies)

FieldForceTM Topical Solution for Dogs (& Puppies)

Hartz® FieldForceTM Topical Solution for Dogs (& Puppies)

FieldForce™ Topical Solution for Dogs (& Puppies)

Hartz® First Defense™ Topical Solution for Dogs (& Puppies)

First DefenseTM Topical Solution for Dogs (& Puppies)

NOTIFICATION

JUL 2 1 2012

Hartz® First DefenseTM Topical Solution for Dogs (& Puppies) First DefenseTM Topical Solution for Dogs (& Puppies)

[Each of the above brands will be packaged in the weight classes designated below]

Weighing 5 to 14 lbs

Weighing 15 to 30 lbs

Weighing 31 to 60 lbs

Weighing 61 150 lbs

ACTIVE INGREDIENTS

Etofenprox	55 0%
Piperonyl Butoxide	10 0%
N octyl bicycloheptene dicarboximide	1 0%
OTHER INGREDIENTS	34 0%
TOTAL	100 0%

KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel for additional precautionary statements

NET CONTENT Contains (number) tubes each fl oz (ml)

For Dogs and Puppies Weighing	Net Contents (Each tube)
5 to 14 lbs	0 031 fl oz (0 91 ml)
15 to 30 lbs	0 066 fl oz (1 95 ml)
31 to 60 lbs	0 132 fl oz (3 90 ml)
61 150 lbs	0 220 fl oz (6 50 ml)

EPA Reg No 2596 167

EPA Est No

Hartz[®] and other trademarks are trademarks of The Hartz Mountain Corporation Made by The Hartz Mountain Corporation 400 Plaza Drive Secaucus NJ 07094 (U S A)

[Cat Warning A cat prohibition icon will appear on the front panel and back panels crd possibly an additional placement on a side panel]

6/13

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS OR ON PUPPIES 12 WEEKS OF AGE OR OLDER DO NOT USE ON DOGS OR PUPPIES WEIGHING LESS THAN 5LBS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating drinking chewing gum or using tobacco.

HAZARDS TO DOMESTIC ANIMALS

DO NOT USE ON OTHER ANIMALS Do not use on dogs or puppies less than 12 weeks old or weighing less than 5lbs. Do not use this product on debilitated aged medicated pregnant or nursing animals or on animals known to be sensitive to pesticide products without first consulting a veterinarian. Sensitivity such as slight transitory redness of the skin at the site of application may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap rinse with large amounts of water and consult a veterinarian immediately

ENVIRONMENTAL HAZARDS

This product is toxic to fish

FIRST AID

If in eyes Hold eye open and rinse slowly and gently with water for 15 20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye Call a poison control center or doctor for treatment advice HOT LINE NUMBER Have the product container or label with you when calling a poison control center doctor or veterinarian or going for treatment For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1 800 275 1414

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS OR ON PUPPIES 12 WEEKS OF AGE OR OLDER DO NOT USE ON DOGS OR PUPPIES WEIGHING LESS THAN 5LBS

(The application steps below may optionally be numbered or bulleted to clarify the order depending on the final physical layout of the label)

[Option 1]

Remove one applicator tube from the package and hold in an upright position (pointed av/a, from your face) Pull off cap Turn the cap around and place on top of tube Simply press cap down to break the seal of the tube Remove cap carefully Position the tip of the tube or the

dog s back between the shoulder blades. Use the tip of the tube to part the dog s hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog s back to the base of the tail. Repeat every month. (Do not bathe your dog 48 hours prior to application.) Separate treated dog from other (dogs and cats) (pets) for 24 hours after treatment has been applied.

[Option 2]

Remove one applicator tube from the package and hold in an upright position pointed away from your face. Twist dispensing tip clockwise about ½ turn while pushing down to break the tube is seal. Do not remove the dispensing tip. Position the dispensing tip on the dog is back between the shoulder blades. Use the dispensing tip of the tube to part the dog is hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you (move) (glide) from the shoulder blades along the dog is back to the base of the tail. Repeat every month. (Do not bathe your dog 48 hours prior to application.) Separate treated dog from other (dogs and cats) (pets) for 24 hours after treatment has been applied.

[Option 3]

Remove one applicator tube from the package and hold in an upright position (pointed away from your face) Pull off cap. Turn the cap around and place on top of tube. Simply press cap down to break the seal of the tube. Remove cap carefully Position the tip of the tube on the dog s back at the base of the dog s tail. Use the tip of the tube to part the dog s hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the base of the tail along the dog s back to the shoulder blades. Repeat every month. (Do not bathe your dog 48 hours prior to application.) Separate treated dog from other (dogs and cats) (pets) for 24 hours after treatment has been applied.

[Option 4]

Remove one applicator tube from the package and hold in an upright position pointed away from your face. Twist dispensing tip clockwise about ½ turn while pushing down to break the tube is seal. Do not remove the dispensing tip. Position the dispensing tip on the dog is back at the base of the dog is tail. Use the dispensing tip of the tube to part the dog is hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you (move) (glide) from the base of the tail along the dog is back to the shoulder blades. Repeat every month. (Do not bathe your dog 48 hours prior to application.) Separate treated dog from other (dogs and cats) (pets) for 24 hours after treatment has been applied.

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage and disposal

PESTICIDE STORAGE Keep this product in its tightly closed originial container when not in use Store in a cool dry (preferably locked) area that is inaccessible to children and anima s

PESTICIDE DISPOSAL Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

8/13

CONTAINER DISPOSAL Non refillable container Do not reuse ir refill container *If empty* Offer for recycling if available *If partly filled* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain

For more information call our (flea and tick) experts at 1 800 275 1414 (weekdays 9 am - 5 pm E S T)

INDIVIDUAL TUBE TEXT

Hartz[®] UltraGuard [®] Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]

Hartz[®] UltraGuard[®] Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]

Hartz[®] UltraGuard[®] Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]

Hartz[®] UltraGuard[®] Topical Flea & Tick Prevention [for Dogs [(&) (and) Pupples] Weighing (>)(Over) 60 lbs]

Hartz[®] UltraGuard[®] Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs] Hartz[®] UltraGuard[®] Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]

Hartz[®] UltraGuard[®] Topical Flea & Tick Treatment [for Dogs [(&) (and) Pupples] Weighing 31 to 60 lbs]

Hartz[®] UltraGuard [®] Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies] Weighing (>)(Over) 60 lbs]

Hartz[®] UltraGuard[®] Topical Flea & Tick Control [for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs] Hartz[®] UltraGuard[®] Topical Flea & Tick Control [for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs] Hartz[®] UltraGuard[®] Topical Flea & Tick Control [for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs] Hartz[®] UltraGuard[®] Topical Flea & Tick Control [for Dogs [(&) (and) Puppies] Weighing (>)(Over) 60 lbs]

Hartz[®] UltraGuard[®] Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]
Hartz[®] UltraGuard[®] Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]
Hartz[®] UltraGuard[®] Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]
Hartz[®] UltraGuard[®] Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies] Weighing (>)(Over) 60 lbs]

Field & Stream® Flea & Tick Treatment [for Dogs (and) (&) Puppies]
Field & Stream® by Hartz® Flea & Tick Treatment [for Dogs (and) (&) Puppies]
Hartz® Presents Field & Stream® Flea & Tick Treatment [for Dogs (and) (&) Puppies]

Hartz® Pro ForceTM Topical Solution for Dogs (& Puppies) Pro ForceTM Topical Solution for Dogs (& Puppies)

```
Hartz® Pro Force<sup>TM</sup> Topical Solution for Dogs (& Puppies)
Pro Force<sup>TM</sup> Topical Solution for Dogs (& Puppies)
```

Hartz® FieldForceTM Topical Solution for Dogs (& Puppies) FieldForceTM Topical Solution for Dogs (& Puppies)

Hartz® FieldForceTM Topical Solution for Dogs (& Puppies) FieldForceTM Topical Solution for Dogs (& Puppies)

Hartz® First DefenseTM Topical Solution for Dogs (& Puppies) First DefenseTM Topical Solution for Dogs (& Puppies)

Hartz® First DefenseTM Topical Solution for Dogs (& Puppies) First DefenseTM Topical Solution for Dogs (& Puppies)

```
Hartz® Revo® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]
Hartz® Revo® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]
Hartz® Revo® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies]
Hartz® Revo® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies]
Hartz® Revo360°® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]
Hartz® Revo360°® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies]
Hartz® Revo360°® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies]
Hartz® Revo360°® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies]
Revo® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]
Revo® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies]
Revo® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies]
Revo® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies]
Revo360°® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]
Revo360°® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies]
Revo360°® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies]
Revo360°® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies]
```

Revo® Topical Drops [for Dogs [(&) (and) Puppies] Revo360°® Topical Drops [for Dogs [(&) (and) Puppies] Hartz® Revo® Topical Drops [for Dogs [(&) (and) Puppies] Hartz® Revo360°® Topical Drops [for Dogs [(&) (and) Puppies]

[Product name will be followed by weight of dog for which tube is intended]

[A second weight class designation may be printed on the tube]

[Active Ingredients] Etofenprox 55 0% PBO10 0% MGK 264 1 0%

10/13

Keep Out of Reach of Children

Caution

Read accompanying label before use

Range of volumes from 0 031 fl oz (91 ml) to 0 220 fl oz (6 5 ml) depending upon weight of dog EPA Reg No 2596 167 EPA Est No

OPTIONAL/ALTERNATE LABEL TEXT

Weighing 5 to 14 lbs Weighing 15 to 30 lbs Weighing 31 to 60 lbs Weighing 61 150 lbs

(S) Only (for) (Small) (Dogs) (&) Pupples 5 14 lbs (M) Only (for) (Medium) Dogs 15-30 lbs (L) Only (for) (Large) Dogs 31-60 lbs (XL) Only (for) (Extra Large) Dogs 60-150 lbs

Made in the USA

(Rapidly) (Quickly) eliminates fleas

Kills [(and) (&) Repels Mosquitoes Prevent re-infestation(s) for (28 days) (30 days) (1 month) (4 weeks)

Kills [(and) (&) Repels] Mosquitoes (before they bite) (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Mosquitoes (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas (that may transmit tapeworm) (for) (28 days) (30 days) (1 month) (4 weeks)(on dogs) Kills fleas that may cause flea allergy dermatitis (and flea bite anemia) (for) (28 days) (30 days) (1 month) (4 weeks) (on dogs)

Kills Ticks (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Brown Dog Ticks (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Deer Ticks (that may carry Lyme disease) (for) (28 days) (30 days) (1 month) (4 weeks)(on dogs)

Kills all biting stages of ticks

Kılls adult (brown dog) tıcks nymphs and larvae

Kılls Fleas (and Tıcks)

Kills Fleas Ticks (through contact) (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas Brown Dog Ticks Deer Ticks (through contact) (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas Ticks (after contact) (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas Brown Dog Ticks Deer Ticks (after contact) (for) (28 days) (30 days) (1 month) (4 weeks)

Repels Mosquitoes (before they bite) (for) (28 days) (1 month) (4 weeks)

Repels Mosquitoes that may transmit West Nile virus (for) (28 days) (1 month) (4 weeks) (on dogs)

Repels Mosquitoes that may transmit heartworm (for) (28 days) (1 month) (4 weeks) (on dogs)

Once a month Flea and Tick (Prevention) (Treatment) (Control) (Solution)

Monthly Flea and Tick (Prevention) (Treatment) (Control) (Solution)

(28 day) (30 day) (1 month) (4 weeks)Flea and Tick (Prevention) (Treatment) (Control) (Solution)

Gentle protection for dogs (and puppies)

Quick drying formula

Dries quickly

Quick drying

Stays on and doesn t rub off

Spreads with dog s natural skin oils

Kills fleas in as little as 15 minutes

Kills fleas in 15 minutes

Kills fleas in 15 minutes and lasts for 30 days (1 month) (4 weeks)

Kılls fleas within 15 minutes

Starts killing fleas within 15 minutes

Starts killing fleas within 15 minutes and lasts for 30 days (1 month) (4 weeks)

Stops fleas from biting in as little as 15 minutes

Stops fleas from biting in as little as 15 minutes and lasts for 30 days (1 month) (4 weeks)

Stops fleas from biting in 15 minutes

Stops fleas from biting in 15 minutes and lasts for 30 days (1 month) (4 weeks)

Stops fleas from biting within 15 minutes

Stops fleas from biting within 15 minutes and lasts for 30 days (1 month) (4 weeks)

Kills fleas for 30 days (1 month) (4 weeks)

Rapidly eliminates fleas

Fast acting

Long lasting

Effective and convenient topical treatment

Kills fleas (and ticks) through (after) contact

(With) patented applicator

(With) patent pending applicator

Easy spot on topical applicator

Kills 95% of fleas in 8 hours (of initial application)

Kills 99% of fleas in 12 hours (of initial application)

Kills fleas before they have a chance to lay eggs

New (Formula) (claim to be removed after 6 months)

NON PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT

1st dose 2nd dose 3rd dose (Xth dose)

First month second month third month (Xth month)

X pack

X tubes

Value pack

X month supply

X monthly treatment(s)

Fragrance free

Unscented

Fresh (scent) (fragrance)

Powder (scent) (fragrance)

Pleasant (scent) (fragrance)

Spring Fresh Scent

Convenient (easy to use) applicator

X Pro cision Flo® Applicator(s)

X Pro GlideTM Applicator(s)

(Pro cision Flo®Applicator) (Now) (featuring the angled)

(Pro GlideTM Applicator) easily gets through dog s fur for gentle on skin application

(Pro cision Flo®Applicator) (Now) (featuring the angled)

(Pro Glide™ Applicator) quickly gets through dog s fur for on skin application

(Pro cision Flo®Applicator) (Now) (featuring the angled)

(Pro GlideTM Applicator) easily penetrates dog s fur for gentle on skin application

(Pro cision Flo®Applicator) (Now) (featuring the angled)

(Pro Glide[™] Applicator) quickly penetrates dog s fur for on skin application

New Pro GlideTM Applicator (To be used only for the first 6 months)

Pro Glide™ Applicator gently glides through the dog s fur

Pro GlideTM Applicator easily gets through dog s fur to minimize (oily) residue

Pro Glide™ Applicator easily penetrates dog s fur to minimize (oily) residue

Pro GlideTM Applicator features rounded edges for gentle on skin application

Pro Glide™ Applicator glides smoothly through the dog s fur

Pro Glide™ Applicator features an angled tip to help guide the application

Easy to use Pro GlideTM Applicator

Direct to your dog s skin

Easy (simple) to use (handle) (apply)

(Featuring the) (with) EZCTM tube

(Featuring the) (with) EZ2CTM tube

(Featuring the) (with) EZViewTM tube

(Featuring the) (with) EZViewTM tube

(Featuring the) (with) ClearviewTM tube

Hartz [®] Reference #132 EPA Reg No 2596 167 MASTER LABEL-	(Aprıl 2, 2012
(Featuring the) (with) Clearview TM tube		
(Clearview TM) (EZC TM) (EZ2C TM) (EZView TM) tube (visdispensed (Clearview TM) (EZC TM) (EZ2C TM) (EZView TM) tubes given applied	• ,	-
After application the treated area may appear wet (or) (or You may bathe your dog 48 hours after application To help remind you when you last applied treatment sim applied First Dose Second Dose Third Dose	• / •	

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation

Xth Dose _____