



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

2596-168

Date of Issuance:

6/5/20

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited
Expires: 12/01/2021

Name of Pesticide Product:

HARTZ REFERENCE #135

Name and Address of Registrant (include ZIP Code):

Joseph Conti
The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094-3688

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Elizabeth Fertich, Product Manager 04
Invertebrate Vertebrate Branch I, Registration Division (7505P)
Office of Pesticide Programs

Date:

6/5/20

2. The Agency has found your company to be in compliance with the terms and conditions for the subject product and is extending the two-year registration restriction. This registration is time-limited and expires 12/01/2021.
3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as and to submit quarterly enhanced incident reports and quarterly sales information as stated in the initial registration notice dated 9/29/2011.
4. You are required to comply with the data requirements described in the DCI order identified below:
 - a. Piperonyl Butoxide GDCI-067501-1063
 - b. N-octyl bicycloheptene dicarboximide (MGK 264) GDCI-057001-1224

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI Order listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:

<http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:


- Basic CSF dated 11/22/2017
- Alternate CSF 1 dated 11/22/2017
- Alternate CSF 2 dated 11/22/2017
- Alternate CSF 3 dated 11/22/2017

Page 3 of 3
EPA Reg. No. 2596-168
Decision No. 549586, 555752

If you have any questions, please contact Helen Hull-Sanders by phone at 703-347-0243, or via email at hull-sanders.helen@epa.gov.

Enclosure

Hartz® Reference #135
EPA Reg. No.: 2596-168
MASTER LABEL



April 17, 2020

{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}

Hartz® Reference # 135

{The Primary Brand name will not be used. Only an Alternate Brand name will be used and it will include the word "dog" in the product's name. In addition, the size of the word "dog" will be increased to at least 75% the height of the largest letter in the product brand name.}

{FRONT PANEL}

{Alternate Brand Names list at end of label}

{Note: For each brand as packaged, a large, clear picture of a dog in the weight range will be on the front panel of the label.}

ACTIVE INGREDIENTS:

Etofenprox	55.0%
*Piperonyl Butoxide (PBO).....	10.0%
**n-octyl bicycloheptene dicarboximide (MGK 264).....	1.0%
Pyriproxyfen (Nylar).....	0.5%
OTHER INGREDIENTS	33.50%
TOTAL	100.0%

*(butylcarbityl)(6-propylpiperonyl) ether and related compounds

**MGK ® 264, Insecticide Synergist

NYLAR, MGK®- Registered Trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements.

NET CONTENT: Contains [1] [2] [3] [4] [6] [8] tubes, each __ fl. oz. (__ ml)

For use ONLY on Dogs and Puppies 12 weeks and older Weighing:	Net Contents (Each tube)
5 to 14 lbs.	0.031 fl. oz. (0.91 ml)
15 to 30 lbs.	0.066 fl. oz. (1.95 ml)
31 to 60 lbs.	0.132 fl. oz. (3.90 ml)
61 to 150 lbs.	0.220 fl. oz. (6.50 ml)

EPA Reg. No. 2596-168

EPA Est. No.

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation.
Made by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094

{Cat Prohibition Icon: A cat prohibition icon will appear in a box on the front panel lower right corner. Icon is 1.5 cm x 1.5 cm black image with a yellow background}



DO NOT USE ON CATS

{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}

{BACK PANEL}

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS.

DO NOT USE ON OTHER ANIMALS. FOR EXTERNAL USE ONLY.

Do not use on dogs or puppies less than 12 weeks of age. Do not use on dogs or puppies weighing less than 5 [or 15 or 31 or 61] lbs. Do not use this product on debilitated, aged, medicated, pregnant or nursing animals or on animals known to be sensitive to pesticide products without first consulting a veterinarian. Sensitivity, such as slight transitory redness of the skin at the site of application, may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap, rinse with large amounts of water, and consult a veterinarian immediately. This product is not a substitute for prescribed heartworm preventative.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

FIRST AID

If in eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or veterinarian, or going for treatment. For additional information on this pesticide product (including human and veterinary health concerns, medical emergencies or pesticide incidents), you may call 1-800-275-1414, twenty-four (24) hours per day, seven (7) days per week.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE.

RESTRICTIONS

FOR USE ONLY ON DOGS OR PUPPIES 12 WEEKS OF AGE OR OLDER WEIGHING MORE THAN 5 [or 15 or 31 or 61] LBS.

DO NOT ALLOW YOUR DOG/PUPPY TO INGEST THIS PRODUCT.

DO NOT EXCEED LABELED DOSAGE AMOUNT FOR DOGS.

{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}

DO NOT APPLY MORE THAN ONE [APPLICATOR] [TUBE] PER TREATMENT FOR ONE DOG REGARDLESS OF DOG'S WEIGHT.
DO NOT HAVE CONTACT OR ALLOW CHILDREN TO HAVE CONTACT WITH TREATED AREA UNTIL COMPLETELY DRY.
DO NOT ALLOW CHILDREN TO APPLY PRODUCT
DO NOT USE ON CATS OR ANIMALS OTHER THAN DOGS
DO NOT BATHE OR ALLOW YOUR DOG TO SWIM FOR 48 HOURS AFTER APPLICATION.

{The application steps below may optionally be numbered or bulleted to clarify the order, depending on the final physical layout of the label}

{Option 1}

Dog must be dry at time of application. Remove one [applicator] [tube] from the package and hold in an upright position. Pull off cap. Turn the cap around and place on top of [applicator] [tube]. Simply press cap down to break the seal of the [applicator] [tube]. Remove cap carefully. Position the tip of the [applicator] [tube] on the dog's back between the shoulder blades. Use the tip of the [applicator] [tube] to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the [applicator] [tube] to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail. Repeat every month. Separate treated dog from other [dogs and cats] [pets] for 24 hours after treatment has been applied.

{Option 2}

Dog must be dry at time of application. Remove one [applicator] [tube] from the package and hold in an upright position pointed away from your face. Twist dispensing tip clockwise about ½ turn while pushing down to break the [applicator's] [tube's] seal. Do not remove the dispensing tip. Position the dispensing tip on the dog's back between the shoulder blades. Use the dispensing tip of the [applicator] [tube] to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the [applicator] [tube] to form a stripe as you [move] [glide] from the shoulder blades along the dog's back to the base of the tail. Repeat every month. Separate treated dog from other [dogs and cats] [pets] for 24 hours after treatment has been applied.

{Option 3}

Dog must be dry at time of application. Remove one [applicator] [tube] from the package and hold in an upright position. Pull off cap. Turn the cap around and place on top of [applicator] [tube]. Simply press cap down to break the seal of the [applicator] [tube]. Remove cap carefully. Position the tip of the tube on the dog's back at the base of the dog's tail. Use the tip of the [applicator] [tube] to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the [applicator] [tube] to form a stripe as you move from the base of the tail along the dog's back to the shoulder blades. Repeat every month. Separate treated dog from other [dogs and cats] [pets] for 24 hours after treatment has been applied.

{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}

{Option 4}

Dog must be dry at time of application. Remove one [applicator] [tube] from the package and hold in an upright position. Twist dispensing tip clockwise about ½ turn while pushing down to break the [applicator's] [tube's] seal. Do not remove the dispensing tip. Position the dispensing tip on the dog's back at the base of the dog's tail. Use the dispensing tip of the [applicator] [tube] to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you [move] [glide] from the base of the tail along the dog's back to the shoulder blades. Repeat every month. Separate treated dog from other [dogs and cats] [pets] for 24 hours after treatment has been applied.

{Option 5}

1. Dog must be dry at time of application.
2. Remove one [applicator tube][tube] from the package and hold in an upright position [at the neck of the tube] [pointed away from your face].
3. Lift the [handle][lever][at the neck of the tube] in an upward motion to separate[from the body of tube].
4. Position the tip of the tube on the dog's back at the base of the dog's tail. Use the tip of the tube to part the dog's hair so that the product will be applied [at the skin level][to the skin].
5. Begin squeezing out the contents of the tube to form a stripe as you move from the base of the tail, along the dog's back to the shoulder blades.
6. [Repeat every [month] [30 days].[4 weeks]

{Option 6}

1. Dog must be dry at time of application.
2. Remove one [applicator tube][tube] from the package and hold in an upright position [at the neck of the tube] pointed away from your face.
3. Lift the [handle][lever][at the neck of the tube] in an upward motion to separate[from the body of tube].
4. Position the tip of the tube on the dog's back at the base of the dog's neck. Use the tip of the tube to part the dog's hair so that the product will be applied [at the skin level][to the skin].
5. Begin squeezing out the contents of the tube to form a stripe as you move from the base of the neck, along the dog's back to the tail.
6. Repeat every [month] [30 days][4 weeks].

{A Side Effects box will be located on the back panel, directly above the Cat Fatality Box}

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-275-1414.

{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}

{Cat Warning Fatality Box: A cat prohibition icon in a box and warning text in a box will appear on the back panel, lower right corner. Icon is 1.5 cm x 1.5 cm black image on a yellow background. The following text will be below or adjacent to the icon.}



DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to or ingested by a cat, contact your veterinarian.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep this product in its tightly closed original container, when not in use. Store in a cool, dry, preferably locked area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. *If empty:* Offer for recycling, if available. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

For more information call our flea and tick experts at 1-800-275-1414 (weekdays, 9 am – 5 pm E.S.T.)

{INDIVIDUAL TUBE TEXT}

{Insert Alternate Brand Name}

{Product name followed by weight range and age limits of dog for which tube is intended}

For use ONLY on dogs and puppies 12 weeks and older, weighing 5 to 14 lbs.

For use ONLY on dogs and puppies 12 weeks and older, weighing 15 to 30 lbs.

For use ONLY on dogs and puppies 12 weeks and older, weighing 31 to 60 lbs.

For use ONLY on dogs and puppies 12 weeks and older, weighing 61 to 150 lbs.

Active Ingredients:

Etofenprox 55.0%, PBO 10.0%, MGK 264 1.0%, Nylar 0.5%

Keep Out of Reach of Children

Caution

For External Use Only

Read accompanying label before each use

{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}

{Net Content}

5 to 14 lbs.	0.031 fl. oz. (0.91 ml)
15 to 30 lbs.	0.066 fl. oz. (1.95 ml)
31 to 60 lbs.	0.132 fl. oz. (3.90 ml)
61 to 150 lbs.	0.220 fl. oz. (6.50 ml)

EPA Reg. No. 2596-168

EPA Est. No.

{Lot number to be located on tube crimp}

{Note: Cat Warning Icon: A cat prohibition icon will appear on the immediate box that holds the tube(s). Icon is 1.5 cm x 1.5 cm black image on a yellow background.}



{OPTIONAL/ALTERNATE LABEL TEXT}

{Wherever possible and applicable, Optional/Alternate Label text is listed in bullets for ease of review.}

- Weighing 5 to 14 lbs. on dogs and puppies 12 weeks and older
- Weighing 15 to 30 lbs. on dogs and puppies 12 weeks and older
- Weighing 31 to 60 lbs. on dogs and puppies 12 weeks and older
- Weighing 61 to 150 lbs. on dogs and puppies 12 weeks and older
- [S] Only for Dogs & Puppies 5-14 lbs, 12 weeks and older.
[Small]
- [M] Only for Dogs & Puppies 15-30 lbs, 12 weeks and older.
[Medium]
- [L] Only [or] Dogs & Puppies 31-60 lbs., 12 weeks and older
[Large]
- [XL] Only for Dogs & Puppies 61-150 lbs, 12 weeks and older.
[Extra Large]
- [S] Only for [Small] Dogs & Puppies 5-14 lbs, 12 weeks and older.
- [M] Only for [Medium] Dogs & Puppies 15-30 lbs, 12 weeks and older.
- [L] Only for [Large] Dogs & Puppies 31-60 lbs, 12 weeks and older.
- [XL] Only for [Extra Large] Dogs & Puppies 60-150 lbs, 12 weekd and older.
- Kills [[and][&] Repels] Mosquitoes, Prevent re-infestation(s) [for] [30 days] [1 month] [4 weeks]
- Kills [(and) (&) Repels] Mosquitoes [for] [30 days] [1 month] [4 weeks]
- Kills Mosquitoes [for] [30 days] [1 month] [4 weeks]
- After the applied treatment has spread over the dog's body, this product will kill newly infesting fleas on dogs within 15 minutes.
- Within 24 hours of application, this product will kill fleas by contact within 15 minutes.
- When fully protected by full coverage of this product, infesting fleas will be killed within 15 minutes.

{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}

-
- Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, [Flea larvae] [after contact] [through contact] Kills [[and] [&] Repels] Mosquitoes, Prevents re-infestation(s) [for] [30 days] [1 month] [4 weeks]
 - Kills Fleas, Brown Dog [Ticks] [and] Deer Ticks, Flea Eggs, [Flea larvae] [through contact] [for] [30 days] [1 month] [4 weeks]
 - Kills Fleas, Brown Dog [Ticks] [and] Deer Ticks, Flea Eggs, (Flea larvae) (after contact) [for] [30 days] [1 month] [4 weeks]
 - Kills Fleas, Brown Dog [Ticks] [and] Deer Ticks, Flea Eggs, [Flea larvae] [after contact] [through contact]
 - Kills [[and][&] Repels] Mosquitoes, Prevents re-infestation(s) [for] [30 days] [1 month] [4 weeks]
 - Kills [(and) (&) Repels] Mosquitoes [for] [30 days] [1 month] [4 weeks]
 - Kills Mosquitoes [for] [30 days] [1 month] [4 weeks]
 - Fast Acting within 12 hours of application
 - Long Lasting [for] [30 days] [1 month] [4 weeks]
 - Kills Fleas [that may transmit tapeworm] [for] [30 days] [1 month] [4 weeks] [on dogs]
 - Kills fleas that may cause flea allergy dermatitis (and flea bite anemia) [for] [30 days] [1 month] [4 weeks] [on dogs]
 - Kills Brown Dog Ticks and Deer [for] [30 days] [1 month] [4 weeks] [on dogs]
 - Kills Flea Eggs [and Flea Larvae] [for] [30 days] [1 month] [4 weeks]
 - Prevents Flea Eggs from hatching
 - Kills Brown Dog Ticks [for] [30 days] [1 month] [4 weeks]
 - Kills Deer Ticks [that may carry Lyme disease] [for] [30 days] [1 month] [4 weeks] [on dogs]
 - Kills all biting stages of Brown Dog Ticks and Deer Ticks
 - Kills adult Brown Dog Ticks and Deer Ticks, nymphs and larvae
 - Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, [Flea larvae]
 - Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, [Flea larvae] [through contact] [for] [30 days] [1 month] [4 weeks] Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, [Flea larvae] [after contact] [for] [30 days] [1 month] [4 weeks]
 - Controls Flea [and] [Brown Dog Tick] [and] [Deer Tick] infestations [on dogs] [for] [30 days] [1 month] [4 weeks]
 - Helps prevents re-infestation of fleas [and] [Brown Dog Tick] [and] [Deer Tick] [for] [30 days] [1 month] [4 weeks]
 - Helps reduce flea [and] [Brown Dog Tick] [and] [Deer Tick] re-infestation [on dogs] [for] [30 days] [1 month] [4 weeks]
 - Kills flea eggs and flea larvae to help prevent future re-infestations
 - Kills all stages of the flea life cycle
 - Breaks the flea life cycle
 - Repels Mosquitoes [on dogs] [for] [30 days] [1 month] [4 weeks]
 - Repels [and controls] Mosquitoes [on dogs] [for] [30 days] [1 month] [4 weeks]
 - Controls mosquitoes [for] [30 days] [1 month] [4 weeks].

{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}

-
- Repels Mosquitoes that may transmit West Nile [on dogs] [for] [30 days] [1 month] [4 weeks] [on dogs]
 - Once-a month Flea [and Brown Dog Tick, and Deer Tick] [Treatment] [Control] [Solution]
 - Monthly Flea [and Brown Dog Tick, and Deer Tick] [Treatment] [Control] [Solution]
 - [28 day] [30 day] [1 month] [4 weeks] Flea [and Brown Dog Tick, and Deer Tick] [Treatment] [Control] [Solution]
 - Prevents flea eggs from developing into biting adults [on dogs] [for] [30 days] [1 month] [4 weeks]
 - Gentle protection for dogs [and puppies]
 - Stays on and doesn't rub off
 - Spreads with dog's natural skin oils
 - Within 24 hours of application, this product will kill fleas by contact within 15 minutes.
 - Within 24 hours of application, this product will kill fleas by contact within 15 minutes and lasts [for] [30 days] [1 month] [4 weeks]
 - Within 24 hours of application, this product will start killing fleas within 15 minutes
 - Within 24 hours of application, this product will start killing fleas within 15 minutes and lasts [for] [30 days] [1 month] [4 weeks]
 - Kills fleas [for] [30 days] [1 month] [4 weeks]
 - Prevents re-infestation for [30 days] [1 month] [4 weeks]
 - Prevents and controls re-infestation[s] [on dogs]
 - Long lasting [for] [30 days] [1 month] [4 weeks]
 - Effective and convenient topical treatment
 - Kills fleas [and Brown Dog, Deer Ticks] through [after] contact
 - [With] patented [applicator] [tube]
 - [With] patent pending [applicator] [tube]
 - Easy spot on topical [applicator] [tube]
 - Waterproof after 48 hours
 - Kills fleas before they have a chance to lay eggs

{NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT}

First treatment, second treatment, third treatment (Xth treatment)

{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}

X-pack
X-tubes
X month supply
X monthly treatment(s)
Bonus Pack*
Club Pack*
Value Pack*

[Value Pack x + y = z Monthly Treatments]*

[Bonus Pack x + y = z Monthly Treatments]*

[Club Pack x + y = z Monthly Treatments]*

{x=1, 2, 3, 4, 6, or 8}

{y= 1, 2}

{z= x+y}

*{Note to Reviewer : Value, Club, Bonus are designation which could be used on packs with 6 or more doses, for promotional purposes}

{Six month limited claims with “Free” and “Bonus” type terms below}

[1][2] Month[s] Free!**

[1][2] Tube (s) Free!**

[30] [60] Day [s] (Free)!**

[30] (60) Day[s] of treatment- Free!**

[1][2] Applicator [s] Free!**

[1][2] Dose[s] Free!**

**{Note to Reviewer; Promotion to be used with 3 pack 1 additional dose final count 4, 6 packs 2 additional doses final count 8}

- Save Now!
- Club Size***
- Value Size***
- Great Value***
- Better Value***
- - *{Note to Reviewer : Value, Club, Bonus are designation which could be used on packs with 6 or more doses, for promotional purposes}
- Fragrance-free
- Unscented
- Fresh [scent] [fragrance]
- Powder [scent] [fragrance]
- Pleasant [scent] [fragrance]
- Spring Fresh Scent
- [Convenient][easy to use] [applicator] [tube]
- [X] Pro-cision Flo® Applicator[s]
- [X] Pro-Glide™ Applicator[s]
- [Now] [featuring the angled] [Pro-cision Flo® Applicator]
- [Pro-Glide™ Applicator] easily gets through dog’s fur, for gentle on-skin application
- [Pro-cision Flo® Applicator]
- [Now] [featuring the angled] [Pro-Glide™ Applicator] quickly gets through dog’s fur, for on-skin application

{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}

-
- [Now] [featuring the angled] [Pro-cision Flo® Applicator]
 - [Pro-Glide™ Applicator] easily penetrates dog's fur, for gentle on-skin application
 - [Now] [featuring the angled] [Pro-Glide™ Applicator] quickly penetrates dog's fur, for on-skin application
 - Advanced Pro-Glide® Applicator
 - Pro-Glide™ Applicator gently glides through the dog's fur
 - Pro-Glide™ Applicator easily gets through dog's fur to minimize [oily] residue
 - Pro-Glide™ Applicator easily penetrates dog's fur to minimize [oily] residue
 - Pro-Glide™ Applicator features rounded edges for gentle on-skin application
 - Pro-Glide™ Applicator glides smoothly through the dog's fur
 - Pro-Glide™ Applicator features an angled tip to help guide the application
 - Easy to use Pro-Glide™ Applicator
 - Direct to your dog's skin
 - Easy [simple] to use [handle] [apply]
 - [Featuring the] [with] EZC™ [applicator] [tube]
 - [Featuring the] [with] EZ2C™ [applicator] [tube]
 - [Featuring the] [with] EZView™ [applicator] [tube]
 - [Featuring the] [with] Clearview™ [applicator] [tube]
 - [Clearview™] [EZC™] [EZ2C™] [EZView™] [applicator][tube] [visually] ensures all product has been dispensed
 - [Clearview™] [EZC™] [EZ2C™] [EZView™] [applicator][tubes] give you the assurance all the product has been applied
 - After application, the treated area may appear wet [or] [oily] for up to 24 hours
 - To help remind you when you last applied treatment, simply write in the date when each dose is applied:
First Dose _____
Second Dose _____
Third Dose _____
Xth Dose _____
 - Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation
 - This item is {insert retailer company name} ELECTRONICALLY PROTECTED
 - This item is {insert retailer company name} Electronically Protected

{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}

{Optional Marketing Icons}



Mosquitoes



Flea Eggs



Adult Fleas



Flea Larvae



Adult Ticks



Flea Larvae




flea Eggs




Tick Larvae and Nymph




Tick Larvae and Nymph




{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}



{Note to Reviewer: The following Directions for Use Graphic is added to this amended label dated 3/14/19}:




{Note to Reviewer: The following Directions for Use Graphics is added to this amended label dated 3/14/19}:



{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}

{Note to Reviewer: The following Directions for Use Graphics is added to this amended label dated 3/14/19};



{Alternate Brand Names}

- Hartz® 5 to 14 lbs. UltraGuard® Dual Action™ Topical for Dogs & Puppies
- Hartz® 15 to 30 lbs. UltraGuard® Dual Action™ Topical for Dogs & Puppies
- Hartz® 31 to 60 lbs. UltraGuard® Dual Action™ Topical for Dogs & Puppies
- Hartz® 61 to 150 lbs. UltraGuard® Dual Action™ Topical for Dogs & Puppies
- Hartz® Advanced Dual Action™ Flea & Tick Topical for Dogs & Puppies
- Hartz Advanced Dual Action™ for Dogs & Puppies
- Hartz® Dual Action™ Flea & Tick Topical Drops for Dogs & Puppies
- Hartz Dual Action™ Topical for Dogs & Puppies
- Hartz® UltraGuard® Dual Action™ Flea & Tick Topical for Dogs & Puppies
- Hartz® UltraGuard® Dual Action™ for Dogs & Puppies
- Hartz® UltraGuard® Dual Action™ Topical for Dogs & Puppies
- Hartz® InControl® Flea & Tick Prevention for Dogs & Puppies
- Hartz® InControl® Flea & Tick Prevention for Dogs and Puppies
- Hartz® UltraGuard Plus® Dual Active Flea & Tick Drops for Dogs
- Hartz® UltraGuard Plus® Dual Active Flea & Tick Drops for Dogs & Puppies
- Hartz® UltraGuard Plus® Dual Active Flea & Tick Drops for Dogs and Puppies
- Hartz® UltraGuard Plus® Dual Action Flea & Tick Drops for Dogs
- Hartz® UltraGuard Plus® Dual Action Flea & Tick Drops for Dogs & Puppies
- Hartz® UltraGuard Plus® Dual Action Flea & Tick Drops for Dogs and Puppies
- Hartz® UltraGuard Plus® Topical Flea & Tick Prevention for Dogs
- Hartz® UltraGuard Plus® Topical Flea & Tick Prevention for Dogs & Puppies
- Hartz® UltraGuard Plus® Topical Flea & Tick Prevention for Dogs and Puppies
- Hartz® UltraGuard Plus® Topical Flea & Tick Treatment for Dogs
- Hartz® UltraGuard Plus® Topical Flea & Tick Treatment for Dogs & Puppies
- Hartz® UltraGuard Plus® Topical Flea & Tick Treatment for Dogs and Puppies
- Hartz® UltraGuard Plus® Topical Flea & Tick Control for Dogs
- Hartz® UltraGuard Plus® Topical Flea & Tick Control for Dogs & Puppies
- Hartz® UltraGuard Plus® Topical Flea & Tick Control for Dogs and Puppies
- Hartz® UltraGuard Plus® Topical Flea & Tick Solution for Dogs

{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}

Hartz® UltraGuard Plus® Topical Flea & Tick Solution for Dogs & Puppies
Hartz® UltraGuard Plus® Topical Flea & Tick Solution for Dogs and Puppies
Hartz® InControl® Dual Active Flea & Tick Drops for Dogs
Hartz® InControl® Dual Active Flea & Tick Drops for Dogs & Puppies
Hartz® InControl® Dual Active Flea & Tick Drops for Dogs and Puppies
Hartz® InControl® Dual Action Flea & Tick Drops for Dogs
Hartz® InControl® Dual Action Flea & Tick Drops for Dogs & Puppies
Hartz® InControl® Dual Action Flea & Tick Drops for Dogs and Puppies
Hartz® InControl® Topical Flea & Tick Prevention for Dogs
Hartz® InControl® Topical Flea & Tick Prevention for Dogs & Puppies
Hartz® InControl® Topical Flea & Tick Prevention for Dogs and Puppies

Hartz® InControl® Topical Flea & Tick Treatment for Dogs
Hartz® InControl® Topical Flea & Tick Treatment for Dogs & Puppies
Hartz® InControl® Topical Flea & Tick Treatment for Dogs and Puppies
Hartz® InControl® Topical Flea & Tick Control for Dogs
Hartz® InControl® Topical Flea & Tick Control for Dogs & Puppies
Hartz® InControl® Topical Flea & Tick Control for Dogs and Puppies
Hartz® InControl® Topical Flea & Tick Solution for Dogs
Hartz® InControl® Topical Flea & Tick Solution for Dogs & Puppies
Hartz® InControl® Topical Flea & Tick Solution for Dogs and Puppies
Hartz® InControl Advanced® Flea & Tick Topical Drops for Dogs
Hartz® InControl Advanced® Flea & Tick Topical Drops for Dogs & Puppies
Hartz® InControl Advanced® Flea & Tick Topical Drops for Dogs and Puppies
Hartz® UltraGuard PRO® Flea & Tick Treatment for Dogs
Hartz® UltraGuard PRO® Flea & Tick Treatment for Dogs & Puppies
Hartz® UltraGuard PRO® Flea & Tick Treatment for Dogs and Puppies
Hartz® Revo® Dual Active Flea & Tick Drops for Dogs
Hartz® Revo® Dual Active Flea & Tick Drops for Dogs & Puppies
Hartz® Revo® Dual Active Flea & Tick Drops for Dogs and Puppies
Hartz® Revo® Dual Action Flea & Tick Drops for Dogs
Hartz® Revo® Dual Action Flea & Tick Drops for Dogs & Puppies
Hartz® Revo® Dual Action Flea & Tick Drops for Dogs and Puppies
Hartz® Revo® Topical Flea & Tick Prevention for Dogs
Hartz® Revo® Topical Flea & Tick Prevention for Dogs & Puppies
Hartz® Revo® Topical Flea & Tick Prevention for Dogs and Puppies
Hartz® Revo® Topical Flea & Tick Treatment for Dogs
Hartz® Revo® Topical Flea & Tick Treatment for Dogs & Puppies
Hartz® Revo® Topical Flea & Tick Treatment for Dogs and Puppies
Hartz® Revo® Topical Flea & Tick Control for Dogs
Hartz® Revo® Topical Flea & Tick Control for Dogs & Puppies
Hartz® Revo® Topical Flea & Tick Control for Dogs and Puppies

{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}

Hartz® Revo® Topical Flea & Tick Solution for Dogs
Hartz® Revo® Topical Flea & Tick Solution for Dogs & Puppies
Hartz® Revo® Topical Flea & Tick Solution for Dogs and Puppies
Revo® Dual Active Flea & Tick Drops for Dogs
Revo® Dual Active Flea & Tick Drops for Dogs & Puppies
Revo® Dual Active Flea & Tick Drops for Dogs and Puppies
Revo® Dual Action™ Flea & Tick Drops for Dogs
Revo® Dual Action™ Flea & Tick Drops for Dogs & Puppies
Revo® Dual Action Flea & Tick Drops for Dogs and Puppies
Revo® Topical Flea & Tick Prevention for Dogs
Revo® Topical Flea & Tick Prevention for Dogs & Puppies
Revo® Topical Flea & Tick Prevention for Dogs and Puppies
Revo® Topical Flea & Tick Treatment for Dogs
Revo® Topical Flea & Tick Treatment for Dogs & Puppies
Revo® Topical Flea & Tick Treatment for Dogs and Puppies
Revo® Topical Flea & Tick Control for Dogs
Revo® Topical Flea & Tick Control for Dogs & Puppies
Revo® Topical Flea & Tick Control for Dogs and Puppies
Revo® Topical Flea & Tick Solution for Dogs
Revo® Topical Flea & Tick Solution for Dogs & Puppies
Revo® Topical Flea & Tick Solution for Dogs and Puppies
Revo® Topical Treatment for Dogs
Revo® Topical Treatment for Dogs & Puppies
Revo® Topical Treatment for Dogs and Puppies
Hartz® Revo® Topical Treatment for Dogs
Hartz® Revo® Topical Treatment for Dogs & Puppies
Hartz® Revo® Topical Treatment for Dogs and Puppies
Hartz® Pro Force™ Topical Solution for Dogs
Hartz® Pro Force™ Topical Solution for Dogs & Puppies
Pro Force™ Topical Solution for Dogs
Pro Force™ Topical Solution for Dogs & Puppies
Hartz® FieldForce™ Topical Solution for Dogs
Hartz® FieldForce™ Topical Solution for Dogs & Puppies
FieldForce™ Topical Solution for Dogs
FieldForce™ Topical Solution for Dogs & Puppies
Hartz® First Defense™ Topical Solution for Dogs
Hartz® First Defense™ Topical Solution for Dogs & Puppies
First Defense™ Topical Solution for Dogs
First Defense™ Topical Solution for Dogs & Puppies
First Defense™ Topical Solution for Dogs
First Defense™ Topical Solution for Dogs & Puppies
Hartz® Pro Force™ Dual Action Topical Solution for Dogs
Hartz® Pro Force™ Dual Action Topical Solution for Dogs & Puppies

{Note to reviewer: [Optional/alternate text in brackets]; {Administrative text in braces contain notes to reviewer that are not intended for printing}; (Text in parenthesis will appear on final marketplace label.)}

Pro Force™ Dual Action Topical Solution for Dogs
Pro Force™ Dual Action Topical Solution for Dogs & Puppies
Hartz® FieldForce™ Dual Action Topical Solution for Dogs
Hartz® FieldForce™ Dual Action Topical Solution for Dogs & Puppies
FieldForce™ Dual Action Topical Solution for Dogs & Puppies
FieldForce™ Dual Action Topical Solution for Dogs
Hartz® First Defense™ Dual Action Topical Solution for Dogs & Puppies
Hartz® First Defense™ Dual Action Topical Solution for Dogs
First Defense™ Dual Action Topical Solution for Dogs & Puppies
First Defense™ Dual Action Topical Solution for Dogs

{Each of the above brands will be packaged in the minimum dog weight classes designated below:}

For use **ONLY** on dogs 12 weeks and older, weighing 5 to 14 lbs.
For use **ONLY** on dogs 12 weeks and older, weighing 15 to 30 lbs.
For use **ONLY** on dogs 12 weeks and older, weighing 31 to 60 lbs.
For use **ONLY** on dogs 12 weeks and older, weighing 61 to 150 lbs.