



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

December 18, 2017

Joe Conti
Senior Director
Regulatory & Quality
The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, New Jersey 07094-3688

Subject: Notification per PRN 98-10 – Adding net contents and container sizes
Product Name: HARTZ REFERENCE #134
EPA Registration Number: 2596-169
Application Date: 11/08/2017
Decision Number: 535747

Dear Mr. Conti:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, you may contact Angela Hollis at 703-347-0216 or via email at hollis.angela@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Elizabeth Fertich". The signature is written in a cursive, flowing style.

Elizabeth Fertich
Product Manager 4
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

{FRONT PANEL}

Hartz® Reference #134

{Alternate Brand Names listed at end of document}

{Note: For each brand as packaged, a large, clear picture of a dog in the weight range will be on the front panel of the label.}

*{Each of the above brands will be packaged in the weight classes designated below}:
Weighing 5 to 14 lbs.
Weighing 15 to 30 lbs.
Weighing 31 to 60 lbs.
Weighing 61-150 lbs.*

ACTIVE INGREDIENTS:

Etofenprox	55.0%
*Piperonyl Butoxide (BPO).....	10.0%
**n-octyl bicycloheptene dicarboximide (MGK 264).....	1.0%
Pyriproxyfen(Nylar).....	0.5%
S-Methoprene.....	0.25%
OTHER INGREDIENTS	<u>33.25%</u>
TOTAL	100.0%

*(butylcarbityl)(6-propylpiperonyl) ether and related compounds

**MGK® 264, Insecticide Synergist

NYLAR, MGK® - Registered Trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION: See First Aid and additional precautionary statements on the back panel.

NOTIFICATION

2596-169

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

12/18/2017

NET CONTENTS: Contains (2) (3) (4) (6) (8) (12) tubes, each * ___ fl. oz. (* ___ mL)
 {*See tables below for fl. oz. and mL per tube, based on pet's weight range and by number
 of tubes per pack}

{For 2 applicator pack}

For use ONLY on Dogs and Puppies 12 weeks and older Weighing:	NET CONTENTS:
5 - 14 lbs	0.062 fl. oz. [1.82 mL], Contains 2[-] [tubes, each] 0.031 fl. oz. [0.91 mL][Applicators]
15 - 30 lbs	0.132 fl oz [3.90 mL], Contains 2 [-] [tubes, each] 0.066 fl. oz. [1.95 mL][Applicators]
31 - 60 lbs	0.264 fl oz [7.80 mL], Contains 2[-] [tubes, each] 0.132 fl. oz. [3.90 mL][Applicators]
61 – 150 lbs	0.440 fl oz [13 mL], Contains 2 [-] [tubes, each] 0.220 fl. oz. [6.50 mL][Applicators]

{For 3 applicator pack}

For use ONLY on Dogs and Puppies 12 weeks and older Weighing:	NET CONTENTS:
5 - 14 lbs	0.093 fl. oz. [2.73 mL], Contains 3[-] [tubes, each] 0.031 fl. oz. [0.91 mL][Applicators]
15 - 30 lbs	0.198 fl oz [5.85 mL], Contains 3 [-] [tubes, each] 0.066 fl. oz. [1.95 mL][Applicators]
31 - 60 lbs	0.396 fl oz [11.70 mL], Contains 3[-] [tubes, each] 0.132 fl. oz. [3.90 mL][Applicators]
61 – 150 lbs	0.660 fl oz [19.50 mL], Contains 3 [-] [tubes, each] 0.220 fl. oz. [6.50 mL][Applicators]

{For 4 applicator pack}

For use ONLY on Dogs and Puppies 12 weeks and older Weighing:	NET CONTENTS:
5 - 14 lbs	0.142 fl oz [3.64 mL], Contains 4 [-] [tubes, each] 0.031 fl. oz. [0.91 mL][Applicators]
15 - 30 lbs	0.264 fl oz [7.8 mL], Contains 4 [-] [tubes, each] 0.066 fl. oz. [1.95 mL][Applicators]
31 - 60 lbs	0.528 fl. oz. [15.60 mL], Contains 4 [-] [tubes, each] 0.132 fl. oz. [3.90 mL][Applicators]
61 – 150 lbs	0.880 fl oz [26 mL], Contains 4 [-] [tubes, each] 0.220 fl oz [6.50 mL][Applicators]

{For 6 applicator pack}

For use ONLY on Dogs and Puppies 12 weeks and older Weighing:	NET CONTENTS:
5 - 14 lbs	0.186 fl. oz. [5.46 mL], Contains 6 [-] [tubes, each] 0.031 fl. oz. [0.91 mL][Applicators]
15 - 30 lbs	0.396 fl oz [11.70 mL], Contains 6 [-] [tubes, each] 0.066 fl. oz. [1.95 mL][Applicators]
31 - 60 lbs	0.792 fl. oz. [23.40 mL], Contains 6 [-] [tubes, each] 0.132 fl. oz. [3.90 mL][Applicators]
61 – 150 lbs	1.320 fl oz [39 mL], Contains 6 [-] [tubes, each] 0.220 fl. oz. [6.50 mL][Applicators]

{For 8 applicator pack}

For use ONLY on Dogs and Puppies 12 weeks and older Weighing:	NET CONTENTS:
5 - 14 lbs	0.248 fl. oz. [7.28 mL], Contains 8 [-] [tubes, each] 0.031 fl. oz. [0.91 mL][Applicators]
15 - 30 lbs	0.528 fl. oz. [15.6 mL], Contains 8 [-] [tubes, each] 0.066 fl. oz. [1.95 mL][Applicators]
31 - 60 lbs	1.056 fl. oz. [31.20 mL], Contains 8 [-] [tubes, each] 0.132 fl. oz. [3.90 mL][Applicators]
61 – 150 lbs	1.760 fl. oz. [52 mL], Contains 8 [-] [tubes, each] 0.220 fl oz [6.50 mL][Applicators]

{For 12 applicator pack}

For use ONLY on Dogs and Puppies 12 weeks and older Weighing:	NET CONTENTS:
5 - 14 lbs	0.372 fl. oz. [10.92 mL], Contains 12 [-] [tubes, each] 0.031 fl. oz. [0.91 mL][Applicators]
15 - 30 lbs	0.792 fl. oz. [23.4 mL], Contains 12 [-] [tubes, each] 0.066 fl. oz. [1.95 mL][Applicators]
31 - 60 lbs	1.584 fl. oz. [46.80 mL], Contains 12 [-] [tubes, each] 0.132 fl. oz. [3.90 mL][Applicators]
61 – 150 lbs	2.640 fl. oz. [78 mL], Contains 8 [-] [tubes, each] 0.220 fl oz [6.50 mL][Applicators]

EPA Reg. No. 2596-169
 EPA Est. No.

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation.
 Made by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094 (U.S.A.)



{Cat Warning Icon: A cat prohibition icon will appear on the front panel, lower right corner area. Icon is 1.5 cm x 1.5 cm black image with a yellow background}

DO NOT USE ON CATS

-

{BACK PANEL}

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

DO NOT USE ON OTHER ANIMALS. Do not use on dogs or puppies less than 12 weeks old. Do not use on dogs or puppies weighing less than 5 [or 15 or 31 or 61] lbs. Do not use this product on debilitated, aged, medicated, pregnant or nursing animals or on animals known to be

Optional/alternate text in (parentheses) or [brackets]; Administrative text in { } not to appear on label.

sensitive to pesticide products without first consulting a veterinarian. Sensitivity, such as slight transitory redness of the skin at the site of application, may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap, rinse with large amounts of water, and consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish.

FIRST AID

If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes.

• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. **HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center, doctor or veterinarian, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-275-1414.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE

DO NOT ALLOW CHILDREN TO APPLY PRODUCT.

FOR USE ONLY ON DOGS OR ON PUPPIES 12 WEEKS OF AGE OR OLDER

DO NOT USE ON DOGS OR PUPPIES WEIGHING LESS THAN 5LBS [or 15 lbs. or 31 lbs. or 61 lbs.].

DO NOT ALLOW YOUR DOG/PUPPY TO INGEST THIS PRODUCT.

DO NOT EXCEED LABELED DOSAGE AMOUNT FOR DOGS.

DO NOT APPLY MORE THAN ONE TUBE PER TREATMENT.

DO NOT HAVE CONTACT OR ALLOW CHILDREN TO HAVE CONTACT WITH TREATED AREA UNTIL COMPLETELY DRY.

DO NOT USE ON CATS, RABBITS AND ANIMALS OTHER THAN DOGS

{The application steps below may optionally be numbered or bulleted to clarify the order, depending on the final physical layout of the label.}

{Option 1}

Remove one applicator tube from the package and hold in an upright position (pointed away from your face). Pull off cap. Turn the cap around and place on top of tube. Simply press cap down to break the seal of the tube. Remove cap carefully. Position the tip of the tube on the dog's back between the shoulder blades. Use the tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail. Repeat every month. (Do not bathe your dog 48 hours prior to application.) Separate treated dog from other (dogs and cats) (pets) for 24 hours after treatment has been applied.

{Option 2}

Remove one applicator tube from the package and hold in an upright position pointed away from your face. Twist dispensing tip clockwise about ½ turn while pushing down to break the tube's seal. Do not remove the dispensing tip. Position the dispensing tip on the dog's back between the shoulder blades. Use the dispensing tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you (move) (glide) from the shoulder blades along the dog's back to the base of the tail. Repeat every month. (Do not bathe your dog 48 hours prior to application.) Separate treated dog from other (dogs and cats) (pets) for 24 hours after treatment has been applied.

{Option 3}

Remove one applicator tube from the package and hold in an upright position (pointed away from your face). Pull off cap. Turn the cap around and place on top of tube. Simply press cap down to break the seal of the tube. Remove cap carefully. Position the tip of the tube on the dog's back at the base of the dog's tail. Use the tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the base of the tail along the dog's back to the shoulder blades. Repeat every month. (Do not bathe your dog 48 hours prior to application.) Separate treated dog from other (dogs and cats) (pets) for 24 hours after treatment has been applied.

{Option 4}

Remove one applicator tube from the package and hold in an upright position pointed away from your face. Twist dispensing tip clockwise about ½ turn while pushing down to break the tube's seal. Do not remove the dispensing tip. Position the dispensing tip on the dog's back at the base of the dog's tail. Use the dispensing tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you (move) (glide) from the base of the tail along the dog's back to the shoulder blades. Repeat every month. (Do not bathe your dog 48 hours prior to application.) Separate treated dog from other (dogs and cats) (pets) for 24 hours after treatment has been applied.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill container. *If empty:* Offer for recycling if available. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{Place side effects box above or adjacent to Do Not Use on Cats icon}

Side Effects: Monitor your dog after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-800-275-1414.



{Cat Warning Icon: A cat prohibition icon will appear on the back panel, lower right corner area. Icon is 1.5 cm x 1.5 cm black image on a yellow background. The following text will be below or adjacent to the icon.}

DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

For more information call our (flea and tick) experts at 1-800-275-1414 (weekdays, 9 am – 5 pm E.S.T.)

{INDIVIDUAL TUBE TEXT}

Hartz® UltraGuard PRO® Triple Active Flea & Tick Drops [for Dogs {(&) (and) Puppies} 12 weeks of age or older and weighing 5 to 14 lbs.]

Hartz® UltraGuard PRO® Triple Active Flea & Tick Drops [for Dogs {(&) (and) Puppies} 12 weeks of age or older and weighing 15 to 30 lbs.]

Hartz® UltraGuard PRO® Triple Active Flea & Tick Drops [for Dogs {(&) (and) Puppies} 12 weeks of age or older and weighing 31 to 60 lbs.]

Hartz® UltraGuard PRO® Triple Active Flea & Tick Drops [for Dogs {(&) (and) Puppies} 12 weeks of age or older and weighing 61 to 150 lbs.]

Hartz® UltraGuard PRO® Triple Action Flea & Tick Drops [for Dogs {(&) (and) Puppies} 12 weeks of age or older and weighing 5 to 14 lbs.]

Hartz® UltraGuard PRO® Triple Action Flea & Tick Drops [for Dogs {(&) (and) Puppies} 12 weeks of age or older and weighing 15 to 30 lbs.]

Hartz® UltraGuard PRO® Triple Action Flea & Tick Drops [for Dogs {(&) (and) Puppies} 12 weeks of age or older and weighing 31 to 60 lbs.]

Hartz® UltraGuard PRO® Triple Action Flea & Tick Drops [for Dogs {(&) (and) Puppies} 12 weeks of age or older and weighing 61 to 150 lbs.]

Hartz® UltraGuard PRO® Topical Flea & Tick Prevention [for Dogs {(&) (and) Puppies} 12 weeks of age or older and weighing 5 to 14 lbs.]

Hartz® UltraGuard PRO® Topical Flea & Tick Prevention [for Dogs {(&) (and) Puppies} 12 weeks of age or older and weighing 15 to 30 lbs.]

Hartz ® UltraGuard PRO ® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 31 to 60 lbs.]

Hartz ® UltraGuard PRO ® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 61-150 lbs.]

Hartz ® UltraGuard PRO ® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 5 to 14 lbs.]

Hartz ® UltraGuard PRO ® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 15 to 30 lbs.]

Hartz ® UltraGuard PRO ® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 31 to 60 lbs.]

Hartz ® UltraGuard PRO ® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 61 to 150 lbs.]

Hartz ® UltraGuard PRO ® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 5 to 14 lbs.]

Hartz ® UltraGuard PRO ® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 15 to 30 lbs.]

Hartz ® UltraGuard PRO ® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 31 to 60 lbs.]

Hartz ® UltraGuard PRO ® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 61 to 150 lbs.]

Hartz ® UltraGuard PRO ® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 5 to 14 lbs.]

Hartz ® UltraGuard PRO ® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 15 to 30 lbs.]

Hartz ® UltraGuard PRO ® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 31 to 60 lbs.]

Hartz ® UltraGuard PRO ® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 61 to 150 lbs.]

Hartz ® InControl Advanced® Triple Active Flea & Tick Drops [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 5 to 14 lbs.]

Hartz ® InControl Advanced® Triple Active Flea & Tick Drops [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 15 to 30 lbs.]

Hartz ® InControl Advanced® Triple Active Flea & Tick Drops [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 31 to 60 lbs.]

Hartz ® InControl Advanced® Triple Active Flea & Tick Drops [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 61 to 150 lbs.]

Hartz ® InControl Advanced® Triple Action Flea & Tick Drops [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 5 to 14 lbs.]

Hartz ® InControl Advanced® Triple Action Flea & Tick Drops [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 15 to 30 lbs.]

Hartz[®] InControl Advanced[®] Triple Action Flea & Tick Drops [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 31 to 60 lbs.]
Hartz[®] InControl Advanced[®] Triple Action Flea & Tick Drops [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 61 to 150 lbs.]
Hartz[®] InControl Advanced[®] Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 5 to 14 lbs.]
Hartz[®] InControl Advanced[®] Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 15 to 30 lbs.]
Hartz[®] InControl Advanced[®] Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 31 to 60 lbs.]

Hartz[®] InControl Advanced[®] Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 61 to 150 lbs.]
Hartz[®] InControl Advanced[®] Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 5 to 14 lbs.]
Hartz[®] InControl Advanced[®] Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 15 to 30 lbs.]
Hartz[®] InControl Advanced[®] Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 31 to 60 lbs.]
Hartz[®] InControl Advanced[®] Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 61 to 150 lbs.]
Hartz[®] InControl Advanced[®] Topical Flea & Tick Control [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 5 to 14 lbs.]
Hartz[®] InControl Advanced[®] Topical Flea & Tick Control [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 15 to 30 lbs.]
Hartz[®] InControl Advanced[®] Topical Flea & Tick Control [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 31 to 60 lbs.]
Hartz[®] InControl Advanced[®] Topical Flea & Tick Control [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 61 to 150 lbs.]
Hartz[®] InControl Advanced[®] Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 5 to 14 lbs.]
Hartz[®] InControl Advanced[®] Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 15 to 30 lbs.]
Hartz[®] InControl Advanced[®] Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 31 to 60 lbs.]
Hartz[®] InControl Advanced[®] Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies] 12 weeks of age or older and weighing 61 to 150 lbs.]

{Product name will be followed by weight and age of dog for which tube is intended}

{A second weight class designation may be printed on the tube}

[Active Ingredients:]

Etofenprox 55.0%, PBO10.0%, MGK 264 1.0%, Nylar 0.5%, S-Methoprene 0.25%

Keep Out of Reach of Children

Caution

Read accompanying label before use

Range of volumes from 0.031 fl. oz. (.91 ml) to 0.220 fl. oz. (6.5 ml) depending upon weight of dog

EPA Reg. No. 2596-169
EPA Est. No.



{Note: Cat Warning Icon: A cat prohibition icon will appear on the immediate container that holds the tube(s). Icon is 1.5 cm x 1.5 cm black image on a yellow background.}

{OPTIONAL/ALTERNATE LABEL TEXT}

Weighing 5 to 14 lbs.

Weighing 15 to 30 lbs.

Weighing 31 to 60 lbs.

Weighing 61-150 lbs.

(S) Only (for) (Small) Puppies 5-14 lbs.

(M) Only (for) (Medium) Dogs 15-30 lbs.

(L) Only (for) (Large) Dogs 31-60 lbs.

(XL) Only (for) (Extra Large) Dogs 61-150 lbs.

Made in the USA

(Rapidly) (Quickly) eliminates fleas

Kills [(and) (&) Repels] Mosquitoes, Prevent re-infestation(s) for (28 days) (30 days) (1 month) (4 weeks)

Kills [(and) (&) Repels] Mosquitoes (before they bite) (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Mosquitoes (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas (that may transmit tapeworm) (for) (28 days) (30 days) (1 month) (4 weeks) (on dogs)

Kills fleas that may cause flea allergy dermatitis (and flea bite anemia) (for) (28 days) (30 days) (1 month) (4 weeks) (on dogs)

Kills Brown Dog Ticks and Deer Ticks (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Flea Eggs (and Flea Larvae) (for) (28 days) (30 days) (1 month) (4 weeks)

Prevents Flea Eggs from hatching

Kills Brown Dog Ticks (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Deer Ticks (that may carry Lyme disease) (for) (28 days) (30 days) (1 month) (4 weeks) (on dogs)

Kills all biting stages of Brown Dog Ticks and Deer Ticks

Kills adult Brown Dog Ticks and Deer Ticks, nymphs and larvae

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea eggs, (Flea larvae)

Optional/alternate text in (parentheses) or [brackets]; Administrative text in { } not to appear on label.

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea eggs, (Flea larvae) (through contact) (for) (28 days) (30 days) (1 month) (4 weeks)
Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, (Flea larvae) (through contact) (for) (28 days) (30 days) (1 month) (4 weeks)
Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, (Flea larvae) (after contact) (for) (28 days) (30 days) (1 month) (4 weeks)
Controls Flea (and) (Brown Dog Tick) (and) (Deer Tick) infestations (on dogs) (for) (28 days) (30 days) (1 month) (4 weeks)
Helps prevent re-infestation of fleas (and) (Brown Dog Tick) (and) (Deer Tick) (for) (28 days) (30 days) (1 month) (4 weeks)
Helps prevent flea and (and) (Brown Dog Tick) (and) (Deer Tick) re-infestation (for) (28 days) (30 days) (1 month) (4 weeks)
Kills flea eggs and flea larvae to help prevent future re-infestations
Kills all stages of the flea life cycle
Breaks the flea life cycle
Repels Mosquitoes (before they bite) (for) (28 days) (1 month) (4 weeks)
Repels (and controls) Mosquitoes (before they bite) (for) (28 days) (1 month) (4 weeks)
Controls mosquitoes (for) (28 days) (1 month) (4 weeks)
Repels Mosquitoes that may transmit West Nile virus (for) (28 days) (1 month) (4 weeks) (on dogs)
Repels Mosquitoes that may transmit heartworm (for) (28 days) (1 month) (4 weeks) (on dogs)
Once-a month Flea (and Brown Dog Tick, and Deer Tick) (Prevention) (Treatment) (Control) (Solution)
Monthly Flea (and Brown Dog Tick, and Deer Tick) (Prevention) (Treatment) (Control) (Solution)
(28 day) (30 day) (1 month) (4 weeks) Flea (and Brown Dog Tick, and Deer Tick) (Prevention) (Treatment) (Control) (Solution)
Prevents flea eggs from developing into biting adults (for) (up to) (30 days) (1 month) (4 weeks)
Gentle protection for dogs (and puppies)
Quick drying formula
Dries quickly
Quick drying
Stays on and doesn't rub off
Spreads with dog's natural skin oils
Starts killing fleas within 15 minutes
Starts killing fleas within 15 minutes and lasts for 30 days (1 month) (4 weeks)
Kills fleas for 30 days (1 month) (4 weeks)
Prevents re-infestation(s) (for) (30 days) (1 month) (4 weeks)
Prevents and controls re-infestation(s)
Long lasting
Effective and convenient topical treatment
Kills fleas (and Brown Dog, Deer Ticks) through (after) contact
(With) patented applicator
(With) patent pending applicator
Easy spot on topical applicator
Waterproof control of flea eggs (and larvae)

Waterproof (control) to help prevent future flea infestation(s) (in the home) (by breaking their lifecycle)

Waterproof (control) helps prevent flea re-infestation(s)

Waterproof flea re-infestation control

Patent pending formula

Kills fleas before they have a chance to lay eggs

New (Quick Drying) (Formula) (*claim to be removed after 6 months*)

Triple Active formula contains one adulticide and two insect growth regulators

{NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT}

US Patent 9,433,615

1st dose, 2nd dose, 3rd dose (Xth dose)

First month, second month, third month (Xth month)

X-pack

X-tubes

Value pack

Value Pack X+Y = Z Monthly Treatments

X month supply

X monthly treatment(s)

{Note to Reviewer: Alternate formulas with and without fragrance are approved for this registration}

Fragrance-free

Unscented

Fresh (scent) (fragrance)

Powder (scent) (fragrance)

Pleasant (scent) (fragrance)

Spring Fresh Scent

(Convenient) (easy to use) applicator

X Pro-cision Flo[®] Applicator(s)

X Pro-Glide[™] Applicator(s)

(Pro-cision Flo[®] Applicator) (Now) (featuring the angled)

(Pro-Glide[™] Applicator) easily gets through dog's fur, for gentle on-skin application

(Pro-cision Flo[®] Applicator) (Now) (featuring the angled)

(Pro-Glide[™] Applicator) quickly gets through dog's fur, for on-skin application

(Pro-cision Flo[®] Applicator) (Now) (featuring the angled)

(Pro-Glide[™] Applicator) easily penetrates dog's fur, for gentle on-skin application

(Pro-cision Flo[®] Applicator) (Now) (featuring the angled)

(Pro-Glide[™] Applicator) quickly penetrates dog's fur, for on-skin application

New Pro- Glide[™] Applicator (*To be used only for the first 6 months*)

Pro-Glide[™] Applicator gently glides through the dog's fur

Pro-Glide™ Applicator easily gets through dog's fur to minimize (oily) residue
Pro-Glide™ Applicator easily penetrates dog's fur to minimize (oily) residue
Pro-Glide™ Applicator features rounded edges for gentle on-skin application
Pro-Glide™ Applicator glides smoothly through the dog's fur
Pro-Glide™ Applicator features an angled tip to help guide the application
Easy to use Pro-Glide™ Applicator

Direct to your dog's skin

Easy (simple) to use (handle) (apply)

(Featuring the) (with) EZC™ tube
(Featuring the) (with) EZ2C™ tube
(Featuring the) (with) EZView™ tube
(Featuring the) (with) Clearview™ tube

(Clearview™) (EZC™) (EZ2C™) (EZView™) tube (visually) ensures all product has been dispensed
(Clearview™) (EZC™) (EZ2C™) (EZView™) tubes give you the assurance all the product has been applied

After application, the treated area may appear wet (or) (oily) for up to 24 hours

You may bathe your dog 48 hours after application

To help remind you when you last applied treatment, simply write in the date when each dose is applied:

First Dose _____
Second Dose _____
Third Dose _____
Xth Dose _____

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation

Contains aloe
With Aloe
Non greasy
Contains aloe to help soothe skin
With soothing aloe
Contains gentle soothing aloe

From the brand with (over) 90 years of experience
Hartz, the brand with (over) 90 years of experience
Hartz, the trusted brand (used by your grandparents and parents) with (over) 90 years of experience

{OPTIONAL MARKETING ICONS}



Aloe



Adult Fleas



Flea Eggs



Adult Ticks



Flea Larvae



Flea Eggs



Flea Larvae



Tick Larvae and Nymphs



Tick Larvae and Nymphs

{ALTERNATE BRAND NAMES}

Hartz® UltraGuard PRO® Triple Active Flea & Tick Drops [for Dogs [(&) (and) Puppies]
Hartz® UltraGuard PRO® Triple Action Flea & Tick Drops [for Dogs [(&) (and) Puppies]
Hartz® UltraGuard PRO® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]
Hartz® UltraGuard PRO® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies]
Hartz® UltraGuard PRO® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies]
Hartz® UltraGuard PRO® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies]

Hartz® InControl Advanced® Triple Active Flea & Tick Drops [for Dogs [(&) (and) Puppies]
Hartz® InControl Advanced® Triple Action Flea & Tick Drops [for Dogs [(&) (and) Puppies]
Hartz® InControl Advanced® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]
Hartz® InControl Advanced® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies]
Hartz® InControl Advanced® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies]
Hartz® InControl Advanced® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies]

Field & Stream® Triple Action [for Dogs (and) (&) Puppies]
Field & Stream® by Hartz® Triple Action [for Dogs (and) (&) Puppies]

Hartz Presents® Field & Stream® Triple Action [for Dogs (and) (&) Puppies]

Field & Stream® Triple Action Treatment [for Dogs (and) (&) Puppies]
Field & Stream® by Hartz® Triple Action Treatment [for Dogs (and) (&) Puppies]
Hartz Presents® Field & Stream® Triple Action Treatment [for Dogs (and) (&) Puppies]

Field & Stream® Triple Action Flea & Tick Treatment [for Dogs (and) (&) Puppies]
Field & Stream® Triple Action Flea & Tick Drops [for Dogs (and) (&) Puppies]

Hartz® Revo® Triple Active Flea & Tick Drops [for Dogs [(&) (and) Puppies]
Hartz® Revo® Triple Action Flea & Tick Drops [for Dogs [(&) (and) Puppies]
Hartz® Revo Advanced® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]
Hartz® Revo Advanced® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies]
Hartz® Revo Advanced® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies]
Hartz® Revo Advanced® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies]
Hartz® Revo360® Triple Active Flea & Tick Drops [for Dogs [(&) (and) Puppies]
Hartz® Revo360® Triple Action Flea & Tick Drops [for Dogs [(&) (and) Puppies]
Hartz® Revo360° Advanced® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]
Hartz® Revo360° Advanced® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies]
Hartz® Revo360° Advanced® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies]
Hartz® Revo360° Advanced® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies]

Revo® Triple Active Flea & Tick Drops [for Dogs [(&) (and) Puppies]
Revo® Triple Action Flea & Tick Drops [for Dogs [(&) (and) Puppies]

Revo Advanced® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]
Revo Advanced® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies]
Revo Advanced® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies]
Revo Advanced® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies]

Revo360°® Triple Active Flea & Tick Drops [for Dogs [(&) (and) Puppies]
Revo360°® Triple Action Flea & Tick Drops [for Dogs [(&) (and) Puppies]

Revo360° Advanced® Topical Flea & Tick Prevention [for Dogs [(&) (and) Puppies]
Revo360° Advanced® Topical Flea & Tick Treatment [for Dogs [(&) (and) Puppies]
Revo360° Advanced® Topical Flea & Tick Control [for Dogs [(&) (and) Puppies]
Revo360° Advanced® Topical Flea & Tick Solution [for Dogs [(&) (and) Puppies]

Revo® Topical Solution [for Dogs [(&) (and) Puppies]
Revo360°® Topical Solution [for Dogs [(&) (and) Puppies]
Hartz® Revo® Topical Solution [for Dogs [(&) (and) Puppies]
Hartz® Revo360°® Topical Solution [for Dogs [(&) (and) Puppies]

Hartz® Pro Force™ Triple Active Topical Solution for Dogs (& Puppies)
Pro Force™ Triple Active Topical Solution for Dogs (& Puppies)

Hartz® FieldForce™ Triple Active Topical Solution for Dogs (& Puppies)
FieldForce™ Triple Action Topical Solution for Dogs (& Puppies)

Hartz® First Defense™ Triple Active Topical Solution for Dogs (& Puppies)
First Defense™ Triple Active Topical Solution for Dogs (& Puppies)