



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

2596-169

Date of Issuance:

2/28/22

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited
 Expires: 05/08/2022

Name of Pesticide Product:

Hartz Reference #134

Name and Address of Registrant (include ZIP Code):

Joseph Conti
 The Hartz Mountain Corporation
 400 Plaza Dr.
 Secaucus, NJ 07094

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Elizabeth Fertich, Product Manager 4
 Invertebrate & Vertebrate Branch 1
 Registration Division (7505P)
 Office of Pesticide Programs

Date:

2/28/22

2. The Agency has found your company to be in compliance with the terms and conditions for the subject product and is extending the two-year registration restriction. This registration is time-limited and expires 05/08/2022.
3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the pet spot-on mitigation letter dated September 30, 2011.
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 01/05/2015
- Alternate CSF 1 dated 01/05/2015
- Alternate CSF 2 dated 01/05/2015
- Alternate CSF 3 dated 04/30/2015
- Alternate CSF 4 dated 04/30/2015
- Alternate CSF 5 dated 04/30/2015
- Alternate CSF 6 dated 07/06/2017
- Alternate CSF 7 dated 07/06/2017
- Alternate CSF 8 dated 07/06/2017
- Alternate CSF 9 dated 12/18/2017
- Alternate CSF 10 dated 12/18/2017
- Alternate CSF 11 dated 12/18/2017
- Alternate CSF 12 dated 03/04/2020
- Alternate CSF 13 dated 03/04/2020
- Alternate CSF 14 dated 03/04/2020

Page 3 of 3
EPA Reg. No. 2596-169
Decision No. 565108, 576239

If you have any questions, please contact Vanessa Emerson by phone at 202-566-2663, or via email at emerson.vanessa@epa.gov.

Enclosure

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

Hartz® Reference #134

{The primary brand name will not be used. Only an alternate brand name will be used and it will include the word “dog” in the product’s name. In addition, the size of the word “dog” will be increased to at least 75% of the size of the largest letter in the alternate brand name.}


{FRONT PANEL}

{Alternate Brand Names listed at end of document}

{Note: For each brand as packaged, a large, clear picture of a dog in the weight range for the product will be on the front panel of the label.}

{Note: Each of the brands will be packaged in the weight class and age designated below. One of these statements will be displayed prominently in a box on the front panel, based on the contents of the package.}

- Only for use on dogs weighing 5 to 14 lbs. and 12 weeks of age and older*
- Only for use on dogs weighing 15 to 30 lbs. and 12 weeks of age and older*
- Only for use on dogs weighing 31 to 60 lbs. and 12 weeks of age and older*
- Only for use on dogs weighing 61-150 lbs. and 12 weeks of age and older*



ACTIVE INGREDIENTS:

Etofenprox.....	55.0 %
*Piperonyl Butoxide (PBO).....	10.0 %
**n-octyl bicycloheptene dicarboximide (MGK 264).....	1.0 %
Pyriproxyfen (Nylar).....	0.5 %
S-Methoprene.....	0.25%
OTHER INGREDIENTS.....	33.25%
TOTAL.....	100.0%

*(butylcarbityl)(6-propylpiperonyl) ether and related compounds
**MGK® 264, Insecticide Synergist
NYLAR, MGK® - Registered Trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION: See First Aid and additional precautionary statements on the back panel.

NET CONTENTS: Contains 2 [3] [4] [6] [8] [12] tubes, each * __ fl. oz. (* __ mL)

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

*{*See tables below for fl. oz. and mL per tube, based on dog’s weight range and by number of tubes per pack}*

{For 2 applicator pack}

For use ONLY on Dogs and Puppies 12 weeks and older Weighing:	NET CONTENTS:
5 - 14 lbs	0.062 fl. oz. (1.82 mL), Contains 2 [-] [tubes, each] [applicator tubes, each] 0.031 fl. oz. (0.91 mL) [Applicator tubes] [tubes]
15 - 30 lbs	0.132 fl. oz. (3.90 mL), Contains 2 [-] [tubes, each] [applicator tubes, each] 0.066 fl. oz. (1.95 mL) [Applicator tubes] [tubes]
31 - 60 lbs	0.264 fl. oz. (7.80 mL), Contains 2[-] [tubes, each] [applicator tubes, each] 0.132 fl. oz. (3.90 mL) [Applicator tubes] [tubes]
61 – 150 lbs	0.440 fl. oz. (13 mL), Contains 2 [-] [tubes, each] [applicator tubes, each] 0.220 fl. oz. (6.50 mL) [Applicator tubes] [tubes]

{For 3 applicator pack}

For use ONLY on Dogs and Puppies 12 weeks and older Weighing:	NET CONTENTS:
5 - 14 lbs	0.093 fl. oz. (2.73 mL), Contains 3[-] [tubes, each] [applicator tubes, each] 0.031 fl. oz. (0.91 mL) [Applicator tubes] [tubes]
15 - 30 lbs	0.198 fl. oz. (5.85 mL), Contains 3 [-] [tubes, each] [applicator tubes, each] 0.066 fl. oz. (1.95 mL) [Applicator tubes] [tubes]
31 - 60 lbs	0.396 fl. oz. (11.70 mL), Contains 3[-] [tubes, each] [applicator tubes, each] 0.132 fl. oz. (3.90 mL) [Applicator tubes] [tubes]
61 – 150 lbs	0.660 fl. oz. (19.50 mL), Contains 3 [-] [tubes, each] [applicator tubes, each] 0.220 fl. oz. (6.50 mL) [Applicator tubes] [tubes]

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

{For 4 applicator pack}

For use ONLY on Dogs and Puppies 12 weeks and older Weighing:	NET CONTENTS:
5 - 14 lbs	0.124 fl. oz. (3.64 mL), Contains 4 [-][tubes, each] [applicator tubes, each] 0.031 fl. oz. (0.91 mL) [Applicator tubes] [tubes]
15 - 30 lbs	0.264 fl. oz. (7.8 mL), Contains 4 [-] [tubes, each] [applicator tubes, each] 0.066 fl. oz. (1.95 mL) [Applicator tubes] [tubes]
31 - 60 lbs	0.528 fl. oz. (15.60 mL), Contains 4 [-] [tubes, each] [applicator tubes, each] 0.132 fl. oz. (3.90 mL) [Applicator tubes] [tubes]
61 – 150 lbs	0.880 fl. oz. (26 mL), Contains 4 [-][tubes, each] [applicator tubes, each] 0.220 fl oz (6.50 mL) [Applicator tubes] [tubes]

{For 6 applicator pack}

For use ONLY on Dogs and Puppies 12 weeks and older Weighing:	NET CONTENTS:
5 - 14 lbs	0.186 fl. oz. (5.46 mL), Contains 6 [-][tubes, each] [applicator tubes, each] 0.031 fl. oz. (0.91 mL) [Applicator tubes] [tubes]
15 - 30 lbs	0.396 fl. oz. (11.70 mL), Contains 6 [-] [tubes, each] [applicator tubes, each] 0.066 fl. oz. (1.95 mL) [Applicator tubes] [tubes]
31 - 60 lbs	0.792 fl. oz. (23.40 mL), Contains 6 [-] [tubes, each] [applicator tubes, each] 0.132 fl. oz. (3.90 mL) [Applicator tubes] [tubes]
61 – 150 lbs	1.320 fl. oz. (39 mL), Contains 6 [-] [tubes, each] [applicator tubes, each] 0.220 fl. oz. (6.50 mL) [Applicator tubes] [tubes]

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

{For 8 applicator pack}

For use ONLY on Dogs and Puppies 12 weeks and older Weighing:	NET CONTENTS:
5 - 14 lbs	0.248 fl. oz. (7.28 mL), Contains 8 [-] [tubes, each] [applicator tubes, each] 0.031 fl. oz. (0.91 mL) [Applicator tubes] [tubes]
15 - 30 lbs	0.528 fl. oz. (15.6 mL), Contains 8 [-] [tubes, each] [applicator tubes, each] 0.066 fl. oz. (1.95 mL) [Applicator tubes] [tubes]
31 - 60 lbs	1.056 fl. oz. (31.20 mL), Contains 8 [-] [tubes, each] [applicator tubes, each] 0.132 fl. oz. (3.90 mL) [Applicator tubes] [tubes]
61 – 150 lbs	1.760 fl. oz. (52 mL), Contains 8 [-] [tubes, each] [applicator tubes, each] 0.220 fl. oz (6.50 mL) [Applicator tubes] [tubes]

{For 12 applicator pack}

For use ONLY on Dogs and Puppies 12 weeks and older Weighing:	NET CONTENTS:
5 - 14 lbs	0.372 fl. oz. (10.92 mL), Contains 12 [-] [tubes, each] [applicator tubes, each] 0.031 fl. oz. (0.91 mL) [Applicator tubes] [tubes]
15 - 30 lbs	0.792 fl. oz. (23.4 mL), Contains 12 [-] [tubes, each] [applicator tubes, each] 0.066 fl. oz. (1.95 mL) [Applicator tubes] [tubes]
31 - 60 lbs	1.584 fl. oz. (46.80 mL), Contains 12 [-] [tubes, each] [applicator tubes, each] 0.132 fl. oz. (3.90 mL) [Applicator tubes] [tubes]
61 – 150 lbs	2.640 fl. oz. (78 mL), Contains 8 [-] [tubes, each] [applicator tubes, each] 0.220 fl. oz (6.50 mL) [Applicator tubes] [tubes]

EPA Reg. No. 2596-169
 EPA Est. No.

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation.
 Made by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094 (U.S.A.)

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

{Cat Warning Icon: A cat prohibition icon in a box will appear on the front panel, lower right corner. Icon is 1.5 cm x 1.5 cm black image with a yellow background}



DO NOT USE ON CATS

{BACK PANEL}

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

FOR EXTERNAL USE ONLY. DO NOT USE ON ANIMALS OTHER THAN DOGS. Do not use on dogs or puppies less than 12 weeks old and weighing less than 5 [15] [31] [61] lbs. Do not use this product on debilitated, aged, medicated, pregnant or nursing dogs or on dogs known to be sensitive to pesticide products without first consulting a veterinarian. Sensitivity, such as slight transitory redness of the skin at the site of application, may occur after using ANY pesticide product for dogs. If signs of sensitivity occur, bathe your dog with mild soap, rinse with large amounts of water, and consult a veterinarian immediately. Dogs may experience some temporary irritation at the site of product application. This product is not a substitute for a prescribed heartworm preventative.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

FIRST AID

If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes.

• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. • Call a poison control center or doctor for treatment advice. **HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center, doctor or veterinarian, or going for treatment. For additional information on this pesticide product (including health concerns or pesticide incidents), you may call 1-800-275-1414, twenty-four (24) hours per day, seven (7) days per week.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE

USE RESTRICTIONS:

DO NOT ALLOW CHILDREN TO APPLY PRODUCT.

DO NOT USE ON DOGS OR ON PUPPIES LESS THAN 12 WEEKS OF AGE WEIGHING LESS THAN 5 [15] [31] [61] LBS.

DO NOT ALLOW YOUR DOG/PUPPY TO INGEST THIS PRODUCT.

DO NOT EXCEED LABELED DOSAGE AMOUNT FOR DOGS.

DO NOT APPLY MORE THAN ONE TUBE PER TREATMENT REGARDLESS OF THE DOG'S WEIGHT.

DO NOT HAVE CONTACT OR ALLOW CHILDREN TO HAVE CONTACT WITH TREATED AREA UNTIL COMPLETELY DRY.

DO NOT USE ON CATS, RABBITS AND ANIMALS OTHER THAN DOGS.

DO NOT BATHE DOG FOR 48 HOURS AFTER APPLICATION.

DO NOT REAPPLY *{insert Alternate Brand Name}* FOR 28 DAYS [30 DAYS] [4 WEEKS] [1 MONTH].

{The application steps below may optionally be numbered or bulleted to clarify the order, depending on the final physical layout of the label, but the wording will be identical.}

{When referring to the application device (i.e., "applicator tube", "tube", etc.) only one term will be selected and used throughout the entire label.}

{Option 1}

Dog must be dry and standing at time of application and remain dry for 48 hours after application. Remove one applicator tube [tube] from the package and hold in an upright position pointed away from your face. Pull off cap. Turn the cap around and place on top of applicator tube [tube]. Simply press cap down to break the seal of the tube. Remove cap carefully. Position the tip of the applicator

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

tube [tube] on the dog's back between the shoulder blades. Use the tip of the applicator tube [tube] to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the applicator tube [tube] to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail. Repeat every month. Separate treated dog from other dogs, cats and pets for 24 hours after treatment has been applied.

{Option 2}

Dog must be dry and standing at time of application and remain dry for 48 hours after application. Remove one applicator tube [tube] from the package and hold in an upright position pointed away from your face. Twist dispensing tip clockwise about ½ turn while pushing down to break the applicator tube's [tube's] seal. Do not remove the dispensing tip. Position the dispensing tip on the dog's back between the shoulder blades. Use the dispensing tip of the applicator tube [tube] to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the applicator tube [tube] to form a stripe as you move [glide] from the shoulder blades along the dog's back to the base of the tail. Repeat every month. Separate treated dog from other dogs, cats and pets for 24 hours after treatment has been applied.

{Option 3}

Dog must be dry and standing at time of application and remain dry for 48 hours after application. Remove one applicator tube [tube] from the package and hold in an upright position pointed away from your face. Pull off cap. Turn the cap around and place on top of applicator tube [tube]. Simply press cap down to break the seal of the applicator tube [tube]. Remove cap carefully. Position the tip of the applicator tube [tube] on the dog's back at the base of the dog's tail. Use the tip of the applicator tube [tube] to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the applicator tube [tube] to form a stripe as you move from the base of the tail along the dog's back to the shoulder blades. Repeat every month. Separate treated dog from other dogs and cats [pets] for 24 hours after treatment has been applied.

{Option 4}

Dog must be dry and standing at time of application and remain dry for 48 hours after application. Remove one applicator tube [tube] from the package and hold in an upright position pointed away from your face. Twist dispensing tip clockwise about ½ turn while pushing down to break the applicator tube's [tube's] seal. Do not remove the dispensing tip. Position the dispensing tip on the dog's back at the base of the dog's tail. Use the dispensing tip of the applicator tube [tube] to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the applicator tube [tube] to form a stripe as you move [glide] from the base of the tail along the dog's back to the shoulder blades. Repeat every month. Separate treated dog from other dogs and cats [pets] for 24 hours after treatment has been applied.

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill container. If empty: Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{Note to Reviewer: A box labeled “Side Effects” will be immediately above the cat warning box on the back panel.}

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-800-275-1414.

{Cat Warning Icon: A cat prohibition icon and warning text in a box will appear on the back panel, lower right corner. Icon is 1.5 cm x 1.5 cm black image on a yellow background. The following text will be directly below or adjacent to the icon, in a box.}



DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

For more information call our (flea and tick) experts at 1-800-275-1414 (weekdays, 9 am – 5 pm E.S.T.)

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

{INDIVIDUAL TUBE TEXT}

{Product name on applicator tube (i.e. tube) will be followed by weight and age limits of dog for which the applicator tube (i.e. tube) is intended.}

[Active Ingredients:]

Etofenprox 55.0%, PBO10.0%, MGK 264 1.0%, Nylar 0.5%, S-Methoprene 0.25%

Keep Out of Reach of Children

Caution

Read accompanying label before use

{Net Content, depending on weight of dog, will appear on applicator tube as follows}:}

5 to 14 lbs.	0.031 fl. oz. (0.91 ml)
15 to 30 lbs.	0.066 fl. oz. (1.95 ml)
31 to 60 lbs.	0.132 fl. oz. (3.90 ml)
61 to 150 lbs.	0.220 fl. oz. (6.50 ml)

EPA Reg. No. 2596-169 EPA Est. No.

{Lot number to appear on tube crimp}

{Cat Warning Icon: A cat prohibition icon in a box will appear on the immediate container that holds the tube(s). Icon is 1.5 cm x 1.5 cm black image on a yellow background}:}



{OPTIONAL/ALTERNATE LABEL TEXT}

- For dogs weighing 5 to 14 lbs., 12 weeks and older
- For dogs weighing 15 to 30 lbs., 12 weeks and older
- For dogs weighing 31 to 60 lbs., 12 weeks and older
- For dogs weighing 61-150 lbs., 12 weeks and older

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

- For use Only [Only for use] on DOGS AND PUPPIES 12 WEEKS OR OLDER weighing *{insert one of the following weight ranges}*:
 - [5-14 lbs.]
 - [15-30 lbs.]
 - [31-60 lbs.]
 - [61-150 lbs.]
- [S] Only [for] [Small] Dogs and Puppies 5-14 lbs. and 12 weeks of age and older
- [M] Only [for] [Medium] Dogs and Puppies 15-30 lbs. and 12 weeks of age and older
- [L] Only [for] [Large] Dogs and Puppies 31-60 lbs. and 12 weeks of age and older
- [XL] Only [for] [Extra Large] Dogs and Puppies 61-150 lbs. and 12 weeks of age and older
- Rapidly [Quickly] kills fleas
- Kills [and] [&] Repels] Mosquitoes, Prevents re-infestation[s] for 28 days [30 days] [1 month] [4 weeks]
- Kills [and] [&] Repels] Mosquitoes [before they bite] for 28 days [30 days] [1 month] [4 weeks]
- Kills Mosquitoes for 28 days [30 days] [1 month] [4 weeks]
- Kills Fleas [that may transmit tapeworm] for 28 days [30 days] [1 month] [4 weeks] [on dogs]
- Kills fleas that may cause flea allergy dermatitis [and flea bite anemia] for 28 days [30 days] [1 month] [4 weeks] on dogs
- Kills Brown Dog Ticks and Deer Ticks for 28 days [30 days] [1 month] [4 weeks]
- Kills Flea Eggs [and Flea Larvae] for 28 days [30 days] [1 month] [4 weeks]
- Stops flea eggs from hatching for 28 days [30 days] [1 month] [4 weeks]
- Kills Brown Dog Ticks for 28 days [30 days] [1 month] [4 weeks]
- Kills Deer Ticks [that may transmit Lyme disease] for 28 days [30 days] [1 month] [4 weeks] on dogs
- Kills all biting stages of Brown Dog Ticks and Deer Ticks
- Kills adult Brown Dog Ticks and Deer Ticks, nymphs and larvae
- Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea eggs, [Flea Larvae]
- Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea eggs, [Flea larvae] [through contact] for 28 days [30 days] [1 month] [4 weeks]
- Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, [Flea larvae] [after contact] for 28 days [30 days] [1 month] [4 weeks]
- Controls Flea [and] [Brown Dog Tick] [and] [Deer Tick] infestations on dogs for 28 days [30 days] [1 month] [4 weeks]

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

- Helps prevent re-infestation of fleas [and] [Brown Dog Tick] [and] [Deer Tick] for 28 days [30 days] [1 month] [4 weeks]
- Helps prevent flea and [and] [Brown Dog Tick] [and] [Deer Tick] re-infestation for 28 days [30 days] [1 month] [4 weeks]
- Kills flea eggs and flea larvae to help prevent future re-infestations
- Kills all stages of the flea life cycle
- Breaks the flea life cycle
- Repels Mosquitoes [before they bite] for 28 days [30 days] [1 month] [4 weeks]
- Repels [and controls] Mosquitoes [before they bite] for 28 days [30 days] [1 month] [4 weeks]
- Controls mosquitoes for 28 days [30 days] [1 month] [4 weeks]
- Repels Mosquitoes that may transmit West Nile virus for 28 days [30 days] [1 month] [4 weeks] on dogs
- Repels Mosquitoes that may transmit heartworm for 28 days [30 days] [1 month] [4 weeks] [on dogs]
- Once-a month Flea [and Brown Dog Tick, and Deer Tick] Prevention [Treatment] [Control] [Solution]
- Monthly Flea [and Brown Dog Tick, and Deer Tick] Prevention [Treatment] [Control] [Solution]
- 28 day [30 day] [1 month] [4 weeks] Flea [and Brown Dog Tick, and Deer Tick] Prevention [Treatment] [Control] [Solution]
- Prevents flea eggs from developing into biting adults for 28 days [30 days] [1 month] [4 weeks]
- Gentle protection for dogs [and puppies]
- Quick drying formula
- Dries quickly
- Quick drying
- Stays on and doesn't rub off after 24 hours
- Spreads with dog's natural skin oils
- Starts killing fleas within 15 minutes
- Starts killing fleas within 15 minutes and lasts for 28 days [30 days] [1 month] [4 weeks]
- Kills fleas for 28 days [30 days] [1 month] [4 weeks]
- Prevents re-infestation[s] for [28 days] [30 days] [1 month] [4 weeks]
- Prevents and controls re-infestation[s]
- Long lasting for 28 days [30 days] [4 weeks] [1 month]
- Effective and convenient topical treatment
- Kills fleas [and Brown Dog, Deer Ticks] through [after] contact
- [With] patented applicator
- Easy spot on topical applicator

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

- Waterproof control of flea eggs [and larvae] after 48 hours
- Waterproof [control] helps prevent flea re-infestation[s] after 48 hours
- Waterproof flea re-infestation control after 48 hours
- Kills fleas before they have a chance to lay eggs
- Triple Active formula: 1 [one] adulticide plus 2 [two] insect growth regulators

{NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT}

- US Patent 9,433,615
- 1st dose, 2nd dose, 3rd dose [Xth dose] *{Note: The "X" will not exceed the Net Contents of the package, for this and any claim listed below referencing "X" .}*
- First month, second month, third month [Xth month] X-pack
- X-tubes value pack
- Value Pack X+Y = Z Monthly Treatments *{Note: When adding the "X" and the "Y", the "Z" will not exceed the Net Contents of the package.}*
- X month supply
- X monthly treatment[s]

{Note: Alternate formulas with and without fragrance are approved for this registration.}

- Fragrance-free
- Unscented
- Fresh scent
- Fresh fragrance
- Powder scent
- Powder fragrance
- Pleasant scent
- Pleasant fragrance
- Spring Fresh Scent
- Convenient [easy to use] applicator
- X Pro-cision Flo® Applicator[s]
- X Pro-Glide™ Applicator[s]
- Pro-cision Flo® Applicator [featuring the angled][Pro-Glide™ Applicator] easily gets through dog's fur, for gentle on-skin application
- Pro-cision Flo® Applicator [featuring the angled][Pro-Glide™ Applicator] quickly gets through dog's fur, for on-skin application
- Pro-cision Flo® Applicator [featuring the angled][Pro-Glide™ Applicator] easily penetrates dog's fur, for gentle on-skin application
- Pro-cision Flo® Applicator [featuring the angled][Pro-Glide™ Applicator] quickly penetrates dog's fur, for on-skin application

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

- Pro-Glide™ Applicator gently glides through the dog's fur
- Pro-Glide™ Applicator easily gets through dog's fur to minimize [oily] residue
- Pro-Glide™ Applicator easily penetrates dog's fur to minimize [oily] residue
- Pro-Glide™ Applicator features rounded edges for on-skin application
- Pro-Glide™ Applicator glides smoothly through the dog's fur
- Pro-Glide™ Applicator features an angled tip to help guide the application
- Easy to use Pro-Glide™ Applicator
- Direct to your dog's skin
- Easy [simple] to use [handle] [apply]
- Featuring the [with] EZC™ tube
- Featuring the [with] EZ2C™ tube
- Featuring the [with] EZView™ tube
- [Featuring the] [with] Clearview™ tube
- Clearview™ [EZC™] [EZ2C™] [EZView™] tube [visually] ensures all product has been dispensed
- Clearview™ [EZC™] [EZ2C™] [EZView™] tubes give you the assurance all the product has been applied
- After application, the treated area may appear wet [or oily] for up to 24 hours
- You may bathe your dog 48 hours after application
- To help remind you when you last applied treatment, simply write in the date when each dose is applied:
 - First Dose _____
 - Second Dose _____
 - Third Dose _____
 - Xth Dose _____ *{Note: X will not exceed the net contents.}*

- Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation
- Contains aloe
- With Aloe
- Non greasy
- Contains aloe to help soothe skin
- With soothing aloe
- Contains gentle soothing aloe
- From the brand with [over] 90 years of experience
- Hartz, the brand with [over] 90 years of experience
- Hartz, the trusted brand [used by your grandparents and parents] with [over] 90 years of experience

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

{OPTIONAL MARKETING ICONS}



Aloe



Aloe



Adult Fleas



Flea Eggs



Adult Ticks



Flea Larvae



Flea Eggs



Flea Larvae



Tick Larvae and Nymphs



Tick Larvae and Nymphs



Mosquitoes

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

{ALTERNATE BRAND NAMES}

Hartz® UltraGuard PRO® Triple Active Flea & Tick Drops for Dogs [& [and] Puppies]
Hartz® UltraGuard PRO® Triple Action Flea & Tick Drops for Dogs [& [and] Puppies]
Hartz® UltraGuard PRO® Topical Flea & Tick Prevention for Dogs [& [and] Puppies]
Hartz® UltraGuard PRO® Topical Flea & Tick Treatment for Dogs [& [and] Puppies]
Hartz® UltraGuard PRO® Topical Flea & Tick Control for Dogs [& [and] Puppies]
Hartz® UltraGuard PRO® Topical Flea & Tick Solution for Dogs [and [&] Puppies]
Hartz® InControl Advanced® Triple Active Flea & Tick Drops for Dogs [and [&] Puppies]
Hartz® InControl Advanced® Triple Action Flea & Tick Drops for Dogs [and [&] Puppies]
Hartz® InControl Advanced® Topical Flea & Tick Prevention for Dogs [and [&] Puppies]
Hartz® InControl Advanced® Topical Flea & Tick Treatment for Dogs [and [&] Puppies]
Hartz® InControl Advanced® Topical Flea & Tick Control for Dogs [and [&] Puppies]
Hartz® InControl Advanced® Topical Flea & Tick Solution for Dogs [& [and] Puppies]

Field & Stream® Triple Action for Dogs [and [&] Puppies]
Field & Stream® by Hartz® Triple Action for Dogs [and [&] Puppies]

Hartz Presents® Field & Stream® Triple Action for Dogs [and [&] Puppies]
Field & Stream® Triple Action Treatment for Dogs [and [&] Puppies]
Field & Stream® by Hartz® Triple Action Treatment for Dogs [and [&] Puppies]

Hartz Presents® Field & Stream® Triple Action Treatment for Dogs [and [&] Puppies]
Field & Stream® Triple Action Flea & Tick Treatment for Dogs [and [&] Puppies]
Field & Stream® Triple Action Flea & Tick Drops for Dogs [and [&] Puppies]

Hartz® Revo® Triple Active Flea & Tick Drops for Dogs [and [&] Puppies]
Hartz® Revo® Triple Action Flea & Tick Drops for Dogs [and [&] Puppies]
Hartz® Revo Advanced® Topical Flea & Tick Prevention for Dogs [and [&] Puppies]
Hartz® Revo Advanced® Topical Flea & Tick Treatment for Dogs [and [&] Puppies]
Hartz® Revo Advanced® Topical Flea & Tick Control for Dogs [and [&] Puppies]
Hartz® Revo Advanced® Topical Flea & Tick Solution for Dogs [and [&] Puppies]

Revo Advanced® Topical Flea & Tick Prevention for Dogs [and [&] Puppies]
Revo Advanced® Topical Flea & Tick Treatment for Dogs [and [&] Puppies]
Revo Advanced® Topical Flea & Tick Control for Dogs [and [&] Puppies]
Revo Advanced® Topical Flea & Tick Solution for Dogs [and [&] Puppies]

Revo360® Triple Active Flea & Tick Drops for Dogs [and [&] Puppies]
Revo360® Triple Action Flea & Tick Drops for Dogs [and [&] Puppies]

Revo360° Advanced® Topical Flea & Tick Prevention for Dogs [and [&] Puppies]
Revo360° Advanced® Topical Flea & Tick Treatment for Dogs [and [&] Puppies]
Revo360° Advanced® Topical Flea & Tick Control for Dogs [and [&] Puppies]

{Note to Reviewer: [Optional/ Alternate text in brackets.] {Administrative text in braces contain notes to reviewer that are not intended for printing.} (Text in parenthesis will appear on final marketplace label.)}

Revo360° Advanced® Topical Flea & Tick Solution for Dogs [and [&] Puppies]

Revo® Topical Solution for Dogs [and [&] Puppies]

Revo360°® Topical Solution for Dogs [and [&] Puppies]

Hartz® Revo® Topical Solution for Dogs [and [&] Puppies]

Hartz® Revo360°® Topical Solution for Dogs [and [&] Puppies]

Hartz® Pro Force™ Triple Active Topical Solution for Dogs [& Puppies]

Pro Force™ Triple Active Topical Solution for Dogs [& Puppies]

Hartz® FieldForce™ Triple Active Topical Solution for Dogs [& Puppies]

FieldForce™ Triple Action Topical Solution for Dogs [& Puppies]

Hartz® First Defense™ Triple Active Topical Solution for Dogs [& Puppies]

First Defense™ Triple Active Topical Solution for Dogs [& Puppies]