



U.S. ENVIRONMENTAL PROTECTION AGENCY  
 Office of Pesticide Programs  
 Registration Division (7505P)  
 1200 Pennsylvania Ave., N.W.  
 Washington, D.C. 20460

EPA Reg. Number:

2596-174

Date of Issuance:

7/15/21

NOTICE OF PESTICIDE:

Registration  
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited  
 Expires: 12/01/2023

Name of Pesticide Product:

Hartz® Reference #141

Name and Address of Registrant (include ZIP Code):

Joseph Conti  
 The Hartz Mountain Corporation  
 400 Plaza Drive  
 Secaucus, NJ 07094

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Elizabeth Fertich, Product Manager 04  
 Invertebrate & Vertebrate Branch 1, Registration Division  
 (7505P)  
 Office of Pesticide Programs

Date:

7/15/21

2. The Agency has found your company to be in compliance with the terms and conditions for the subject product and is extending the two-year registration restriction. This registration is time-limited and expires 12/01/2023.
3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the initial registration notice dated 10/10/2012.
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 04/11/2012
- Alternate CSF 1 dated 04/11/2012

If you have any questions, please contact Jennifer Gaines by phone at (703) 305-5967, or via email at [gaines.jennifer@epa.gov](mailto:gaines.jennifer@epa.gov).

Enclosure: Stamped Label

*{Note to Reviewer - Brackets used in this label are as follows: [ ] contain Optional/Alternate wording, { } are instructional and contain Notes to Reviewer which do not appear on final marketplace label, ( ) indicate text that will appear on final marketplace label.}*

**{FRONT PANEL}**

**Hartz® Reference #141**

*{Note to reviewer: The Primary Brand name will not be used. Only an Alternate Brand name will be used and it will include the word "cat" in the product's name. In addition, the size of the word "cat" will be increased to at least 75% the height of the largest letter in the product brand name.}*

*{Alternate brand names, see last pages}*

*{All market place labels to have a large clear picture of cat in the weight range for the product and to include the following information on the front panel} Use Only on Cats and Kittens [over 3 lbs. but less than 5 lbs.] [5 lbs. and over] & 12 Weeks of Age and Older*

**ACTIVE INGREDIENTS**

Etofenprox.....40.0%  
 (S)-Methoprene.....3.6%

**OTHER INGREDIENTS**.....56.4%

**TOTAL**.....100.0%

**KEEP OUT OF REACH OF CHILDREN**


**CAUTION**

See back [side] panel for ingredients and additional precautionary statements

<b>For use ONLY on Cats and Kittens 12 weeks and older Weighing:</b>	<b>Net Contents:</b>
Over 3 lbs. but less than 5 lbs.	Contains 1 tube, each 0.034 fl. oz. (1.0 ml)
5 lbs. and Over	Contains 1 tube, each 0.061 fl. oz. (1.8 ml)

<b>For use ONLY on Cats and Kittens 12 weeks and older Weighing:</b>	<b>Net Contents:</b>
Over 3 lbs. but less than 5 lbs.	0.068 fl. oz. (2.0 ml), Contains 2 tubes, each 0.034 fl. oz. (1.0 ml)
5 lbs. and Over	0.122 fl. oz. (3.6 ml), Contains 2 tubes, each 0.061 fl. oz. (1.8 ml)

<b>For use ONLY on Cats and Kittens 12 weeks and older Weighing:</b>	<b>Net Contents:</b>
Over 3 lbs. but less than 5 lbs.	0.102 fl. oz. (3.0 ml), Contains 3 tubes, each 0.034 fl. oz. (1.0 ml)
5 lbs. and Over	0.183 fl. oz. (5.4 ml), Contains 3 tubes, each 0.061 fl. oz. (1.8 ml)



{*Note to Reviewer - Brackets used in this label are as follows: [ ] contain Optional/Alternate wording, { } are instructional and contain Notes to Reviewer which do not appear on final marketplace label, ( ) indicate text that will appear on final marketplace label.*}

**{FRONT PANEL - continued}**

**NET CONTENTS - continued**

<b>For use ONLY on Cats and Kittens 12 weeks and older Weighing:</b>	<b>Net Contents:</b>
Over 3 lbs. but less than 5 lbs.	0.136 fl. oz. (4.0 ml), Contains 4 tubes, each 0.034 fl. oz. (1.0 ml)
5 lbs. and Over	0.244 fl. oz. (7.2 ml), Contains 4 tubes, each 0.061 fl. oz. (1.8 ml)

<b>For use ONLY on Cats and Kittens 12 weeks and older Weighing:</b>	<b>Net Contents:</b>
Over 3 lbs. but less than 5 lbs.	0.204 fl. oz. (6.0 ml), Contains 6 tubes, each 0.034 fl. oz. (1.0 ml)
5 lbs. and Over	0.366 fl. oz. (10.8 ml), Contains 6 tubes, each 0.061 fl. oz. (1.8 ml)

<b>For use ONLY on Cats and Kittens 12 weeks and older Weighing:</b>	<b>Net Contents:</b>
Over 3 lbs. but less than 5 lbs.	0.272 fl. oz. (8.0 mL), Contains 8 tubes, each 0.034 fl. oz. (1.0 ml)
5 lbs. and Over	0.488 fl. oz. (14.4 mL), Contains 8 tubes, each 0.061 fl. oz. (1.8 ml)

**{BACK PANEL}**

EPA Reg. No. 2596-174  
EPA Est. No.

The Hartz Mountain Corporation  
400 Plaza Drive  
Secaucus, NJ 07094

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS: CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

*{Note to Reviewer - Brackets used in this label are as follows: [ ] contain Optional/Alternate wording, { } are instructional and contain Notes to Reviewer which do not appear on final marketplace label, ( ) indicate text that will appear on final marketplace label.}*

**{BACK PANEL – continued}**

**HAZARDS TO DOMESTIC ANIMALS:** For External Use on Cats Only. Do not use on kittens less than 12 weeks old. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated cats. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. This product is not a substitute for prescribed heartworm preventative.

**FIRST AID**

**IF IN EYES:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.”

**RESTRICTIONS**

**USE ONLY ON CATS OR KITTENS 12 WEEKS OF AGE AND OLDER WEIGHING [MORE THAN 3 POUNDS BUT LESS THAN 5 LBS] [5 POUNDS AND OVER]**

**DO NOT USE ON OTHER ANIMALS**

**DO NOT EXCEED LABELED DOSAGE AMOUNT FOR CATS**

**DO NOT APPLY MORE THAN ONE (1) TUBE PER TREATMENT ON ANY CAT REGARDLESS OF THE CAT'S WEIGHT**

**DO NOT HAVE CONTACT OR ALLOW CHILDREN TO HAVE CONTACT WITH TREATED AREA UNTIL COMPLETELY DRY.**

**DO NOT APPLY TO CATS WEIGHING 3 LBS. OR LESS AND UNDER 12 WEEKS OF AGE**

**DO NOT ALLOW YOUR CATS TO INGEST THIS PRODUCT**

**HOUSEHOLDS WITH MORE THAN ONE CAT: PREVENT CATS FROM GROOMING EACH OTHER UNTIL SOLUTION HAS DRIED.**

**DO NOT ALLOW CHILDREN TO APPLY PRODUCT.**

**DO NOT GET THIS PRODUCT IN YOUR CAT'S EYES OR MOUTH.**

*{Note to Reviewer - Brackets used in this label are as follows: [ ] contain Optional/Alternate wording, { } are instructional and contain Notes to Reviewer which do not appear on final marketplace label, ( ) indicate text that will appear on final marketplace label.}*

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL BEFORE USE**

*{PACKAGING DIRECTIONS}*

*{Alternate Packaging Directions 1}*

1. Remove one [applicator] [tube] from the package and hold in an upright position pointed away from your face.
2. Twist dispensing tip clockwise about 1/2 turn while pushing down to break the [applicator's] [tube's] seal. Do not remove the dispensing tip.
3. Prior to application of the product, using the dispensing tip of the applicator [tube], gently lift the cat's or kitten's hair coat on the back of the neck at the base of the skull, position the dispensing tip of the applicator [tube] on the cat's exposed skin and squeeze out the [entire] contents of the applicator [tube] onto the cat's skin. Do not bathe cat within the first 24 hours after [squeeze on] [product] has been applied. Households with more than one cat should prevent cats from grooming each other until solution has dried.
4. Repeat application [once every month] [once every 30 days].

*{Alternate Packaging Directions 2}*

1. Remove one [applicator][tube] from the package and hold in an upright position pointed away from your face.
2. Twist dispensing tip clockwise about 1/2 turn until you feel it click into place. Do not remove the dispensing tip.
3. Prior to application of the product, using the dispensing tip of the [applicator][tube], gently lift the cat's or kitten's hair coat on the back of the neck at the base of the skull, position the dispensing tip of the [applicator][tube] on the cat's exposed skin and squeeze out the [entire] contents of the [applicator][tube] onto the cat's skin. Do not bathe cat within the first 24 hours after [squeeze on] [product] has been applied. Households with more than one cat should prevent cats from grooming each other until solution has dried.
4. Repeat application [once every month] [once every 30 days].

*{Alternate Packaging Directions 3}*

1. Remove one [applicator] [tube] from the package and hold in an upright position pointed away from your face.
2. Pull off cap. Turn the cap around and place on top of [applicator] [tube].
3. Simply press cap down to break the seal of [applicator] [tube]. Remove cap carefully.
4. Prior to application of the product, gently lift the cat's or kitten's hair coat on the back of the neck at the base of the skull, position the tip of the [applicator] [tube] on the cat's exposed skin and squeeze out the entire contents of the [applicator] [tube] onto the cat's skin. Do not bathe cat within the first 24 hours after product has been applied. Households with more than one cat should prevent cats from grooming each other until solution has dried.
5. Repeat application [once every month] [once every 30 days].

*{Note to Reviewer - Brackets used in this label are as follows: [ ] contain Optional/Alternate wording, { } are instructional and contain Notes to Reviewer which do not appear on final marketplace label, ( ) indicate text that will appear on final marketplace label.}*

*{Include on back panel located at the lower right hand corner}*

#### **SIDE EFFECTS**

Side Effects – Monitor your cat after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-275-1414.

#### **STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER HANDLING:** Non-refillable container. Do not refill or reuse this container. *If empty:* Offer for recycling, if available. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### **{INDIVIDUAL TUBE TEXT:}**

*{Alternate Brand Name - see last pages}*

Only for use on cats

For External Use Only

[1.0 ml [cc] for cats [kittens] 12 weeks of age and older and under 5 lbs.] {or}

[1.8 ml [cc] for cats 12 weeks of age and older and 5 lbs. and over]

Contains Etofenprox 40%

s-Methoprene 3.6%

#### **KEEP OUT OF REACH OF CHILDREN**

#### **CAUTION**

See full label for additional directions

EPA Reg. No. 2596-174

#### ***{INTRODUCTION}***

{Product Name} is a topically applied long-lasting product specifically formulated for cats and kittens containing [or with] an insect growth regulator (IGR) S-Methoprene to prevent and control flea infestations on your cat and to kill fleas before they hatch. This product also contains the highly effective flea, deer tick, and mosquito killing agent Etofenprox [{Brand Name}], which kills biting adult fleas, deer ticks, and mosquitoes your cat may acquire from its surroundings. A single application of {Product Name} will provide egg hatch inhibition for up to 1 month. Each package contains enough products for [1] [2] [3] [4] [6] [8] monthly applications. Adult fleas can live on your cat while producing vast numbers of eggs, which drop off your cat.

After application, your cat's skin oils disperse and carry {Product Name} over your cat's body for protection against biting adult fleas and the development of flea eggs. {Product Name} may stain leather and suede fabrics for 24 to 48 hours after application. Once adult fleas are evident on your cat, there is likely an infestation of flea eggs and flea larvae in your home. To completely kill the existing flea population, you may need to treat your home and your cat's bedding, as well as your yard with traditional flea products approved for use on cats, around the home, or in your yard. {Product Name} can be used in conjunction with other HARTZ® premise products.

*{Note to Reviewer - Brackets used in this label are as follows: [ ] contain Optional/Alternate wording, { } are instructional and contain Notes to Reviewer which do not appear on final marketplace label, ( ) indicate text that will appear on final marketplace label.}*

As with all flea products, {Product Name} is most effective when used as part of a total program aimed at reducing all stages of fleas in the cat's environment. HARTZ products are designed to complement each other in an integrated program for flea, deer tick, and mosquito management. To assure proper treatment, we recommend use of HARTZ products as directed to treat all cats in the household.

{OPTIONAL / ALTERNATE TEXT}

**{Claims}**

- Flea & Deer Tick [Protection] for cats
- Flea & Deer Tick [Protection] for cats & kittens
- [Flea & deer tick] treatment for cats [& kittens]
- [Flea prevention and treatment formulated for use on [all] cats and kittens [12 weeks of age and older and weighing [over 3 lbs.] [5 lbs. or more]
- Spot On [Topical] [Non-systemic] treatment for cats
- Flea, Deer Tick, and Mosquito (Treatment) [Control] [Prevention] (for Cats & Kittens)
- [1 month] [monthly] flea & deer tick protection
- Monthly treatment for [fleas, flea eggs, & deer ticks]
- Flea [and deer tick] [and mosquito] control for your cats
- Keeps fleas, deer ticks, and mosquitoes under control
- Controls flea, deer tick, and mosquito problems
- Provide your cat with flea, deer tick, and mosquito protection
- On-animal protection from fleas, deer ticks, and mosquitoes
- Provides [protection] from fleas, deer ticks, and mosquitoes
- Once-a-month [topical] [Spot On] protection from fleas and deer ticks
- Long lasting, flea, deer tick, and mosquito protection for [4 weeks] [1 month] [30 days]
- [Actively] [Kills] [Controls] [adult] fleas, deer ticks, [larvae], and flea eggs for [up to] [4 weeks] [1 month] [30 days] [per application]
- Actively Kills [fleas] [deer ticks] [flea eggs] [larvae] [&] [and] [mosquitoes] [by contact]
- Kills [and] [Repels] mosquitoes [for up to 18 days] [by contact]
- Controls fleas, deer ticks, and mosquitoes & prevents flea reinfestations on your cat
- Kills deer ticks for up to [1 month] [4 weeks] [30 days] [per application]
- Protects your cat [kitten] from fleas, deer ticks, and mosquitoes
- Effectively controls fleas, deer ticks, and mosquitoes
- Kills [Controls] deer ticks [that may transmit Lyme disease] for up to [1 month] [4 weeks] [30 days]
- Protect[s] your cat [and kittens] from [against] deer ticks that may transmit Lyme disease
- Kills [and repels] mosquitoes
- Prevents mosquitoes from feeding on cats
- Kills fleas that may cause flea allergy dermatitis, flea bite anemia, and may transmit tapeworm infestation
- Preventative treatment for fleas that may cause flea allergy dermatitis, flea bite anemia and transmit tape worm infestation
  
- Control highly irritating flea, deer tick, and mosquito [insect] bites
- [Hartz] protecting cats for over 90 years



*{Note to Reviewer - Brackets used in this label are as follows: [ ] contain Optional/Alternate wording, { } are instructional and contain Notes to Reviewer which do not appear on final marketplace label, ( ) indicate text that will appear on final marketplace label.}*

- Kills [Controls] flea eggs for up to [1 month] [4 weeks] [30 days] [per application]
- Kills flea eggs, the source of home flea infestations and cat re-infestations, for up to [30 days] [1 month] [4 weeks]
- Topical [flea egg treatment] that's easy and convenient to use
- Kills[Prevents][Keeps] flea eggs from hatching for up to [30 days] [1 month] [4 weeks]
- Prevents flea eggs from developing into biting adults for up to [30 days] [1 month] [4 weeks] [per application]
- An effective flea topical [A Spot On] product that kills adult fleas and halts the development of flea eggs [immature stages in the flea life cycle]
- Kills [flea] eggs before they hatch into biting adults
- Prevents re-infestation for up to [1 month] [30 days] [4 weeks] on cats
- Kills hatching [developing] flea eggs
- Interrupts normal flea development [Stops the flea life cycle]
- Interrupts the flea life cycle
- Breaks the flea life cycle for up to [1 month] [4 weeks] [30 days]
- Controls [Kills] [Lasts] [Works] [Protects] flea infestations for up to 1 month [4 weeks] [30 days]
- One-two punch controls fleas and flea eggs
- Controls existing fleas and flea eggs, plus [and] [prevents] future flea infestations on cats
- Plus kills flea eggs and larvae to prevent future infestations on cats

**{Application claims}**

- [#] pack [# days] [#] doses [1/2/3/4/5/6] months supply
- One tube gives [1 month] [4 weeks] [30 days] of protection
- Pre-measured [Convenient][and] [&] [No mess] [easy][simple] to [use] [handle] [apply] disposable applicator [tube]
- Convenient [and effective], once-a-month [liquid] [topical] [Spot On] solution
- Practical solution
- Simple choice [flea & deer tick control]
- A [One] simple application provides your cat with protection for up to [1 month] [4 weeks] [30 days]
- Apply to one spot for head to tail (total body) flea protection [control]
- Apply to 1 spot - spreads over the cat's [entire] body [from head to tail] through skin oils
- Spreads with cat's skin oils
- Once [One] Monthly Application
- Easy to use [once] monthly application [liquid] prevents [and controls] fleas [& deer ticks]
- Reapply [Repeat] [once] monthly
- Repeat [treatment] every month
- Monthly Control [treatment]
- [X] Pro-cision Flo® [Applicators][tubes] [Included]
- Exclusive[Pinpoint][Applicator][tube] for [pinpoint] [exact] [direct] [easy] [direct to skin] application [included]
- Patent pending
- For pinpoint accuracy

*{Note to Reviewer - Brackets used in this label are as follows: [ ] contain Optional/Alternate wording, { } are instructional and contain Notes to Reviewer which do not appear on final marketplace label, ( ) indicate text that will appear on final marketplace label.}*

- Direct to your cat's skin
- Easily penetrates hair
- The Pro-cision Flo® [exclusive] [applicator] [tube] easily penetrates [hair] [fur] [coat] for improved [direct] application [directly to your cat's skin]
- Easy to apply [identify] [use] applicator [tube]
- Easy to use applicator [tube] [provides direct on-animal protection]
- Longer Applicator [tube] [tip] for easy application [to long-haired cats]
- Longer tube [applicator] is ideal for long-haired cats
- Convenient[easy to use] applicator
- [Pro-cision Flo® Applicator] easily gets through cat's fur
- [Pro-cision Flo® Applicator] quickly gets through cat's fur, for on-skin application
- [Pro-cision Flo® Applicator] easily penetrates cat's fur
- [Pro-cision Flo® Applicator] quickly penetrates cat's fur, for on-skin application

**{Package configuration statements}**

- [X] tubes
- Value pack
- Value size
- Club pack
- [X] month supply
- [X] monthly treatments
- {X=1, 2, 3, 4, 6 or 8}

{See Contents table for tube configurations}

**{Product claims}**

- Effective Control [Prevention]
- Contains 2 active ingredients for immediate and long-lasting effects
- Long lasting and easy to use [apply]
- [Flea prevention] Helps stop itching and scratching [from flea bites]
- Formulated for cats [& kittens]
- For use on cats only
- Do not use on other animals

**{IGR claims}**

- Contains [Features] an Insect Growth Regulator (IGR) to inhibit the development of flea eggs
- Flea control for cats with [PRECOR@] [vIGRen®] Insect Growth Regulator (IGR)
- [(S)-Methoprene] Insect Growth Regulator (IGR) interrupts the development of the flea life cycle at the egg stage
- [(S)-Methoprene] Insect Growth Regulator (IGR) prevents the development of flea eggs into adult fleas [inhibits the development of flea eggs into adult fleas]
- Controlling flea reproduction is the first step in controlling flea populations on your cat
- [(S)-Methoprene] Insect Growth Regulator (IGR) prevents flea reinfestation on your cat
- Flea treatment and preventative with an [insecticide] adulticide and Insect Growth Regulator (IGR)

*{Note to Reviewer - Brackets used in this label are as follows: [ ] contain Optional/Alternate wording, { } are instructional and contain Notes to Reviewer which do not appear on final marketplace label, ( ) indicate text that will appear on final marketplace label.}*

**{Formula claims}**

- Etofenprox provides a novel [smart] approach to flea, deer tick, and mosquito control
- Formula [for cats & kittens]
- Features[Contains] an [insecticide] adulticide to kill [and/or] [control] adult fleas [deer ticks, and mosquitoes]

**{Prevention claims}**

- Preventing fleas and deer ticks from infesting your cat is much easier than treating an existing problem
- Flea prevention has never been easier
- An excellent preventative, offering protection against fleas
- Prevents flea, deer tick, and mosquito infestations
- Prevents flea recurrence
- Control flea infestations by preventing them
- Flea prevention is the best flea control strategy
- Quick and sure flea, deer tick, and mosquito prevention
- A quick and sure way to avert a flea problem is to [prevent it] use a preventative
- It is far easier to prevent fleas than to control them
- Flea control involves [requires] preventative measures [for your cat] [and] [Year-round] [Flea Treatment] [Prevention]
- 1.0 ml [cc] dose for use on cats and kittens over 12 weeks of age and over 3 pounds and under 5 lbs.
- [Prevention] 1.8 ml [cc] dose for use on cats and kittens over 12 weeks of age and 5 lbs. and over
- In case of an emergency or for product use information, call [phone number]

**{Promotional claims}**

- [x] % [More] [Free]!
- [x] Month[s] Free!
- Bonus Pack
- [x] Tube[s] Free!
- [x] Day[s] [Free]!
- [x] Day[s] of treatment- Free!
- [x] Applicator[s] Free!
- [x] Dose[s] Free!
- [Value Pack X + Y = Z Monthly Treatments]
- {X=1, 2, 3, 4, 6, or 8}
- {Y= 1, 2}
- {Z= X+Y}

*{Note to Reviewer - Brackets used in this label are as follows: [ ] contain Optional/Alternate wording, { } are instructional and contain Notes to Reviewer which do not appear on final marketplace label, ( ) indicate text that will appear on final marketplace label.}*

*{Note: Adding a Dose Reminder section to appear as follows on the back panel:}*

To help remind you when you last applied treatment, simply write in the date when each dose is applied.

First Dose \_\_\_\_\_  
Second Dose \_\_\_\_\_  
Third Dose \_\_\_\_\_  
Fourth Dose \_\_\_\_\_  
Fifth Dose \_\_\_\_\_  
Sixth Dose \_\_\_\_\_  
Seventh Dose \_\_\_\_\_  
Eighth Dose \_\_\_\_\_

[TREATMENT SCHEDULE]

Dosage: 1 applicator [tube] every 30 days per cat

Pet's Name \_\_\_\_\_

First Treatment Date \_\_\_\_\_

Second Treatment Date (30 Days From 1st) \_\_\_\_\_

Third Treatment Date (30 Days From 2nd) \_\_\_\_\_

***{Notes}***

*{All text below represents one label statement with any selected line:}*

[Protect your cat from:]

Fleas that may cause:

Flea allergy dermatitis (and/or) Flea bite anemia

Deer ticks which may carry:

Lyme disease

[For more information, call our experts at 1-800-275-1414 (weekdays, 9am - 5 pm EST)]

*{Note to Reviewer - Brackets used in this label are as follows: [ ] contain Optional/Alternate wording, { } are instructional and contain Notes to Reviewer which do not appear on final marketplace label, ( ) indicate text that will appear on final marketplace label.}*

**{Alternate Brand Names}**

Hartz® UltraGuard Plus ® Topical Flea & Tick Prevention for Cats 12 weeks and older  
Hartz® UltraGuard Plus ® Topical Flea & Tick Prevention for Cats & Kittens 12 weeks and older  
Hartz® UltraGuard Plus ® Topical Flea & Tick Prevention for Cats and Kittens 12 weeks and older

Hartz® UltraGuard Plus ® Topical Flea & Tick Treatment for Cats 12 weeks and older  
Hartz® UltraGuard Plus ® Topical Flea & Tick Treatment for Cats & Kittens 12 weeks and older  
Hartz® UltraGuard Plus ® Topical Flea & Tick Treatment for Cats and Kittens 12 weeks and older

Hartz® UltraGuard Plus ® Topical Flea & Tick Solution for Cats 12 weeks and older  
Hartz® UltraGuard Plus ® Topical Flea & Tick Solution for Cats & Kittens 12 weeks and older  
Hartz® UltraGuard Plus ® Topical Flea & Tick Solution for Cats and Kittens 12 weeks and older

Hartz® UltraGuard Pro ® Topical Flea & Tick Prevention for Cats 12 weeks and older  
Hartz® UltraGuard Pro ® Topical Flea & Tick Prevention for Cats & Kittens 12 weeks and older  
Hartz® UltraGuard Pro ® Topical Flea & Tick Prevention for Cats and Kittens 12 weeks and older

Hartz® UltraGuard Pro ® Topical Flea & Tick Treatment for Cats 12 weeks and older  
Hartz® UltraGuard Pro ® Topical Flea & Tick Treatment for Cats & Kittens 12 weeks and older  
Hartz® UltraGuard Pro ® Topical Flea & Tick Treatment for Cats and Kittens 12 weeks and older

Hartz® UltraGuard Pro ® Topical Flea & Tick Control for Cats 12 weeks and older  
Hartz® UltraGuard Pro ® Topical Flea & Tick Control for Cats & Kittens 12 weeks and older  
Hartz® UltraGuard Pro ® Topical Flea & Tick Control for Cats and Kittens 12 weeks and older

Hartz® UltraGuard Pro ® Topical Flea & Tick Solution for Cats 12 weeks and older  
Hartz® UltraGuard Pro ® Topical Flea & Tick Solution for Cats & Kittens 12 weeks and older  
Hartz® UltraGuard Pro ® Topical Flea & Tick Solution for Cats and Kittens 12 weeks and older

Hartz® InControl® Topical Flea & Tick Prevention for Cats 12 weeks and older  
Hartz® InControl® Topical Flea & Tick Prevention for Cats & Kittens 12 weeks and older  
Hartz® InControl® Topical Flea & Tick Prevention for Cats and Kittens 12 weeks and older

Hartz® InControl® Topical Flea & Tick Treatment for Cats 12 weeks and older  
Hartz® InControl® Topical Flea & Tick Treatment for Cats & Kittens 12 weeks and older  
Hartz® InControl® Topical Flea & Tick Treatment for Cats and Kittens 12 weeks and older

Hartz® InControl® Topical Flea & Tick Control for Cats 12 weeks and older  
Hartz® InControl® Topical Flea & Tick Control for Cats & Kittens 12 weeks and older  
Hartz® InControl® Topical Flea & Tick Control for Cats and Kittens 12 weeks and older

*{Note to Reviewer - Brackets used in this label are as follows: [ ] contain Optional/Alternate wording, { } are instructional and contain Notes to Reviewer which do not appear on final marketplace label, ( ) indicate text that will appear on final marketplace label.}*

Hartz® InControl® Topical Flea & Tick Solution for Cats 12 weeks and older  
Hartz® InControl® Topical Flea & Tick Solution for Cats & Kittens 12 weeks and older  
Hartz® InControl® Topical Flea & Tick Solution for Cats and Kittens 12 weeks and older

Hartz® InControl® Advanced Dual Active Flea & Tick Drops for Cats 12 weeks and older  
Hartz® InControl® Advanced Dual Active Flea & Tick Drops for Cats & Kittens 12 weeks and older  
Hartz® InControl® Advanced Dual Active Flea & Tick Drops for Cats and Kittens 12 weeks and older

Hartz® InControl® Advanced Dual Action Flea & Tick Drops for Cats 12 weeks and older  
Hartz® InControl® Advanced Dual Action Flea & Tick Drops for Cats & Kittens 12 weeks and older  
Hartz® InControl® Advanced Dual Action Flea & Tick Drops for Cats and Kittens 12 weeks and older

Hartz® InControl® Advanced Topical Flea & Tick Prevention for Cats 12 weeks and older  
Hartz® InControl® Advanced Topical Flea & Tick Prevention for Cats & Kittens 12 weeks and older  
Hartz® InControl® Advanced Topical Flea & Tick Prevention for Cats and Kittens 12 weeks and older

Hartz® InControl® Advanced Topical Flea & Tick Treatment for Cats 12 weeks and older  
Hartz® InControl® Advanced Topical Flea & Tick Treatment for Cats & Kittens 12 weeks and older  
Hartz® InControl® Advanced Topical Flea & Tick Treatment for Cats and Kittens 12 weeks and older

Hartz® InControl® Advanced Topical Flea & Tick Control for Cats 12 weeks and older  
Hartz® InControl® Advanced Topical Flea & Tick Control for Cats & Kittens 12 weeks and older  
Hartz® InControl® Advanced Topical Flea & Tick Control for Cats and Kittens 12 weeks and older

Hartz® InControl® Advanced Topical Flea & Tick Solution for Cats 12 weeks and older  
Hartz® InControl® Advanced Topical Flea & Tick Solution for Cats & Kittens 12 weeks and older  
Hartz® InControl® Advanced Topical Flea & Tick Solution for Cats and Kittens 12 weeks and older

Hartz® Pro Force™ Dual Action Topical Drops for Cats 12 weeks and older  
Hartz® Pro Force™ Dual Action Topical Drops for Cats & Kittens 12 weeks and older  
Hartz® Pro Force™ Dual Action Topical Drops for Cats and Kittens 12 weeks and older

Pro Force™ Dual Action Topical Drops for Cats 12 weeks and older  
Pro Force™ Dual Action Topical Drops for Cats & Kittens 12 weeks and older  
Pro Force™ Dual Action Topical Drops for Cats and Kittens 12 weeks and older

*{Note to Reviewer - Brackets used in this label are as follows: [ ] contain Optional/Alternate wording, { } are instructional and contain Notes to Reviewer which do not appear on final marketplace label, ( ) indicate text that will appear on final marketplace label.}*

Hartz® Pro Force™ Topical Drops for Cats 12 weeks and older  
Hartz® Pro Force™ Topical Drops for Cats & Kittens 12 weeks and older  
Hartz® Pro Force™ Topical Drops for Cats and Kittens 12 weeks and older

Dual Action Topical Drops for Cats 12 weeks and older  
Dual Action Topical Drops for Cats & Kittens 12 weeks and older  
Dual Action Topical Drops for Cats and Kittens 12 weeks and older

Hartz® Topical Drops for Cats 12 weeks and older  
Hartz® Topical Drops for Cats & Kittens 12 weeks and older  
Hartz® Topical Drops for Cats and Kittens 12 weeks and older

Hartz® InControl® Pro Flea & Tick Prevention for Cats & Kittens 12 weeks & older  
Hartz® InControl® Pro Flea & Tick Prevention for Cats & Kittens 12 weeks and older