1/ /13

JNTED STARES	EPA Registration No.	Date of Issuance:
Office of Pesticide Programs Registration Division (7504P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460-0001	2596-178	APR 4 2014
NOTICE OF PESTICIDE: ☑ Registration	Term of Issuance: Conditi	ional

☐ Reregistration

(under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

Name of Pesticide Product:

. Hartz® Reference #143

Name and Address of Registrant (include ZIP Code):

The Hartz Mountain Corporation 400 Plaza Drive

Secaucus, NJ 07094-368

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this public always refer to the above EPAs registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This action is taken under the authority of section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Registration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Terms of Registration

- 1. EPA has registered the product listed above provided that the following changes are made to the label before you release the product for shipment:
 - a. Revise the EPA Registration Number to read: "EPA Registration No 2596-178"
- 2. This registration is time-limited and expires two years (2) from the date this product is first released for shipment (April 4, 2016). You must provide the Agency with a projected "release for shipment date," in writing within 30 days of the date of this Notice of Registration. The Agency will calculate the expiration date based on the projected "release for shipment date" until an actual release for shipment date is provided in writing.
- 3. Only one basic confidential statement of formula (CSF) will be on file for this product at any time (i.e., no alternate formulations or minor formulation amendments will be submitted and/or approved for this product, except to allow for alternate sources of any individual inert ingredient).
- 4. Within twelve (12) months of the date on this Notice of Registration, provide to the Agency acceptable data packages for Guideline Studies: OPPTS 830.6320 (Corrosion Characteristics) and OPPTS 830.6327 (Storage Stability).

Signature of Approving Official:	Date:			
Refer to Page #3		APR	4 2014	
Richard J. Gebken, Product Manager (10) Registration Division, Insecticide Branch				

EPA Form 8570-6

Page 2 of 3

- 5. You must submit the following data within the timeframe described below:
 Within twelve (12) months of the date on this Notice of Registration, provide to the Agency acceptable data packages for Guideline Studies: OPPTS 830.6320 (Corrosion Characteristics) and OPPTS 830.6317 (Storage Stability).
- 6. You must submit quarterly enhanced incident-reports and quarterly-sales information in doses sold for this product for the quarter that begins on July 1, 2014. The quarterly reports are due two months after the end of each quarter. Please flag any Confidential Business Information CBI) as such. Enhanced incident reporting should be submitted to the Product Manager. Quarterly sales information should be submitted to the Registration Division (attn: Kaitlin Keller).

The following is a list of information that must be included in the quarterly reports for each incident:

EPA Registration Number

Product name (brand name)

Lot#

Where purchased: internet, store, Veterinarian

Active Ingredient(s)

Weight range for product

Date on which incident occurred, (mm/dd/yyyy)

State in which the incident occurred, (standard 2 letter abbreviation)

Registrant case #

Species: dog, cat, other (specify)
Breed: (as reported by pet owner)

Age: months or years Sex: M, F, or neutered

Weight: pounds

Primary Route of Exposure: dermal, oral, other animal, inhalation, other

Body System: neurological, dermatological, GI, respiratory, ocular, other Major signs noted

Time to Onset: (hours, days)
Treated by veterinarian: yes or no
First time product used: yes or no

Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)

Any known precondition

EPA Severity Code: death, major, moderate, minor Outcome: died, recovered, still treated, unknown

- 7. Along with the enhanced incident reporting, you must submit an analysis of all incidents seen, to include the following details:
 - a. All minor dermal and ocular irritation reports.
 - b. Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.
 - c. A similar summary table for dogs (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
 - d. Summary table for dogs and table for dogs showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
 - e. A summary table for s showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
 - f. A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label.
 - g. A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range.
 - h. Table showing number of incidents for each dog breed.
 - i. Table showing number of incidents in dog for each clinical sign.
 - j. Table showing number of incidents in dog for each organ system.
 - k. Report aggregate incidents, but do not combine moderate and minor incidents.

3/ /13

- 8. If EPA determines that future mitigation measures are necessary for all pet spot-on products, the Agency will inform all registrants concerned. If mitigation measures are necessary, EPA may take regulatory action.
- 9. The Hartz Mountain Company must adequately address all of the mitigation actions identified in the Agency's Generic Pet Spot-On Mitigation Plan available at the following-internet-site:

 http://www.epa.gov/pesticides/health/spot-on-meetings.html.

10. Enclosed is a copy of the data call-in (DCI) for fipronil.

You must submit and/or cite all data required for registration of your product under section 3(c)(5) of FIFRA when the Agency requires all registrants of similar products to submit such data, and submit acceptable responses required for registration review of your product under FIFRA.

Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. If you fail to comply with all of the **Terms of Registration** stated above, the registration will be subject to cancellation in accordance with section 6(e) of FIFRA and/or automatically expire. Your release for shipment of the product constitutes your acceptance of these conditions.

A copy of your label stamped "Accepted with Comments" is enclosed for your records along with hard copies of the similarity clinic memo as well as the child-resistant packaging, companion animal safety data, efficacy, product chemistry reviews completed in support of the registration of this new product. If you have any questions concerning this letter, please contact Ms. Carlyn Petrella at (703) 347-0439 or via e-mail at <u>Petrella Carlyn Depa.gov</u>.

Sincerely,

Richard Gebken Product Manager 10 Insecticide Branch

Registration Division (7504P)

Enclosures:

Label Stamped "Accepted with Comments," dated April 4, 2014 Child-Resistant Packaging Review, dated March 10, 2014

Efficacy Review, dated March 18, 2014

Product Chemistry Review, dated March 7, 2014 Similarity Clinic Memo, dated December 11, 2013

Copy of DCI for Fipronil

002596-00178 D483630

Hartz[®] Reference # 143

Alternate Brand Names

Hartz® Pro Force Pro™ Triple Action Topical Treatment for Dogs (&) (and Puppies)

Hartz® FieldForce ProTM Triple Action Topical Treatment for Dogs (&) (and Puppies)

Hartz® First Defense ProTM Triple Action Topical Treatment for Dogs (&) (and Puppies)

Hartz® First Defense ProTM Triple Active Topical Treatment for Dogs (&) (and Puppies)

Hartz® Pro Force™ for Dogs (&) (and Puppies)

Hartz® FieldForce ProTM for Dogs (&) (and Puppies)

Hartz® First Defense ProTM for Dogs (&) (and Puppies)

Hartz® Pro Force™ Triple Action Topical Solution for Dogs (&) (and Puppies)

Hartz® FieldForce Pro™ Triple Action Topical Solution for Dogs (&) (and Puppies)

Hartz® First Defense Pro™ Triple Action Topical Solution for Dogs (&) (and Puppies)

Hartz® First Defense Pro™ Triple Active Topical Solution for Dogs (&) (and Puppies)

FieldForce Pro™ Triple Action Topical Treatment for Dogs (&) (and Puppies)

First Defense Pro™ Triple Action Topical Treatment for Dogs (&) (and Puppies)

First Defense Pro[™] Triple Active Topical Treatment for Dogs (&) (and Puppies)

FieldForce ProTM for Dogs (&) (and Puppies)

First Defense ProTM for Dogs (&) (and Puppies)

FieldForce ProTM Triple Action Topical Solution for Dogs (&) (and Puppies)

First Defense Pro™ Triple Action Topical Solution for Dogs (&) (and Puppies)

First Defense ProTM Triple Active Topical Solution for Dogs (&) (and Puppies)

FRONT PANEL

ACTIVE INGREDIENTS:

Fipronil	9.80%
(S)-Methoprene	8.80%
Pyriproxyfen	
OTHER INGREDIENTS	
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements.

NET CONTENTS:

With COMMENTS
In EPA Letter Dated:

A 20/4
Ider the Federal Insecticide, Fungicid
I Rodenticide Act, As amended, for the sticide Registered under EPA Reg. No.

For use ONLY on Dogs and Puppies	Net Contents (Each tube)
8 weeks and older Weighing:	
5 to 22 lbs.	0.069 fl. oz. (2.01 ml.),
	Contains 3 tubes, each 0.023 fl. oz. (0.67 ml.)
23 to 44 lbs.	0.135 fl. oz. (4.02 ml.),
	Contains 3 tubes, each 0.045 fl. oz. (1.34 ml.)
45 - 88 lbs.	0.273 fl. oz. (8.04 ml.),
	Contains 3 tubes, each 0.091 fl. oz. (2.68 ml.)
89 – 132 lbs.	0.408 fl. oz. (12.06 ml.),
	Contains 3 tubes, each 0.136 fl. oz. (4.02 ml.)



(1.5 x 1.5 cm icon)

[Cat Warning: A cat prohibition icon will appear on the front panel and back panel. The icon will appear in a black lined yellow box.]

DO NOT USE ON CATS

BACK PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clething. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Pets may experience some temporary irritation at the site of product application. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Call 1-800-275-1414 for 24-hour assistance.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

April 3, 2014

Hartz [®] Reference #143 EPA Reg. No.: 2596-MASTER LABEL- -

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-275-1414, twenty four (24) hours per day, seven (7) days per week.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contract lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment or advice.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.


READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS OR ON PUPPIES 8 WEEKS OF AGE OR OLDER DO NOT EXCEED RECOMMENDED DOSAGE AMOUNT FOR DOGS DO NOT ALLOW YOUR DOG TO INGEST THIS PRODUCT DO NOT USE ON RABBITS, CATS, KITTENS, OR OTHER ANIMALS THIS PRODUCT CAN BE USED ON DOGS AND PUPPIES 8 WEEKS OR OLDER




(Place in a 1.5 x 1.5 cm yellow box with black images only.)


DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to or ingested by a cat, contact your veterinarian.



Remove one applicator tube from the package and hold in an upright position pointed away from your face.



2 Twist dispensing tip clockwise about ½ turn while pushing down to break the tube's seal. Do not remove the dispensing tip:



- Position the dispensing tip on the dog's back between the shoulder blades. Use the dispensing tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail.
 - 4 Repeat every month:

SIDE EFFECTS

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting of diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-275-1414.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Do not use or store near heat or open flame.

PESTICIDE STORAGE: Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. *If empty:* Offer for recycling, if available. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No. 2596-EPA Est. No. 2596-OH-1

Hartz[®] and other trademarks are trademarks of The Hartz Mountain Corporation. Made by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094 (U.S.A.)

INDIVIDUAL TUBE TEXT

[Product name]

For use ONLY on DOGS AND PUPPIES 8 WEEKS OR OLDER weighing (insert from weight range list below) -

5 to 22 lbs. - 0.023 fl. oz. (0.67 ml.),
23 to 44 lbs. - 0.045 fl. oz. (1.34 ml.),
45 - 88 lbs. - 0.091 fl. oz. (2.68 ml.),
89 - 132 lbs. - 0.136 fl. oz. (4.02 ml.)
Contains Fipronil (9.70%), (S)-Methoprene (8.8%), Pyriproxyfen (0.25%)
KEEP OUT OF REACH OF CHILDREN
CAUTION
See full label for directions for use and precautions
EPA Reg. No. 2596EPA Est. No. 2596-OH-1

OPTIONAL/ALTERNATE LABEL TEXT

[Adult Fleas]

Kills Fleas (for (28 days) (30 days) (1 month) (4 weeks))

Kills Fleas for (28 days) (30 days) (1 month) (4 weeks) on dogs and puppies 8 weeks of age or older

Kills Fleas that may transmit tapeworm (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas that may transmit tapeworm (for) (28 days) (30 days) (1 month) (4 weeks) on dogs and puppies 8 weeks of age or older

Kills fleas that may cause flea allergy dermatitis (for) (28 days) (30 days) (1 month) (4 weeks)

Kills fleas that may cause flea allergy dermatitis (for) (28 days) (30 days) (1 month) (4 weeks) on dogs and puppies 8 weeks of age or older

Kills fleas that may cause flea allergy dermatitis and flea bite anemia (for) (28 days) (30 days) (1 month) (4 weeks)

Kills fleas that may cause flea allergy dermatitis and flea bite anemia (for) (28 days) (30 days) (1 month) (4 weeks) on dogs and puppies 8 weeks of age or older

Kills fleas that may cause flea bite anemia (for) (28 days) (30 days) (1 month) (4 weeks)

Kills fleas that may cause flea bite anemia (for) (28 days) (30 days) (1 month) (4 weeks) on dogs and puppies 8 weeks of age or older

Kills newly emerged adult fleas before they lay eggs

If there is a high risk for flea reinfestation, a once a month application may be needed Stops existing infestations

Starts killing fleas within 30 minutes* (mins)

*48 hours after initial application

[Both statements must appear on the same panel. The qualifying statement is to be in close proximity with the same font, color and background with font size being 40% or greater.]

[Flea Eggs]

Kills Flea Eggs (and Flea Larvae) (for) (28 days) (30 days) (1 month) (4 weeks) (3 months) Prevents Flea Eggs from hatching

Kills flea eggs on your (dog or puppy or dog and puppy) that live in your home

Kills flea eggs on your (dog or puppy or dog and puppy) to prevent the eggs from hatching in your home.

[Ticks]

Kills Ticks (for) (28 days) (30 days) (1 month) (4 weeks)

Kills (all stages of) Brown Dog Ticks, American Dog Ticks, Lone Star Ticks and Deer Ticks (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Deer Ticks (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Deer Ticks (for) (28 days) (30 days) (1 month) (4 weeks) on dogs and puppies 8 weeks of age or older

Kills all stages of Deer Ticks (for) (28 days) (30 days) (1 month) (4 weeks)

Kills all stages of Deer Ticks (for) (28 days) (30 days) (1 month) (4 weeks) on dogs and puppies 8 weeks of age or older

Kills Deer Ticks that may carry Lyme disease (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Deer Ticks that may carry Lyme disease (for) (28 days) (30 days) (1 month) (4 weeks) on dogs and puppies 8 weeks of age or older

Kills all stages of Deer Ticks that may carry Lyme disease (for) (28 days) (30 days) (1 menth) (4 weeks)

Kills all stages of Deer Ticks that may carry Lyme disease (for) (28 days) (30 days) (1 month) (4 weeks) on dogs and puppies 8 weeks of age or older

Kills all biting stages of ticks

Kills adult (brown dog) (deer) ticks, nymphs and larvae

Kills Ticks including those that may transmit Lyme disease

[Lice & Mange]

Rapidly eliminates chewing lice infestations

Aids in Control of sarcoptic mange infestations

[Multiple]

Kills Fleas, Ticks, Flea eggs, (Flea larvae), Chewing Lice

Kills Fleas, Ticks, Flea eggs through contact (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Ticks, Flea eggs, Flea larvae (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Ticks, Flea eggs, and Flea larvae through contact (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Ticks, Flea Eggs, Flea larvae (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Ticks, Flea Eggs, Flea larvae through contact (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Ticks, Flea Eggs, Chewing lice (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Ticks, Flea Eggs, Chewing lice through contact (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Ticks, Flea Eggs, Flea larvae, and Chewing lice through contact (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Ticks, Flea eggs, and Flea larvae after contact) (for) (28 days) (30 days) (1 mcmth) (4 weeks)

Kills Fleas, Ticks, Flea eggs, after contact (for) (28 days) (30 days) (1 month) (4 weeks)

Prevents development of all flea stages for up to 3 months.

Kills Flea Eggs and Larvae (for up to three months)

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, Flea larvae after contact (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, Flea larvae (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, after contact (for) (28 days) (30 days) (1 month) (4 weeks)

Controls Flea and Tick infestations (on dogs) (for) (28 days) (30 days) (1 month) (4 weeks) Provides fast, effective and convenient treatment and control of fleas, ticks and chewing lice (for dogs and puppies 8 weeks or older)

Helps prevent re-infestation of fleas and ticks (for) (28 days) (30 days) (1 month) (4 weeks) Helps prevent flea and tick re-infestation (for) (28 days) (30 days) (1 month) (4 weeks) Kills flea eggs and flea larvae to help prevent future re-infestations Kills all stages of the flea life cycle

Breaks the flea life cycle

Prevents all flea stages (eggs, larvae, pupae) from developing

[Mosquitoes]

Kills mosquitoes within 24 hours for up to 7 days, and within 48 hours for up to 28 days. Kills Mosquitoes that may transmit West Nile virus (for) (28 days)(1 month) (4 weeks)(on logs and puppies 8 weeks of age or older)

Kills Mosquitoes that may transmit heartworm (for) (28 days)(1 month) (4 weeks)(on dogs and puppies 8 weeks of age or older)

Controls flea and tick infestations

Once-a month Flea and Tick (Prevention) (Treatment) (Control) (Solution)

Monthly Flea and Tick (Prevention) (Treatment) (Control) (Solution)

Prevents flea eggs from developing into biting adults in the home (for) (up to) (30 days) (1 month) (4 weeks)

Prevents flea eggs from developing into biting adults (for) (up to) (30 days) (1 month) (4 weeks)

Stavs on and doesn't rub off

Kills fleas for 30 days (1 month) (4 weeks)

Stops and prevents infestations

Prevents re-infestation

Prevents and controls re-infestation(s)

Dual insect growth regulator (IGR) prevents re-infestation

Contains two ingredients to prevent flea infestations

Rapidly eliminates fleas

Fast acting

Long lasting

Effective and convenient topical treatment

Kills fleas (and ticks) through (after) contact

(With) patented applicator

Waterproof

Effective after bathing

Effective after exposure to water

Easy spot on topical applicator

Patents Pending

Do not reapply product for 30 days

Remains effective even after bathing, water immersion, or exposure to sunlight

(Product Name) remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry.

Convenient to use

Contains Fipronil and the insect growth regulators (IGR) (S)-Methoprene and (Pyriproxyfen) (Nylar®). (product name) effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coet, resulting in long-lasting activity against fleas, ticks and chewing lice.

(Also) Contains a second insect growth regulator (IGR) (Pyriproxyfen) (Nylar®)

(Also) Contains a third active ingredient (Pyriproxyfen) (Nylar®)

Triple Active Formula (contains one adulticide and two insect growth regulators) (IGRs) Triple Action Formula (contains one adulticide and two insect growth regulators) (IGRs)

- Fast Acting
- Long Lasting
- Waterproof

Only for dogs and puppies 8 weeks of age or older Specially formulated for dogs and puppies 8 weeks of age or older

NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT

1st dose, 2nd dose, 3rd dose

First month, second month, third month

Value pack

3 month supply

3 monthly treatment(s)

Apply monthly (every 30 days)

Convenient (easy to use) applicator

(3) Pro-cision Flo® Applicator(s) (included)

(Pro-cision Flo®Applicator)

Featuring Pro-cision Flo® Applicator (for easy application)

Direct to your dog's skin

Easy (simple) to use (handle) (apply)

Made in the U.S.A

Patent(s) Pending Formula

After application, the treated area may appear wet (or) (oily) for up to 24 hours You may bathe your dog 48 hours after application

To help remind you when you last appl	ied treatment, simply write in the date when each dose is
applied:	1
First Dose	•
Second Dose	•
Third Dose	•
	narks of The Hartz Mountain Corporation. ion, 400 Plaza Drive, Secancus, NJ 07094 (U.S.A.)
(Nylar® - Registered Trademark of Mc	Glaughlin Gormley King Company)
EPA Reg. No. 2596- EPA Est. No. 2596-OH-1	