



U.S. ENVIRONMENTAL PROTECTION AGENCY  
 Office of Pesticide Programs  
 Registration Division (7505P)  
 1200 Pennsylvania Ave., N.W.  
 Washington, D.C. 20460

EPA Reg. Number:

2596-178

Date of Issuance:

1/12/17

NOTICE OF PESTICIDE:

Registration  
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited  
 Expires: 1/12/19

Name of Pesticide Product:

Hartz Reference #143

Name and Address of Registrant (include ZIP Code):

Lance Hemsarth  
 Senior Director, R & D  
 The Hartz Mountain Corporation  
 400 Plaza Drive  
 Secaucus, NJ 07094-3688

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Kable Bo Davis, Product Manager 3  
 Invertebrate & Vertebrate Branch 1, Registration Division (7505P)

Date:

1/12/17

2. The Agency has found your company to be in compliance with the terms and conditions for the subject product, and is extending the two-year registration restriction. This registration is time-limited and expires 1/12/19.
3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the initial registration notice dated 4/4/14.
4. You are required to comply with the data requirements described in the DCI or EDSP Order identified below:
  - a. Fipronil           GDCI-129121-1305  
                          GDCI-129121-1512
  - b. Pyriproxyfen   GDCI-129032-1299  
                          EDSP-120932-187

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI or EDSP Order listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:

<http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 11/03/2015
- Alternate CSF 1 dated 11/03/2015

Page 3 of 3  
EPA Reg. No. 2596-178  
Decision No. 514422, 517551

If you have any questions, you may contact Julie Breeden-Alemi, DVM at 703-347-0511 or via email at [Breeden-Alemi.Julie@epa.gov](mailto:Breeden-Alemi.Julie@epa.gov).

Enclosure

## Hartz® Reference # 143

{ **Note to Reviewer** - Brackets used in this label are as follows : [ ] are for optional wording, { } are for notes to reviewer , ( ) are for text location/positioning. }

(Primary Brand Name not to be used on any product labels. The word Dog will be included in all Alternate Brand Names and be at least 40% of the size of the largest letter in the Alternate Brand Name.)

*(Alternate Brand Names list at end of document)*

### **(FRONT PANEL)**

(Included on 1 pack, 3 pack and 6 pack front panels is a large, clear picture of a dog in the weight range for the product.)

#### **ACTIVE INGREDIENTS:**

Fipronil.....	9.80%
(S)-Methoprene.....	8.80%
Pyriproxyfen.....	0.25%
<b>OTHER INGREDIENTS</b> .....	<b>81.15%</b>
<b>TOTAL</b> .....	<b>100.00%</b>

### **KEEP OUT OF REACH OF CHILDREN**


**CAUTION:** See back panel for First Aid and additional Precautionary Statements.

#### **NET CONTENTS:**

**( For 1 applicator package and each weight class noted is for separate tube text)**

<b>[For use] ONLY [for use] on Dogs and Puppies 8 weeks and older Weighing:</b>	<b>Net Contents [Each tube]</b>
5 - 22 lbs	0.023 fl oz [0.67 mL][Applicator]
23 - 44 lbs	0.045 fl oz [1.34 mL][Applicator]
45 - 88 lbs	0.091 fl oz [2.68 mL][Applicator]
89 – 132 lbs	0.136 fl oz [4.02 mL][Applicator]

**(For 3 applicator pack)**



<b>[For use] ONLY [for use] on Dogs and Puppies 8 weeks and older</b> <b>Weighing:</b>	<b>Net Contents [Each tube]</b>
5 - 22 lbs	0.069 fl oz [2.01 mL], Contains 3[-] [tubes, each] 0.023 fl oz [0.67 mL][Applicators]
23 - 44 lbs	0.135 fl oz [4.02 mL], Contains 3 [-] [tubes, each] 0.045 fl oz [1.34 mL][Applicators]
45 - 88 lbs	0.273 fl oz [8.04 mL], Contains 3[-] [tubes, each] 0.091 fl oz [2.68 mL][Applicators]
89 – 132 lbs	0.408 fl oz [12.06 mL], Contains 3 [-] [tubes, each] 0.136 fl oz [4.02 mL][Applicators]

**[For 6 applicator pack]**

<b>[For use] ONLY [for use] on Dogs and Puppies 8 weeks and older</b> <b>Weighing:</b>	<b>Net Contents [Each tube]</b>
5 - 22 lbs	0.138 fl oz [4.02 mL], Contains 6 [-] [tubes, each] 0.023 fl oz [0.67 mL][Applicators]
23 - 44 lbs	0.27 fl oz [8.04 mL], Contains 6 [-] [tubes, each] 0.045 fl oz [1.34 mL][Applicators]
45 - 88 lbs	0.546 fl oz [16.08 mL], Contains 6 [-] [tubes, each] 0.091 fl oz [2.68 mL][Applicators]
89 – 132 lbs	0.816 fl oz [24.12 mL], Contains 6 [-] [tubes, each] 0.136 fl oz [4.02 mL][Applicators]

*(Cat Warning: A cat prohibition icon in a box, 1.5 cm x 1.5cm, black image on a yellow background, will appear on the lower right hand corner of the front panel.)*

**DO NOT USE ON CATS**



[1.5 x 1.5 cm icon]

---

**(BACK PANEL)**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS. CAUTION.**

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**HAZARDS TO DOMESTIC ANIMALS.**

For external use only. Do not use on dogs or puppies under 8 weeks of age or weighing less than (Insert lowest weight of weight class). Sensitivities may occur after using **ANY** pesticide product for dogs. If signs of sensitivity occur bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Dogs may experience some temporary irritation at the site of product application. Consult a veterinarian before using this product on medicated, debilitated, or aged dogs. Call [1-800-275-1414] [1-XXX-XXX-XXXX] for 24-hour assistance.

**PHYSICAL OR CHEMICAL HAZARDS**

**COMBUSTIBLE:** Do not use or store near heat or open flame.

**FIRST AID**

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.

**HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product [including health concerns, medical emergencies or pesticide incidents], you may call [1-800-275-1414] [X-XXX-XXX-XXXX], twenty four [24] hours per day, seven [7] days per week.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

**READ ENTIRE LABEL BEFORE EACH USE**

## RESTRICTIONS

**USE ONLY ON DOGS OR ON PUPPIES 8 WEEKS OF AGE AND OLDER**

**DO NOT EXCEED LISTED DOSAGE AMOUNT FOR DOGS**

**DO NOT ALLOW YOUR DOG TO INGEST THIS PRODUCT**

**DO NOT USE ON RABBITS, CATS, KITTENS, OR OTHER ANIMALS**

**DO NOT REAPPLY (ALTERNATE BRAND NAME) FOR 30 DAYS**

**DO NOT APPLY MORE THAN ONE TUBE TO DOGS**


**(ON SMALLEST SIZE) DO NOT APPLY TO DOGS OR PUPPIES WEIGHING LESS THAN 5 LBS.**



**1** Remove one applicator tube from the package and hold in an upright position pointed away from your face.



**2** Twist dispensing tip clockwise about  $\frac{1}{2}$  turn while pushing down to break the tube's seal. Do not remove the dispensing tip.



**3** Position the dispensing tip on the dog's back between the shoulder blades. Use the dispensing tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail.

You may bathe your dog 48 hours after application.

④ Repeat [every] [once a] month

### FREQUENCY OF APPLICATION

When used monthly, (Alternate Brand Name) breaks the flea life cycle and controls tick and chewing lice infestations. Research demonstrates that (Alternate Brand Name) kills adult fleas, flea eggs, and flea larvae for up to three months. (Alternate Brand Name) also prevents development of all flea stages for up to three months. (Alternate Brand Name) kills ticks for at least one month. A once monthly application is recommended where tick control is needed. Although (Alternate Brand Name) can control fleas for up to three months, if there is a high risk of re-infestation or if the dog has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

(Alternate Brand Name) remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply (Alternate Brand Name) for 30 days

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not use or store near heat or open flame.

**PESTICIDE STORAGE:** Keep this product in its tightly closed original container, when not in use. Store in a cool, dry [preferably locked] area that is inaccessible to children and animals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.


**CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. *If empty:* Offer for recycling, if available or place in trash. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### SIDE EFFECTS (Located in a box immediately above the cat warning box)

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call [1-800-275-1414] [1-XXX-XXX-XXXX].



(Cat Warning: A [1.5cm x 1.5cm] cat prohibition icon and warning text in a box located at the lower right hand corner of the back panel in yellow with black images and text.)



EPA Reg. No. 2596-178  
EPA Est. No. 2596-OH-1

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation.  
Made by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094 [U.S.A.]

**(INDIVIDUAL TUBE TEXT)**

(Alternate Brand Name)

For use ONLY on DOGS AND PUPPIES 8 WEEKS OR OLDER weighing (*insert from weight range list below*) -

5 - 22 lbs - 0.023 fl oz [0.67 mL],

23 - 44 lbs - 0.045 fl oz [1.34 mL],

45 - 88 lbs - 0.091 fl oz [2.68 mL],

89 - 132 lbs - 0.136 fl oz [4.02 mL]

Contains Fipronil 9.80%, (S) -Methoprene 8.80%, Pyriproxyfen [Nylar®] 0.25%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read accompanying label before use

EPA Reg. No. 2596-178

EPA Est. No. 2596-OH-1

[Lot number to appear on tube]

(A cat prohibition icon will appear on the tube and/or the immediate container for the tube itself.)

**(OPTIONAL/ALTERNATE LABEL TEXT)**

(Adult Fleas)

Kills [Adult] Fleas [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas for [[28 days] [30 days] [1 month] [ 4 weeks] [ on dogs and puppies 8 weeks and older weighing 5 lbs or more]

Kills Fleas that may transmit tapeworm [ for] [ 28 days] [ [30 days] [ 1 month] [ 4 weeks]

---

Kills Fleas that may transmit tapeworm [ for ] [ 28 days ] [ 30 days ] [ 1 month ] [ 4 weeks ] [ on dogs and puppies 8 weeks and older weighing 5 lbs or more ]

Kills fleas [ that ] [ which ] may cause flea allergy dermatitis [for] [28 days] [30 days] [1 month] [4 weeks]

Kills fleas that may cause flea allergy dermatitis [for] [28 days] [30 days] [1 month] [4 weeks] [on dogs and puppies 8 weeks and older weighing 5 lbs or more]

Kills fleas that may cause flea allergy dermatitis and flea bite anemia [for] [28 days] [30 days] [1 month] [4 weeks]

Kills fleas that may cause flea allergy dermatitis and flea bite anemia [for] [28 days] [30 days] [1 month] [4 weeks] [on dogs and puppies 8 weeks and older weighing 5 lbs or more]

Kills fleas that may cause flea bite anemia [for] [28 days] [30 days] [1 month] [4 weeks]

Kills fleas that may cause flea bite anemia [for] [28 days] [30 days] [1 month] [4 weeks] [on dogs and puppies 8 weeks and older weighing 5 lbs or more]

Kills newly emerged adult fleas before they lay eggs

If there is a high risk for flea reinfestation, a once a month application may be needed

Controls existing flea infestations

Starts killing fleas within 30 [minutes] [mins] \*

\*48 hours after initial application

*(Both statements must appear on the same panel. The qualifying statement is to be in close proximity with the same font, color and background with font size being 40% or greater.)*

(Flea Eggs)

Kills Flea Eggs [and Flea Larvae] [for] [28 days] [30 days] [1 month] [4 weeks] [3 months]

Prevents Flea Eggs from hatching

Kills flea eggs on your [dog {or} puppy {or} dog and puppy] that live in your home

Kills flea eggs on your [dog {or} puppy {or} dog and puppy] to prevent the eggs from hatching in your home.

Regular use of (Alternate Brand Name) on your dog may reduce flea infestations in the home. For best results, use (Alternate Brand Name) as part of a comprehensive flea treatment plan, which includes coordinated treatment of the home, yard and pet.

(Ticks)

Kills Ticks [for] [28 days] [30 days] [1 month] [4 weeks]

Kills [all stages of ] Brown Dog Ticks, American Dog Ticks, Lone Star Ticks and Deer Ticks [for] [28 days] [30 days] [1 month] [4 weeks]

Kills all stages of Deer Ticks [which may carry Lyme disease], Brown Dog Ticks, American Dog Ticks, and Lone Star Ticks

Kills Deer Ticks [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Deer Ticks [for] [28 days] [30 days] [1 month] [4 weeks] [on dogs and puppies 8 weeks and older weighing 5 lbs or more]

Kills all stages of Deer Ticks [for] [28 days] [30 days] [1 month] [4 weeks]

---

Kills all stages of Deer Ticks [for] [28 days] [30 days] [1 month] [4 weeks] [on dogs and puppies 8 weeks and older weighing 5 lbs or more]

Kills Deer Ticks that may carry Lyme disease [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Deer Ticks that may carry Lyme disease [for] [28 days] [30 days] [1 month] [4 weeks] [on dogs and puppies 8 weeks and older weighing 5 lbs or more]

Kills all stages of Deer Ticks that may carry Lyme disease [for] [28 days] [30 days] [1 month] [4 weeks]

Kills all stages of Deer Ticks that may carry Lyme disease [for] [28 days] [30 days] [1 month] [4 weeks] [on dogs and puppies 8 weeks and older weighing 5 lbs or more]

Kills all biting stages of ticks

Kills adult [brown dog] [deer] ticks, nymphs and larvae

Kills Ticks including those that may transmit Lyme disease

Kills fleas, [kills] flea eggs, [kills] flea larvae and [kills] ticks [including those that may transmit Lyme disease]

(Lice & Mange)

Eliminates chewing lice infestations

Eliminates infestations with chewing lice

Aids in Control of sarcoptic mange infestations

(Multiple)

Kills Fleas, [Kills] Ticks, [Kills] Flea eggs, [[Kills] Flea larvae] [Kills] Chewing Lice

Kills Fleas, Ticks, Flea eggs through contact [for] [28 days] [30 days] [1 month] [4 weeks]

Kills [Adult] Fleas, [Ticks], Flea eggs[,] [and] Flea larvae [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Ticks, Flea eggs, and Flea larvae through contact [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Ticks, Flea eggs, Flea larvae [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Ticks, Flea eggs, Flea larvae through contact [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Ticks, Flea eggs, Chewing lice [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Ticks, Flea eggs, Chewing lice through contact [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Ticks, Flea eggs, Flea larvae, and Chewing lice through contact [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Ticks, Flea eggs, and Flea larvae [after contact] [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Ticks, Flea eggs, after contact [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Flea eggs and larvae, ticks and chewing lice [for] [28 days] [30 days] [1 month] [4 weeks]

Prevents development of all flea stages for up to 3 months.

Kills Flea Eggs and Larvae [for up to three months]

---

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea eggs, Flea larvae after contact [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea eggs, Flea larvae [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea eggs, [after contact] [for] [28 days] [30 days] [1 month] [4 weeks]

Controls Flea and Tick infestations [on dogs] [for] [28 days] [30 days] [1 month] [4 weeks]

Provides fast, effective and convenient treatment and control of fleas, ticks and chewing lice [for dogs and puppies 8 weeks and older weighing 5 lbs or more]

Helps prevent re-infestation of fleas and ticks [for] [28 days] [30 days] [1 month] [4 weeks]

Helps prevent flea and tick re-infestation [for] [28 days] [30 days] [1 month] [4 weeks]

Kills flea eggs and flea larvae to help prevent future re-infestations

Kills all stages of the flea life cycle

Breaks the flea life cycle

Prevents all flea stages [eggs, larvae, pupae] from developing

Controls flea and tick infestations

Once-a month Flea and Tick [Prevention] [Treatment] [Control] [Solution]

Monthly Flea and Tick [Prevention] [Treatment] [Control] [Solution]

Prevents flea eggs from developing into biting adults in the home [for] [up to] [30 days] [1 month] [4 weeks]

Prevents flea eggs from developing into biting adults [for] [up to] [30 days] [1 month] [4 weeks]

Stays on and doesn't rub off

Kills fleas for 30 days [1 month] [4 weeks]

Controls and prevents flea infestations

Prevents flea re-infestation

Prevents and controls flea re-infestation[s]

Dual insect growth regulator [(IGR)] prevents flea re-infestation

Contains two ingredients to prevent flea infestations

Eliminates fleas

Fast acting

Long lasting

Effective and convenient topical treatment

Kills fleas [and ticks] through [after] contact

[With] patented applicator

[With] patent pending applicator

Waterproof

Effective after bathing

Effective after exposure to water

Easy spot on topical applicator

Patents Pending

---

Do not reapply product for 30 days

Remains effective even after bathing, water immersion, or exposure to sunlight  
(Alternate Brand Name) remains effective, even after bathing, water immersion, or exposure to sunlight.

Avoid contact with treated area until dry.

Convenient to use

Contains Fipronil and the [insect growth regulators] [IGRs] (S)-Methoprene and [Pyriproxyfen] [Nylar®]. (Alternate Brand Name) effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas, ticks and chewing lice.

[Also] Contains a second [insect growth regulator] [IGR], [Pyriproxyfen] [Nylar®]

[Also] Contains a third active ingredient, [Pyriproxyfen] [Nylar®]

Triple Active Formula [with] one adulticide [and] two [insect growth regulators] [IGRs]

Triple Action Formula [that is] Fast Acting Long Lasting Waterproof

Triple Action Formula [that] [•] Kills fleas [•] Kills flea eggs and flea larvae [•] Kills ticks including those that may transmit Lyme disease

(Alternate Brand Name) is approved for use on dogs, including breeding, pregnant and lactating bitches.

(Alternate Brand Name) is approved for use on breeding, pregnant, and lactating bitches and puppies 8 weeks and older weighing 5 lbs or more.

Only for dogs and puppies 8 weeks and older weighing 5 lbs or more

Formulated for dogs and puppies 8 weeks and older weighing 5 lbs or more

**(NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT)**

1<sup>st</sup> dose, 2<sup>nd</sup> dose, 3<sup>rd</sup> dose, 4<sup>th</sup> dose, 5<sup>th</sup> dose, 6<sup>th</sup> dose

First month, second month, third month, fourth month, fifth month, sixth month

Value pack

1 month supply

3 month supply

6 month supply

1 [monthly] treatment

3 [monthly] treatment [s]

6 [monthly] treatment[s]

1 [monthly] dose

3 [monthly] doses

6 [monthly] doses

Apply [monthly] [every 30 days]

Convenient [easy to use] applicator

[3] Pro-cision Flo® Applicator[s] [included]

Pro-cision Flo® Applicator

Featuring Pro-cision Flo® Applicator [for easy application]

Direct to [your dog's] skin

---

[Easy] [simple] to use [handle] [apply]  
Made in the U.S.A  
Patent[s] Pending Formula

After application, the treated area may appear [wet] [or] [oily] for up to 24 hours  
You may bathe your dog 48 hours after application

[Single Dose Package] [Single Unit Package] [Individual Unit] [Not For Sale]

To help remind you when you last applied treatment, simply write in the date when each dose is applied:

First [Dose][Application]	_____
Second [Dose][Application]	_____
Third [Dose][Application]	_____
Fourth [Dose][Application]	_____
Fifth [Dose][Application]	_____
Sixth [Dose][Application]	_____

To ensure continued protection of your dogs, use these stickers as a reminder to apply and re-purchase (Alternate Brand Name)

After treating your dog for the first time, peel off the sticker and place on your calendar that day. Place the remaining stickers on your calendar as a reminder to apply [Alternate Brand Name] monthly.

[Calendar] [Reminder] Stickers  
Don't forget to re-purchase  
6 months use all 6 stickers  
3 months [use all 3 stickers]  
[Individual stickers] Apply [(Alternate Brand Name) ]  
[Individual sticker] Re-purchase [(Alternate Brand Name) ]

Use these calendar stickers as a reminder for when to reapply  
[Apply] [First] [1<sup>st</sup>] Month [(Alternate Brand Name) ]  
[Reapply] [Second] [2<sup>nd</sup>] Month [(Alternate Brand Name) ]  
[Reapply] [Third] [3<sup>rd</sup>] Month [(Alternate Brand Name)] [Time to Re-purchase]  
[Reapply] [Fourth] [4<sup>th</sup>] Month [(Alternate Brand Name) ]  
[Reapply] [Fifth] [5<sup>th</sup>] Month [(Alternate Brand Name) ]  
[Reapply] [Sixth] [6<sup>th</sup>] Month [(Alternate Brand Name) ] [Time to Re-purchase]

Questions?

Contact your veterinarian or call our technical experts at [1-800-275-1414] [1-XXX-XXX-XXXX], [twenty four] [24] hours per day, [seven] [7] days per week.  
Consult veterinarian before use



Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation.  
Made by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094 [U.S.A.]

[Nylar® - Registered Trademark of McLaughlin Gormley King Company]

EPA Reg. No. 2596-178  
EPA Est. No. 2596-OH-1

*(Alternate Brand Names . Primary Brand Name not to be included on any Product Labels. The word Dog will be included in all Alternate Brand Names and be at least 40 % of the size of the largest letter in the Alternate Brand Name.)*

Hartz® Pro Force Pro™ Triple Action Topical Treatment for Dogs [&] [and Puppies]  
Hartz® FieldForce Pro™ Triple Action Topical Treatment for Dogs [&] [and Puppies]  
Hartz® First Defense Pro™ Triple Action Topical Treatment for Dogs [&] [and Puppies]  
Hartz® First Defense Pro™ Triple Active Topical Treatment for Dogs [&] [and Puppies]

Hartz® Pro Force™ for Dogs [&] [and Puppies]  
Hartz® FieldForce Pro™ for Dogs [&] [and Puppies]  
Hartz® First Defense Pro™ for Dogs [&] [and Puppies]

Hartz® Pro Force™ Triple Action Topical Solution for Dogs [&] [and Puppies]  
Hartz® FieldForce Pro™ Triple Action Topical Solution for Dogs [&] [and Puppies]  
Hartz® First Defense Pro™ Triple Action Topical Solution for Dogs [&] [and Puppies]  
Hartz® First Defense Pro™ Triple Active Topical Solution for Dogs [&] [and Puppies]

FieldForce Pro™ Triple Action Topical Treatment for Dogs [&] [and Puppies]  
First Defense Pro™ Triple Action Topical Treatment for Dogs [&] [and Puppies]  
First Defense Pro™ Triple Active Topical Treatment for Dogs [&] [and Puppies]

FieldForce Pro™ for Dogs [&] [and Puppies]  
First Defense Pro™ for Dogs [&] [and Puppies]  
FieldForce Pro™ Triple Action Topical Solution for Dogs [&] [and Puppies]  
First Defense Pro™ Triple Action Topical Solution for Dogs [&] [and Puppies]  
First Defense Pro™ Triple Active Topical Solution for Dogs [&] [and Puppies]