

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

wasnington, D.	.C. 20460	

NOTICE OF PESTICIDE:

X Registration
Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

2596-179

1/12/17

Term of Issuance:

Conditional, Time-Limited

Expires: 1/12/19

Name of Pesticide Product:

Hartz Reference #144

Name and Address of Registrant (include ZIP Code):

Lance Hemsarth Senior Director, R & D The Hartz Mountain Corporation 400 Plaza Drive Secaucus, NJ 07094-3688

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/registration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Date:

1/12/17

Kable Bo Davis, Product Manager 3

Invertebrate & Vertebrate Branch 1, Registration Division (7505P)

EPA Form 8570-6

- 2. The Agency has found your company to be in compliance with the terms and conditions for the subject product, and is extending the two-year registration restriction. This registration is time-limited and expires 1/12/19.
- 3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the initial registration notice dated 4/4/14.
- 4. You are required to comply with the data requirements described in the DCI or EDSP Order identified below:

 a. Fipronil GDCI-129121-1305 GDCI-129121-1512
 b. Pyriproxyfen GDCI-129032-1299 EDSP-120932-187

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI or EDSP Order listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1

5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSF:

• Basic CSF dated 11/03/2015

Page 3 of 3 EPA Reg. No. 2596-179 Decision No. 514423, 517043

If you have any questions, you may contact Julie Breeden-Alemi, DVM at 703-347-0511 or via email at Breeden-Alemi.Julie@epa.gov.

Enclosure

01/12/2017

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 2596-179

Hartz[®] Reference # 144

{ Note to Reviewer - Brackets used in this label are as follows: [] are for optional wording, { } are for notes to reviewer, () are for text location/positioning.}

(Primary Brand Name not to be used on any product labels. The word Cat will be included in all Alternate Brand Names and be at least 40% of the size of the largest letter in the Alternate Brand Name.)

ACCEPTED

(Alternate Brand Names list at end of document)

(FRONT PANEL)

(Included on 1 pack, 3 pack and 6 pack front panels is a large, clear picture of a cat in the weight range for the product.)

ACTIVE INGREDIENTS:

Fipronil	9.80%
[S]-Methoprene	11.80%
Pyriproxyfen	
OTHER INGREDIENTS	
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for First Aid and additional Precautionary Statements.

NET CONTENTS:

(For 1 applicator package)

(z oz z upprzemos pacingo)	
[For use] ONLY [for use] on Cats [&	0.017 fl oz [0.5 mL] [Applicator]
Kittens] 8 weeks and older, Weighing	
1.5 lbs or more	

(For 3 applicator pack)

(1 of e applicator paers)	
[For use] ONLY [for use] on Cats [&	0.051 fl oz [1.5 mL],
Kittens] 8 weeks and older Weighing 1.5	Contains 3 [-] [tubes, each] 0.017 fl oz [0.5
lbs or more	mL] [Applicators]

(For 6 applicator pack)

[For use] ONLY [for use] on Cats [&	0.102 fl oz [3.0 mL],	
Kittens] 8 weeks and older Weighing 1.5	Contains 6 [-] [tubes, each] 0.017 fl oz [0.5	
lbs or more	mL] [Applicators]	

(BACK PANEL)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on kittens under 8 weeks of age or weighing less than 1.5 lbs. Sensitivities may occur after using **ANY** pesticide product for cats. If signs of sensitivity occur, bathe your cat with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Cats may experience some temporary irritation at the site of product application. Consult a veterinarian before using this product on medicated, debilitated or aged cats. Call [1-800-275-1414] [X-XXX-XXX-XXXX] for 24-hour assistance.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product [including health concerns, medical emergencies or pesticide incidents], you may call [1-800-275-1414] [X-XXX-XXXX-XXXX], twenty-four [24] hours per day, seven [7] days per week.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

TO PREVENT HARM TO YOU AND YOUR CAT READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY.

READ ENTIRE LABEL BEFORE EACH USE

RESTRICTIONS:

DO NOT APPLY TO CATS UNDER 8 WEEKS OF AGE AND WEIGHING LESS THAN 1.5 LBS

DO NOT EXCEED LISTED DOSAGE AMOUNT FOR CATS.

DO NOT ALLOW YOUR CAT TO INGEST THIS PRODUCT.

DO NOT USE ON RABBITS, DOGS, PUPPIES OR OTHER ANIMALS.

DO NOT REAPPLY (Alternate Brand Name) FOR 30 DAYS.

DO NOT DOUBLE-DOSE OR APPLY MORE THAN ONE APPLICATOR TUBE PER

TREATMENT FOR ONE CAT REGARDLESS OF THE CAT'S WEIGHT

DO NOT ALLOW CATS TO GROOM EACH OTHER UNTIL PRODUCT HAS DRIED.

To kill fleas, all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks [which may carry Lyme disease], and chewing lice, apply to cats and kittens 8 weeks and older weighing 1.5 lbs or more, as follows:



1 Remove one applicator tube from the package and hold in an upright position pointed away from your face.



2 Twist dispensing tip clockwise about ½ turn while pushing down to break the tube's seal. Do not remove the dispensing tip.

- 3. Position the dispensing tip on the cat's back between the shoulder blades. Use the dispensing tip of the tube to part the cat's hair so that the product will be applied at skin level. Squeeze applicator, applying entire contents in a single spot on the cat's skin. Separate treated cat from other [dogs and cats] [pets] for 24 hours after treatment has been applied. You may bathe your cat 48 hours after application.
- 4. Repeat [every] [once a] month.

(Alternate Brand Name) contains Fipronil and the insect growth regulators [(IGR)] (S)-Methoprene and Pyriproxyfen [Nylar®]. (Alternate Brand Name) effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas, ticks, and chewing lice.

FREQUENCY OF APPLICATION

When used monthly, (Alternate Brand Name) breaks the flea life cycle and controls tick and chewing lice infestations. Research demonstrates that (Alternate Brand Name) kills adult fleas, flea eggs, and flea larvae for up to six weeks. (Alternate Brand Name) also prevents development of all flea stages for up to six weeks.

(Alternate Brand Name) kills ticks for at least one month. A once monthly application is recommended where tick control is needed. Although (Alternate Brand Name) can control fleas for up to six weeks, if there is a high risk of re-infestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

(Alternate Brand Name) remains effective, even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply (Alternate Brand Name) for 30 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not use or store near heat or open flame.

PESTICIDE STORAGE: Keep this product in its tightly closed original container, when not in use. Store in a cool, dry [preferably locked] area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. *If empty:* Offer for recycling, if available or place in trash. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

SIDE EFFECTS (*Located in the lower right hand corner of the back panel*)

Monitor your cat after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call [1-800-275-1414] [X-XXX-XXX-XXXX].

EPA Reg. No. 2596-179 EPA Est. No. 2596-OH-1

Hartz[®] and other trademarks are trademarks of The Hartz Mountain Corporation. Made by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094 [U.S.A.] [Nylar® - Registered Trademark of McLaughlin Gormley King Company]

(INDIVIDUAL TUBE TEXT)

(Alternate Brand Name)

[For use] Only [for use] on Cats 8 weeks and older weighing 1.5 lbs or more 0.017 fl oz [0.5 mL]

Contains Fipronil 9.80%, (S)-Methoprene 11.80%, Pyriproxyfen [Nylar®] 0.25%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read accompanying label before use

EPA Reg. No. 2596-179

EPA Est. No. 2596-OH-1

(Lot number to appear on tube)

(OPTIONAL/ALTERNATE LABEL TEXT)

FREQUENCY OF APPLICATION

(Alternate Brand Name) contains Fipronil and the insect growth regulators [IGR] (S)-Methoprene and Pyriproxyfen [Nylar®]. (Alternate Brand Name) effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas, ticks and chewing lice.

Controls and prevents flea infestations

Kills adult fleas, flea eggs, and flea larvae

Prevents all flea stages [eggs, larvae, pupae] from developing

Kills fleas which may cause flea allergy dermatitis

Kills all stages of Deer Ticks [which may carry Lyme disease], Brown Dog Ticks, American Dog Ticks, and Lone Star Ticks

Eliminates infestations with chewing lice

Fast-acting

Long-lasting

Waterproof

Convenient to use

(Adult Fleas)

Kills Fleas [that may transmit tapeworms] [for] [28 days] [30 days] [1 month] [4 weeks] [on cats 8 weeks and older weighing 1.5 lbs or more]

Kills [Adult] Fleas

Kills fleas that may cause flea allergy dermatitis [for] [28 days] [30 days] [1 month] [4 weeks] Kills fleas that may cause flea allergy dermatitis and flea bite anemia [for] [28 days] [30 days] [1 month] [4 weeks]

Kills fleas that may cause flea bite anemia [for] [28 days] [30 days] [1 month] [4 weeks] Kills fleas that may cause flea allergy dermatitis [for] [28 days] [30 days] [1 month] [4 weeks] [50 cats 8 weeks and older weighing 1.5 lbs or more]

Kills fleas that may cause flea allergy dermatitis and flea bite anemia [for] [28 days] [30 days] [1 month] [4 weeks] [on cats 8 weeks and older weighing 1.5 lbs or more]

Kills fleas that may cause flea bite anemia [for] [28 days] [30 days] [1 month] [4 weeks] [on cats 8 weeks and older weighing 1.5 lbs or more]

Kills newly emerged adult fleas before they lay eggs

If there is a high risk for flea reinfestation, a once a month application may be needed Controls existing flea infestations

(Flea Eggs)

Kills Flea Eggs [and Flea Larvae] [for] [28 days] [30 days] [1 month] [4 weeks] [6 weeks] Prevents Flea Eggs from hatching

Kills flea eggs on your [cat $\{or\}$ kitten $\{or\}$ cat and kitten] that live in your home Kills flea eggs on your [cat $\{or\}$ kitten $\{or\}$ cat and kitten] to prevent the eggs from hatching in your home

Regular use of (Alternate Brand Name) on your cat may reduce flea infestations in the home. For best results, use (Alternate Brand Name) as part of a comprehensive flea treatment plan, which includes coordinated treatment of the home, yard, and pet.

(Ticks)

Kills Ticks [for] [28 days] [30 days] [1 month] [4 weeks]

Kills [all stages of] Brown Dog Ticks, American Dog Ticks, Lone Star Ticks and Deer Ticks [for] [28 days] [30 days] [1 month] [4 weeks]

Kills [all stages of] Deer Ticks [that may carry Lyme disease] [for] [28 days] [30 days] [1 month] [4 weeks] [on cats 8 weeks and older weighing 1.5 lbs or more] Kills all biting stages of ticks

Kills adult [brown dog] [deer] ticks, nymphs and larvae

Kills Ticks including those that may transmit Lyme disease

Kills fleas, [kills] flea eggs, [kills] flea larvae and [kills] ticks [including those that may transmit Lyme disease]

(Lice & Mange)

Eliminates chewing lice infestations Aids in Control of sarcoptic mange infestations Kills chewing lice

(Multiple)

Kills Fleas, [Kills] Ticks, [Kills] Flea eggs, [[Kills] Flea larvae], [Kills] Chewing Lice

Kills Fleas, Ticks, Flea Eggs [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Ticks, Flea Eggs, Flea larvae [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Ticks, Flea Eggs, Flea larvae, Chewing lice [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Flea eggs and larvae, ticks, chewing lice [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Ticks, Flea Eggs, Flea larvae, Chewing lice through contact [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Ticks, Flea Eggs through contact [for] [28 days] [30 days] [1 month] [4 weeks] Kills Fleas, Ticks, Flea Eggs, Flea larvae through contact [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Ticks, Flea Eggs, Chewing lice through contact [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Ticks, Flea eggs, after contact [for] [28 days] [30 days] [1 month] [4 weeks] Kills Fleas, Ticks, Flea eggs [and larvae], Flea larvae after contact [for] [28 days] [30 days] [1 month] [4 weeks]

Prevents development of all flea stages for up to 6 weeks Kills Flea Eggs and Larvae [for up to 6 weeks]

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, after contact [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, Flea larvae [for] [28 days] [30 days] [1 month] [4 weeks]

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, Flea larvae after contact [for] [28 days] [30 days] [1 month] [4 weeks]

Controls Flea and Tick infestations [on cats 8 weeks and older, weighing 1.5 lbs. or more] [for] [28 days] [30 days] [1 month] [4 weeks]

Provides fast, effective and convenient treatment and control of fleas, ticks, and chewing lice [for cats and kittens 8 weeks and older weighing 1.5 lbs or more]

Helps prevent re-infestation of fleas and ticks [for] [28 days] [30 days] [1 month] [4 weeks] Helps prevent flea and tick re-infestation [for] [28 days] [30 days] [1 month] [4 weeks]

Kills flea eggs and flea larvae to help prevent future re-infestations

Kills all stages of the flea life cycle

Breaks the flea life cycle

Prevents all flea stages [eggs, larvae, pupae] from developing

Controls flea and tick infestations

Once-a month Flea and Tick [Prevention] [Treatment] [Control] [Solution]

Monthly Flea and Tick [Prevention] [Treatment] [Control] [Solution]

Prevents flea eggs from developing into biting adults [for] [up to] [30 days] [1 month] [4 weeks]

Stays on and doesn't rub off

Kills fleas for 30 days [1 month] [4 weeks]

Controls and prevents flea infestations

Prevents flea re-infestation

Prevents and controls flea re-infestation[s]

Dual insect growth regulator [IGR] prevents flea re-infestation

Contains two ingredients to prevent flea infestations

Eliminates fleas

Effective and convenient topical treatment

Kills fleas [and ticks] through [after] contact

[With] patented applicator

[With] patent pending applicator

Effective after bathing

Effective after exposure to water

Patents Pending

Easy spot on topical applicator

Do not reapply product for 30 days

Remains effective even after bathing, [swimming,] water immersion, or exposure to sunlight (Alternate Brand Name) remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry

[(Alternate Brand Name)] Contains Fipronil and the insect growth regulators [IGR] (S)-Methoprene and [Pyriproxyfen] [Nylar®]. (Alternate Brand Name) effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas, ticks and chewing lice.

[Also] Contains a second [insect growth regulator] [IGR], [Pyriproxyfen] [Nylar®]

[Also] Contains a third active ingredient, [Pyriproxyfen] [Nylar®]

Triple Active Formula [with] one adulticide [and] two [insect growth regulators] [IGRs] Triple Action Formula [that is] Fast Acting Long Lasting Waterproof
Triple Action Formula [that] [•]Kills fleas [•]Kills flea eggs and flea larvae [•]Kills ticks including those that may transmit Lyme disease

(Alternate Brand Name) is approved for use on cats, including breeding, pregnant and lactating queens.

(Alternate Brand Name) is approved for use on cats, including breeding, pregnant, and lactating queens [and kittens 8 weeks or older weighing 1.5 lbs or more].

Only for cats and kittens 8 weeks of age or older weighing 1.5 lbs or more Formulated for cats and kittens 8 weeks and older, weighing 1.5 lbs or more

(NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT)

1st dose, 2nd dose, 3rd dose, 4th dose, 5th dose, 6th dose First month, second month, third month, fourth month, fifth month, sixth month Value pack 1 month supply 3 month supply 6 month supply 1 [monthly] treatment 3 [monthly] treatment[s] 6 [monthly] treatment[s] 1 [monthly] dose 3 [monthly] doses 6 [monthly] doses Apply [monthly] [every 30 days] Convenient [easy to use] applicator [3] Pro-cision Flo® Applicator[s] [included] [With] Pro-cision Flo® Applicator Featuring Pro-cision Flo® Applicator [for easy application] Direct to [your cat's] skin [Easy] [simple] to use [handle] [apply] Made in the U.S.A Patent[s] Pending Formula After application, the treated area may appear [wet] [or] [oily] for up to 24 hours You may bathe your cat 48 hours after application [Single Dose Package] [Single Unit Package] [Individual Unit] [Not For Sale] To help remind you when you last applied treatment, simply write in the date when each dose is applied: First [Dose][Application] Second [Dose][Application] Third [Dose][Application] Fourth [Dose][Application] Fifth [Dose][Application] Sixth [Dose][Application] To ensure continued protection of your cat[s], use these stickers as a reminder to apply and re-purchase (Alternate Brand Name). After treating your cat for the first time, peel off the sticker and place on your calendar that day. Place the remaining stickers on your calendar as a reminder to apply (Alternate Brand Name) monthly. [Calendar] [Reminder] Stickers Don't forget to re-purchase

6 months use all 6 stickers

3 months [use all 3 stickers]

[Individual stickers] Apply (Alternate Brand Name)

[Individual sticker] Re-purchase (Alternate Brand Name)

Use these calendar stickers as a reminder for when to reapply

[Apply] [First] [1st] Month (Alternate Brand Name)

[Reapply] [Second] [2nd] Month (Alternate Brand Name)

[Reapply] [Third] [3rd] Month (Alternate Brand Name) [Time to Repurchase]

[Reapply] [Fourth] [4th] Month (Alternate Brand Name)

[Reapply] [Fifth] [5th] Month (Alternate Brand Name)

[Reapply] [Sixth] [6th] Month (Alternate Brand Name) [Time to Repurchase]

Questions? Contact your veterinarian or call our technical experts at [1-800-275-1414] [X-XXX-XXXX], [twenty four] [24] hours per day, [seven] [7] days per week. Consult veterinarian before use



(Alternate Brand Names Primary Brand Name not to be included on any Product Labels. The word Cat will be included in all Alternate Brand Names and be at least 40 % of the size of the largest letter in the Alternate Brand Name.)

Hartz® Pro Force ProTM Triple Action Topical Treatment for Cats [& Kittens]

Hartz® FieldForce ProTM Triple Action Topical Treatment for Cats [& Kittens]

Hartz® First Defense ProTM Triple Action Topical Treatment for Cats [& Kittens]

Hartz® First Defense ProTM Triple Active Topical Treatment for Cats [& Kittens]

Hartz® Pro Force™ for Cats [& Kittens] [& Kittens]

Hartz® FieldForce ProTM for Cats [& Kittens] [& Kittens]

Hartz® First Defense ProTM for Cats [& Kittens] [& Kittens]

Hartz® Pro ForceTM Triple Action Topical Solution for Cats [& Kittens]

Hartz® FieldForce ProTM Triple Action Topical Solution for Cats [& Kittens]

Hartz® First Defense ProTM Triple Action Topical Solution for Cats [& Kittens]

Hartz® First Defense ProTM Triple Active Topical Solution for Cats [& Kittens]

FieldForce ProTM Triple Action Topical Treatment for Cats [& Kittens]

First Defense ProTM Triple Action Topical Treatment for Cats [& Kittens] First Defense ProTM Triple Active Topical Treatment for Cats [& Kittens]

FieldForce ProTM for Cats [& Kittens]
First Defense ProTM for Cats [& Kittens]
FieldForce ProTM Triple Action Topical Solution for Cats [& Kittens]
First Defense ProTM Triple Action Topical Solution for Cats [& Kittens]
First Defense ProTM Triple Active Topical Solution for Cats [& Kittens]