



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

2596-184

Date of Issuance:

02/23/17

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited
Expires: 02/23/2019

Name of Pesticide Product:

HARTZ REFERENCE #152

Name and Address of Registrant (include ZIP Code):

Lance Hemsarth
Senior Director, Research and Development
The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094-3688

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Sincerely,

Gene Benbow, Acting Product Manager 4
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

Date:

02/23/17

EPA Form 8570-6

2. This registration is time-limited and expires 02/23/2019.

3. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product beginning within 3 months of the date the product is first released for shipment, on the first day of the quarter (i.e., January 1, April 1, July 1, or October 1). Please flag any Confidential Business Information as such. Submit enhanced incident reporting and quarterly sales information to the Product Manager's attention. The following is a list of information that must be included in the quarterly reports for each incident:
 - EPA Registration Number
 - Product name (brand name)
 - Lot #
 - Where purchased: internet, store, veterinarian
 - Active Ingredient(s)
 - Weight range for product
 - Date on which incident occurred. (mm/dd/yyyy)
 - State in which the incident occurred. (standard 2 letter abbreviation)
 - Registrant case #
 - Species: dog, cat, other (specify)
 - Breed: (as reported by pet owner)
 - Age: months or years
 - Sex: M, F, or neutered
 - Weight: pounds
 - Primary Route of Exposure: dermal, oral, other animal, inhalation, other
 - Body System: neurological, dermatological, GI, respiratory, ocular, other
 - Major signs noted with separate column for each sign, using standard terminology
 - Time to Onset: (hours, days)
 - Treated by veterinarian: yes or no
 - First time product used: yes or no
 - Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)
 - Any known precondition
 - EPA Severity Code: death, major, moderate, minor
 - Outcome: died, recovered, still treated, unknown

4. Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:
 - All incidents should be reported including all minor dermal and ocular irritation reports.
 - Summary table for cats showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.

- A similar summary table for dogs (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
- Summary table for dogs and table for cats showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
- A summary table for cats showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
- A summary table showing the number of cat incidents for each severity code for each pet weight range on the product label, as applicable.
- A summary table for cat weight showing number of incidents for each product weight range. This table should show number of incidents in cats weighing less than that product weight range, number of incidents in cats in lower half of weight range, number of incidents in cats in upper half of weight range, and cats weighing more than the product weight range, as applicable.
- Table showing number of incidents for each cat breed, where provided.
- Table showing number of incidents in cats for each clinical sign.
- Table showing number of incidents in cats for each organ system.
- Report aggregate incidents, but do not combine moderate and minor incidents.

If EPA determines that future mitigation measures are necessary for all pet spot-ons, the Agency will inform registrants. If mitigation measures are necessary, EPA may take regulatory action.

5. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
6. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 2596-184."
7. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 05/13/2016

If you have any questions, you may contact Elizabeth Fertich at 703-347-8560 or via email at fertich.elizabeth@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "Gene Benbow".

Gene Benbow, Acting Product Manager 4
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

FRONT PANEL

Hartz® Reference #152

{ **Note to Reviewer** - Brackets used in this label are as follows : [] are for optional wording, { } are for notes to reviewer , () are for text location/positioning. }

(Primary Brand Name not to be used on any product labels. The word Cat will be included in all Alternate Brand Names and be at least 75% of the size of the largest letter in the product name)
(Add picture of cat with weight ranges for product.)

Use Only on Cats and Kittens Over 12 Weeks of Age and weighing [3 lbs. but less than 5 lbs.] [5 lbs. and over].

ACTIVE INGREDIENTS

Etofenprox.....40.0%

OTHER INGREDIENTS.....60.0%

TOTAL.....100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back (side *or* other) panel for ingredients, first aid and additional precautionary statements

Net Contents: _____ fl oz [____ mL]


Contains (*number*) tubes, each _____ fl oz [____ mL]

BACK PANEL

EPA Reg. No. 2596-RIU

EPA Est. No. 2596-OH-1

The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS: CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS: For External Use on Cats Only. Do not use on kittens less than 12 weeks old and less than 3 lbs. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated cats. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Due to the bitter taste of the product, oral exposure could result in salivation. Be careful not to get any product in the cat's mouth during application. For multiple cat households, prevent the cats from grooming each other until the product has dried. If the salivation continues or other clinical signs are noted, please call 1-800-275-1414.

PHYSICAL OR CHEMICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-275-1414 for emergency medical treatment information.

BACK PANEL (CON'T.)

RESTRICTIONS

DO NOT USE ON OTHER ANIMALS

DO NOT EXCEED LABELED DOSAGE AMOUNT FOR CATS

DO NOT APPLY MORE THAN ONE (1) TUBE PER TREATMENT ON ANY CAT

DO NOT HAVE CONTACT OR ALLOW CHILDREN OR OTHER PETS TO HAVE CONTACT WITH TREATED AREA UNTIL COMPLETELY DRY

DO NOT APPLY TO CATS WEIGHING LESS THAN (Insert lowest weight of weight class) OR LESS THAN 12 WEEKS OF AGE.

DO NOT ALLOW YOUR CATS TO INGEST THIS PRODUCT

HOUSEHOLDS WITH MORE THAN ONE CAT: PREVENT CATS FROM GROOMING EACH OTHER UNTIL SOLUTION HAS DRIED

DO NOT DOUBLE-DOSE OR APPLY MORE THAN ONE APPLICATOR TUBE PER TREATMENT FOR ONE CAT REGARDLESS OF THE CAT'S WEIGHT

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USE

TO PREVENT HARM TO YOU AND YOUR CAT READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ONLY ON CATS.

This product contains (xx) monthly dosages [one monthly dose], each [0.92 mL] [1.65 mL]. Do not apply more than once every month.

Do not get this product in your cat's eyes or mouth.

(PACKAGING DIRECTIONS)

1. Remove one applicator [tube] from the package and hold in an upright position pointed away from your face.
2. Twist dispensing tip clockwise about 1/2 turn while pushing down to break the applicator's [tube's] seal. Do not remove the dispensing tip.
3. Prior to application of the product, using the dispensing tip of the applicator [tube], gently lift the cat's or kitten's hair coat on the back of the neck at the base of the skull, position the dispensing tip of the applicator [tube] on the cat's exposed skin and squeeze out the [entire] contents of the [applicator] tube onto the cat's skin. Do not bathe cat within the first 24 hours after Spot On [squeeze on] [product] has been applied.
4. Repeat application [once every month] [once monthly].

(ALTERNATE PACKAGING DIRECTIONS 2)

1. Remove one applicator [tube] from the package and hold in an upright position pointed away from your face.
2. Twist dispensing tip clockwise about 1/2 turn until you feel it click into place. Do not remove the dispensing tip.

3. Prior to application of the product, using the dispensing tip of the applicator [tube], gently lift the cat's or kitten's hair coat on the back of the neck at the base of the skull, position the dispensing tip of the applicator [tube] on the cat's exposed skin and squeeze out the [entire] contents of the [applicator] tube onto the cat's skin. Do not bathe cat within the first 24 hours after Spot On [squeeze on] [product] has been applied.
4. Repeat application [once every month] [once monthly].

(ALTERNATE PACKAGING DIRECTIONS 3)

1. Remove one applicator tube from the package and hold in an upright position pointed away from your face.
2. Pull off cap. Turn the cap around and place on top of tube.
3. Simply press cap down to break the seal of tube. Remove cap carefully.
4. Prior to application of the product, gently lift the cat's or kitten's hair coat on the back of the neck at the base of the skull, position the tip of the tube on the cat's exposed skin and squeeze out the entire contents of the tube onto the cat's skin. Do not bathe cat within the first 24 hours after Spot On [squeeze on] (product) has been applied. Households with more than one cat should prevent cats from grooming each other until solution has dried.
5. Repeat application [once every month] [once monthly].

(include on back panel)

SIDE EFFECTS [Located in lower, right hand corner of back panel]

Side Effects – Monitor your cat after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-275-1414.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not refill or reuse this container. *If empty:* Offer for recycling, if available. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[INTRODUCTION]

[(Alternate Brand Name) is a topically applied long-lasting product, up to 30 days [1 month], specifically formulated for cats and kittens. This product contains the highly effective flea, deer tick, and mosquito killing agent Etofenprox. (Alternate Brand Name) kills biting adult fleas, deer ticks, and mosquitoes your cat may acquire from its surroundings. Each package contains enough products for [xx] monthly applications. Adult fleas can live on your cat while producing vast numbers of eggs, which drop off your cat and develop in the surrounding environment.

After application, your cat's skin oils disperse and carry (Alternate Brand Name) over your cat's body for protection against biting adult fleas. (Alternate Brand Name) may stain leather and suede fabrics for 24 to 48 hours after application. Once adult fleas are evident on your cat, there is likely an infestation of flea eggs and flea larvae in your home. To kill the existing flea population, you may need to treat your home and your cat's bedding, as well as your yard with traditional flea products approved for use on cats, around the home, or in your yard. (Alternate Brand Name) can be used in conjunction with other HARTZ® premise products. As with all flea products, (Alternate Brand Name) is most effective when used as part of a total program aimed at reducing all stages of fleas in the cat's environment. HARTZ products are designed to complement each other in an integrated program for flea, deer tick, and mosquito management. To assure

proper treatment, we recommend use of HARTZ products as directed to treat all cats in the household, as well as the indoor and outdoor home environments.]

OPTIONAL/ALTERNATE LABEL TEXT

Flea & Deer Tick [Protective] for cats [& kittens]
[Flea & deer tick] treatment for cats [& kittens]
Spot On [Topical] [Non-systemic] treatment for cats
Flea, Deer Tick, and Mosquito (Treatment) [Control] [Prevention] [for Cats & Kittens]
[1 month] [monthly][flea, deer tick,][protection]
Monthly treatment for [fleas, & deer ticks]
Flea [and deer tick] [and mosquito] control for your cats
Keeps fleas, deer ticks, and mosquitoes under control
Controls flea, deer tick, and mosquito problems
On-cat protection from fleas, deer ticks, and mosquitoes
Provides [protection] from fleas, deer ticks, and mosquitoes
Once-a-month [topical] [Spot On] protection from fleas and deer ticks,
Long lasting protection, up to 30 days [1 month] for fleas and deer ticks and 18 days for mosquitoes
Starts killing fleas [in] [within] 15 minutes
Starts killing fleas [in] [within] 15 minutes and last [up to] [30 days] [1 Month] [4 weeks]
[Actively] Kills [Controls] [adult] fleas [and] [&] [deer ticks] (for) [up to] [4 weeks] [1 month] [per application]
[Actively] Kills [fleas] [Kills] [deer ticks] [for up to [30 days] [1 month]] [&] [and] [mosquitoes] [by contact]
Kills [and] [Repels] mosquitoes [for up to 18 days] [by contact]
Controls fleas, deer ticks, and mosquitoes
[Kills deer ticks] [for up to 1 month [4 weeks]] [per application]
Protects your [cat] [kitten] from fleas, deer ticks, and mosquitoes [which may transmit heartworm disease]
Effectively controls fleas, deer ticks, and mosquitoes
Kills [Controls] deer ticks that may transmit [Lyme disease] [and Cytauxzoonosis] for up to [1 month] [4 weeks]
Protect[s] your cat [and kittens] [from] [against] deer ticks that may transmit Lyme disease
Kills [and repels] mosquitoes that may transmit heartworm disease
Prevents mosquitoes from feeding on cats
Kills fleas that may cause flea allergy dermatitis, flea bite anemia, and tapeworm infestation
Preventative treatment for fleas that may cause flea allergy dermatitis, flea bite anemia and transmit tape worm infestation
Control highly irritating flea, deer tick, and mosquito [insect] bites
[Hartz] protecting cats for over 90 years
[Topical] [treatment] that's easy and convenient to use

An effective flea topical [A Spot On] product that kills adult fleas

(Application claims)

[#] pack [# days] [#] doses [1/2/3/4/5/6] months supply
One tube gives [1 month] [4 weeks] of protection
[Pre-measured] [Convenient][and] [&][No mess][easy][simple] to [use] [handle] [apply] disposable applicator [tube]
Convenient [and effective], once-a-month [liquid] [topical] [Spot On] solution
Practical solution
Simple choice [flea & deer tick control]
A [One] simple application provides your cat with protection for up to [1 month]
Apply to one spot for head to tail [total body] flea protection [control]
Apply to 1 spot - spreads over the cat's [entire] body [from head to tail] through skin oils
Spreads with cat's skin oils
[Once][One] Monthly Application
Easy to use [once] monthly application [liquid] prevents [and controls] fleas [& deer ticks]

Reapply [Repeat] [once] monthly

Repeat [treatment] every month

Monthly Control [treatment]

(Applicator claims)

[Free][X] Pro-cision Flo® (Applicators) [tubes] [Included]

[Free][Exclusive][Pinpoint][Applicator] for [pinpoint] [exact] [direct] [easy] [direct to skin] application [included]

Patent pending

For pinpoint accuracy

Direct to your cat's skin

Easily penetrates hair

The [Pro-cision Flo®] [exclusive] [applicator [tube] [easily penetrates hair] [fur] [coat] for [improved] [direct] application [directly to your cat's skin]

Easy to apply [identify] [use] applicator [tube]

Easy to use applicator [tube] [provides direct on-cat protection]

Longer Applicator [tube] [tip] for easy application [to long-haired cats]

Longer tube [applicator] is ideal for long-haired cats

[Convenient] [easy to use] applicator

[Pro-cision Flo® Applicator] easily gets through cat's fur

[Pro-cision Flo® Applicator] quickly gets through cat's fur, for on-skin application

[Pro-cision Flo® Applicator] easily penetrates cat's fur

[Pro-cision Flo® Applicator] quickly penetrates cat's fur, for on-skin application

(Package configuration statements)

(X) tubes

Value pack (*or* size)

Club pack

(X) month supply

(X) monthly treatments

(Product Claims)

Effective Control [Prevention]

Fast [Quick] acting

Starts working by contact

Quick acting, long lasting treatment for up to 30 days

Quick acting, long lasting treatment for up to 1 month

Long lasting treatment for up to 30 days and easy to [use] [apply]

Long lasting treatment for up to 1 month and easy to [use] [apply]

[Flea prevention] Helps stop itching and scratching from flea bites

(Formula claims)

Etofenprox provides a [smart] approach to flea, deer tick, and mosquito control

Formula [for cats & kittens]

Features [Contains] an [insecticide] adulticide to kill [and/or] [control] adult fleas [deer ticks, and mosquitoes]

1.65 mL [cc] dose for use on cats and kittens 5 lbs. and over [Same size applicators with different fill amounts]

In case of an emergency or for product use information, call [phone number] or visit our Web site:

(Adding a Dose Reminder section to appear as follows on the back panel)

To help remind you when you last applied treatment, simply write in the date when each dose is applied.

First Dose

Second Dose

Third Dose

[TREATMENT SCHEDULE]

Dosage: 1 applicator (*or* tube) every 30 days per cat

Cat's Name _____

First Treatment Date _____

Second Treatment Date (30 Days From 1st) _____

Third Treatment Date (30 Days From 2nd) _____

NOTES:

[*All text below represents one label statement with any selected line*]

[Protect your cat from:]

Fleas that may cause:

Flea allergy dermatitis (and/or) Flea bite anemia

Deer ticks which may carry:

Lyme disease

[For more information, call our experts at 1-800-275-1414 (weekdays, 9am - 5 pm EST)]

INDIVIDUAL TUBE TEXT:

Hartz® Reference #152

or an Alternate Brand Name (see last pages)

Only for use on cats 12 weeks of age and older weighing (insert from weight range list below)

3 – less than 5 lbs - 0.030 fl oz [0.92 mL]

5 lbs and over - 0.056 fl oz [1.65 mL]

Contains Etofenprox 40%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read accompanying label before use

EPA Reg. No. 2596-RIU

EPA Est. No. 2596-OH-1

Lot # _____

(Promotional claims, 6 month duration)

(x)% [More] [Free]!

(x) Month[s] Free!

Bonus Pack

(x) Tube[s] Free!

(x) Day[s] (Free)!

(x) Day[s] of treatment- Free!

(x) Applicator[s] Free!

(x) Dose[s] Free!

Value Pack X + Y = Z Monthly Treatments

ALTERNATE BRAND NAMES

Hartz® UltraGuard ® Flea & Tick Drops for Cats

Hartz® UltraGuard ® Flea & Tick Drops for Cats & Kittens

Hartz® UltraGuard ® Flea & Tick Drops for Cats and Kittens

Hartz® UltraGuard ® Topical Flea & Tick Prevention for Cats

Hartz® UltraGuard ® Topical Flea & Tick Prevention for Cats & Kittens

[*Optional/alternate text is shown in italics, parentheses or brackets*]

Hartz® UltraGuard ® Topical Flea & Tick Prevention for Cats and Kittens

Hartz® UltraGuard ® Topical Flea & Tick Treatment for Cats

Hartz® UltraGuard ® Topical Flea & Tick Treatment for Cats & Kittens

Hartz® UltraGuard ® Topical Flea & Tick Treatment for Cats and Kittens

Hartz® UltraGuard ® Topical Flea & Tick Solution for Cats

Hartz® UltraGuard ® Topical Flea & Tick Solution for Cats & Kittens

Hartz® UltraGuard ® Topical Flea & Tick Solution for Cats and Kittens

Hartz® UltraGuard ® Topical Flea & Tick Control for Cats

Hartz® UltraGuard ® Topical Flea & Tick Control for Cats & Kittens

Hartz® UltraGuard ® Topical Flea & Tick Control for Cats and Kittens

Hartz® InControl® Flea & Tick Drops for Cats

Hartz® InControl® Flea & Tick Drops for Cats & Kittens

Hartz® InControl® Flea & Tick Drops for Cats and Kittens

Hartz® InControl® Topical Flea & Tick Prevention for Cats

Hartz® InControl® Topical Flea & Tick Prevention for Cats & Kittens

Hartz® InControl® Topical Flea & Tick Prevention for Cats and Kittens

Hartz® InControl® Topical Flea & Tick Treatment for Cats

Hartz® InControl® Topical Flea & Tick Treatment for Cats & Kittens

Hartz® InControl® Topical Flea & Tick Treatment for Cats and Kittens

Hartz® InControl® Topical Flea & Tick Control for Cats

Hartz® InControl® Topical Flea & Tick Control for Cats & Kittens

Hartz® InControl® Topical Flea & Tick Control for Cats and Kittens

Hartz® InControl® Topical Flea & Tick Solution for Cats

Hartz® InControl® Topical Flea & Tick Solution for Cats & Kittens

Hartz® InControl® Topical Flea & Tick Solution for Cats and Kittens

Hartz® Topical Drops for Cats

Hartz® Topical Drops for Cats & Kittens

Hartz® Topical Drops for Cats and Kittens