

#### U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

2596-188

EPA Reg. Number:

Date of Issuance:

9/19/19

NOTICE OF PESTICIDE:

X Registration
Reregistration
(under FIFRA, as amended)

Term of Issuance:
Unconditional

Name of Pesticide Product:

Hartz Reference No. 158

Name and Address of Registrant (include ZIP Code):

Joseph A. Conti Senior Director Regulatory & Quality The Hartz Mountain Corporation 400 Plaza Dr. Secaucus, NJ 07094

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/registration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:	Date:
Jel Herrick	9/19/19
Jacquelyn Herrick, Product Manager 03	37.237.23
Invertebrate & Vertebrate Branch 1	
Registration Division (7505P)	

EPA Form 8570-6

- 2. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, "EPA Reg. No. 2596-188."
- 3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 07/19/2019
- Alternate CSFs 1 11 dated 7/19/2019

If you have any questions, please contact Jennifer Gaines at 703-305-5967 or via email at gaines.jennifer@epa.gov.

Enclosure

# **HARTZ Reference No. 158**

{Note to Reviewer: Primary Brand Name not to be used on any product labels; only Alternate Brand Names will be used. Alternate Brand Names are listed at end of document.}

# **{FRONT PANEL}**

ACTIVE INGREDIENTS:	Percentage by Weight
Deltamethrin	4.00%
(S)-methoprene	1.02%
Other Ingredients	<u>94.98%</u>
Total	100.00%

# ACCEPTED

09/19/2019

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 0500 400

2596-188

# DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR CAUTION

See [Back] [or] [Side] [Panel[s]] for First Aid, [Additional] Precautionary Statements and Directions for Use. Do not use on puppies under 12 weeks [of age].

**NET CONTENT**: [1] [2] [3] [ {color designation} ] collar[s] [with [silver] [Reflect-X Shield] ]

NET WT.: [1 Collar, Net Wt. 1.1 oz.] [2.2 oz. Contains 2 Collars, Each Collar 1.1 oz.] [3.3 oz. Contains 3

Collars, Each Collar 1.1 oz.]
Made [in the U.S.A.] by

The Hartz Mountain Corporation

400 Plaza Drive

Secaucus, NJ 07094 [U.S.A.]

EPA Registration No. 2596-

EPA Est. No.

# READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS

**{Note to Reviewer:** Product is sold in package containing 1, 2, or 3 collars. The claims below correspond to the number of collars in the package.}

{For 1 collar package:}

One {Product Name} collar provides up to [6] [six] months protection against fleas and ticks.

{For 2 collar package:}

Each {Product name} collar offers [6][six] months protection against fleas and ticks, worn one at a time, providing a total of [12] [twelve] months protection against fleas and ticks.

{For 3 collar package:}

Each {Product name} collar offers [six][6] months protection against fleas & ticks, worn one at a time, providing a total of [18] [eighteen] months protection against fleas and ticks.

Page **1** of **7** 

{Note to Reviewer: Optional/alternate text are contained in [brackets]. Text contained in (parenthesis) are NOT optional. Notes to Reviewer are contained in {braces} and will not appear on final marketplace label.}

\_\_\_\_\_

## **{BACK PANEL}**

#### PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals.

**CAUTION:** Do not open protective pouch until ready to use. Do not let children play with this collar.

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Do not use on puppies under [12] [twelve] weeks. DO NOT USE ON CATS. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated or nursing dogs. Sensitivities may occur after using ANY pesticide products for dogs. If signs of sensitivity occur, remove collar and bathe your dog with mild soap and rinse with large amount of water. If symptoms persist, consult a veterinarian immediately.

This product is not a substitute for prescribed heartworm preventative.

This collar is intended for use only as an insecticide generator and is not to be taken internally by man or animals.

FIRST AID		
If swallowed	Call poison control center or doctor immediately for treatment advice.  Have person sip a glass of water if able to swallow.  Do not induce vomiting unless told to do so by the poison control center or doctor.  Do not give anything by mouth to an unconscious person.	
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
If in eyes	Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
Hot Line Number	Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-275-1414 for emergency medical treatment information, twenty-four (24) hours a day, seven (7) days a week.	

{<u>Optional Product Information</u> - Note to Reviewer: All or some of the 10 (ten) Optional Product Information bullet points below, may be used on the marketplace label.}

#### [Product Information]

- [{Product Name}] [Collar] kills fleas, flea eggs, and ticks for [6][six] months.
- [{Product Name}] [Collar] is a sustained release system [containing deltamethrin and (s)-methoprene] which provides [flea & tick protection] [protection from flea & tick activity] from head to tail.
- [{Product Name}] [Collar] has been specifically formulated using insecticide release technology.
- [{Product Name}] has been specifically formulated to contain an insecticide and repellent [,deltamethrin].
- Maximum effectiveness may not occur for 2-3 weeks after collar placement.
- Fleas (Ctenocephalides sp.) on the dog will be killed.
- [{Product Name}] [Collar] can be used to repel fleas, ticks [and mosquitos]
- One [{Product Name}] [Collar] will kill [fleas][and][ticks] for up to [6][six] months.
- Collar will kill ticks including: Brown dog tick (Rhipicephalus sanguineous), American dog tick (Dermacentor variabilis) and deer tick (Ixodes scapularis and Ixodes pacificus) which may carry Lyme disease. The collar is to be replaced every six (6) months and worn continuously.
- Reapply a new collar every six (6) months.

#### **DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For external use only. Do not let children play with this collar. Do not use on puppies under 12 weeks of age.

Do not open pouch until ready to use. Do not unroll collar until ready to use. Place the [{Product Name}] [collar] around the dog's neck, adjust for proper fit, and buckle in place. The collar must be worn loosely so that two fingers may be placed between collar and dog's neck. Maximum effectiveness may not occur for 2-3 weeks after collar placement. Living and rest areas of infested dog must also be treated with appropriate pest control measures to ensure control of [persisting] [persistent] pest infestation.

Wetting will not impair the collar's effectiveness or the dog's protection. If the dog goes swimming or is out in the rain, it is not necessary to remove the collar. [{Product Name}][Collar] may be used in addition to a lead or constraint collar. [Use only one [{Product Name}] [collar] at a time.] This collar should be worn continuously. Reapply a new collar every six (6) months.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage**: Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

Pesticide Disposal and Container Handling: Do not reuse container or used collar. Dispose of in trash.

#### {Optional/Alternate Label Claims}

#### **Fleas**

- {Product name} contains Deltamethrin and (S)-Methoprene [insecticides], which have been specifically formulated using insecticide release technology.
- Flea [control] [prevention] for dogs [and puppies] [12 weeks of age and older]
- Kills fleas, flea eggs, and ticks
- Kills Fleas
- Kills fleas and ticks
- Kills [adult] fleas for 180 days[!]
- Kills [adult] fleas for [6] [six] months[!]
- Provides [long lasting] protection for 180 days against fleas [and ticks]
- Provides [long lasting] protection for [six] [6] months against fleas [and ticks]
- Prevents flea infestation
- Kills fleas that may transmit bartonellosis
- Kills ticks that may transmit anaplasmosis
- Kills [adult] fleas which may transmit tapeworm
- Kills [adult] fleas which may cause flea bite anemia
- Kills [adult] fleas, which may reduce the incidence of [FAD] [flea allergy dermatitis]
- Kills [adult] fleas which may be a source of [flea allergy dermatitis][FAD] [and] [flea bite anemia]
   [and] [tapeworm]
- Starts killing fleas and ticks for up to [6][six] months and repelling mosquitos for six
   (6) months
- Fleas on the dog will be killed
- Long lasting [flea] protection for up to [6][six] months
- Flea [control][prevention]
- Contains a Flea [IGR] [insect growth regulator]
- Contains an [IGR] [insect growth regulator]
- Kills flea eggs to prevent infestation for 6 months
- Prevents eggs from hatching
- Halts the flea life cycle by killing flea eggs and larvae
- Provides protection against flea infestation

#### \_\_\_\_\_\_

# {Optional/Alternate Label Claims – continued}

### **Fleas** {continued}

- Kills flea eggs [to prevent] infestation
- Plus [insect growth regulator][IGR]
- Focused on breaking the life cycle
- Breaks the flea life cycle
- Kills flea eggs before they hatch
- Prevents flea eggs from hatching
- Active ingredient [specifically] targeting flea eggs, stopping their ability to [mature]

#### **Ticks**

- Kills ticks
- Tick collar for dogs
- Tick [control]for dogs [and puppies] 12 weeks of age and older
- Kills ticks for [180] days[!]
- Kills ticks for [6] [six] months[!]
- Provides [long lasting] protection for 180 days against ticks
- Kills ticks that may transmit Lyme Disease
- Kills ticks that may transmit babesiosis
- Kills ticks including deer ticks which may transmit Lyme Disease
- Kills ticks which may transmit Rocky Mountain spotted fever
- Kills ticks which may transmit [anaplasmosis][babesiosis][ehrlichiosis][and][Lyme disease]
- Kills ticks for [6][six] months including Deer tick [vector of Lyme disease, American dog tick, and Brown dog tick]

#### **Multiple Pests**

- Kills fleas and ticks for [180] days[!]
- Kills fleas and ticks for [6] [six] months[!]
- Provides [long lasting] protection for [180] days against fleas and ticks
- Provides [long lasting] protection for [6] [six] months days against fleas and ticks
- Kills fleas and ticks [for][up to] [6 months] [six months]
- Dog collar for flea and tick control
- Flea and tick collar for dogs
- Kills fleas and ticks

#### **Collar Claims**

- Right fit
- Fits just right
- Just right fit

### {Optional/Alternate Label Claims – continued}

### **Collar Claims** {continued}

- Fits securely
- Stays in place
- Great fitting collar
- Comfort fit
- Engineered for comfort
- Stay in place design
- Will not slide [or stretch]
- Adjustable [collar]
- Break away collar
- Break away buckle
- Easy release collar{Color designation} collar [with [Silver] Reflect-X Shield]
- [White collar] [blue collar] [red collar] [purple collar] [orange collar] [black collar] [green collar] [brown collar] [tan collar] [gold collar] [silver collar]
- For puppies 12 weeks of age and older
- With Reflect-X Shield
- Re-attachable
- Provides an added dimension of nighttime visibility for you and your dog
- Fits necks [up to] [15 inches] [15 "] [20 inches] [20 "] [23 inches] [23 "][26 inches] [26 "]

### {Marketing Claims}

- Save Now
- Buy Now
- Great Value
- NEW {Note to Reviewer: "New" claim only to be used in first 6 months following product launch}
- Value size Remove and replace collar every 6 months
- Multi-pack 2 six month collars
- Multi-pack Two [6] six] month collars
- Buy more and save
- Bonus pack Remove and replace collar every [6][six]months
- Bonus pack Two [6] six] month collars
- Coupon inside
- [Now] available without a visit to the veterinarian
- Value Pack 2 six month collars
- Value Pack Two [6] six] month collars
- Buy [x] and Save

#### {All Other Claims}

- Continuous Protection for [6] [six] months
- Long lasting [protection]for [6] [six] months
- Not affected by water
- Convenient
- Illustration of dog appropriate to collar size
- Glow in the dark
- Reflective
- Designed and tested to [perform][work]
- [Two] [2] collars each provide 6 months [of] protection
- [Two][2][6][six] month collars for [one][1] year of [continuous] protection

#### {Alternate Brand Names}

Hartz UltraGuard Pro® Flea and Tick Collar for Dogs & Puppies 12 Weeks [&] [and] Older Hartz UltraGuard Pro® Flea and Tick Collar for Dogs & Puppies 12 Weeks [&] [and] Older

Hartz UltraGuard Pro® Flea and Tick Collar for Dogs & Puppies 12 Weeks & Older
Hartz UltraGuard Pro® Flea and Tick Collar for Dogs & Puppies 12 Weeks [&] [and] Older
Hartz UltraGuard Pro® Flea and Tick Collar for Dogs & Puppies of All Sizes 12 Weeks [&] [and] Older

Hartz UltraGuard Plus® Flea and Tick Collar for Dogs & Puppies 12 Weeks [&] [and] Older Hartz UltraGuard Plus® Flea and Tick Collar for Dogs & Puppies of All Sizes 12 Weeks [&] [and] Older

InControl by Hartz® Flea and Tick Collar for Dogs & Puppies 12 Weeks [&] [and] Older InControl by Hartz® Flea and Tick Collar for Dogs & Puppies 12 Weeks [&] [and] Older

InControl by Hartz<sup>®</sup> Flea and Tick Collar for Dogs & Puppies 12 Weeks [&] [and] Older InControl by Hartz<sup>®</sup> Flea and Tick Collar for Dogs & Puppies 12 Weeks [&] [and] Older

Hartz® InControl Flea & Tick Collar for Dogs & Puppies 12 Weeks [&] [and] Older Hartz® InControl Kills & Flea & Tick Collar for Dogs & Puppies 12 Weeks [&] [and] Older

Hartz UltraGuard® Flea & Tick Collar for Dogs & Puppies 12 Weeks [&] [and] Older Hartz UltraGuard Plus® Flea & Tick Collar for Dogs & Puppies 12 Weeks [&] [and] Older Hartz UltraGuard Plus® Flea & Tick Collar for Dogs & Puppies 12 Weeks [&] [and] Older Hartz UltraGuard Pro® Flea & Tick Collar for Dogs & Puppies 12 Weeks [&] [and] Older Hartz UltraGuard Pro® Flea & Tick Collar for Dogs & Puppies 12 Weeks [&] [and] Older