

2617-37
PM 31
1 of 1

Cold Disinfection

For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1/2 ounce Super Sanol per gallon of water for 10 minutes.

NOTE TO PHYSICIAN:

Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

DISPOSAL

Rinse empty container thoroughly with water and discard. Do not reuse container. Keep out of reach of children.

WARRANTY

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials. Statements concerning the use of these products are not to be construed as recommending the infringement of any patent, and no liability for infringement arising out of any such use is assumed.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of cold potable water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

SUPER SANOL

DISINFECTANT DEODORIZER SANITIZER

ACTIVE INGREDIENTS:

n Alkyl (60% C₁₄, 30% C₁₂, 5% C₁₀, 5% C₁₆) dimethyl benzyl ammonium chlorides 5.0%

n Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides 5.0%

INTERT INGREDIENTS: 90.0%
100 %

SUPER SANOL is a concentrate and should be diluted before using.

NET CONTENTS: _____ EPA EST NO. 02617-CA-1
EPA Reg. No. 2617-37

DANGER

KEEP OUT OF REACH OF CHILDREN

(See other precautionary and first aid statements on left side panel)

MICHEL & PELTON CO.

MANUFACTURERS CHEMISTS
EMERYVILLE, CALIFORNIA 94608

USE DIRECTIONS:

Household

For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For Schools, Homes, Locker Rooms, Garbage Pails, Sink Tops, Corridors, Classrooms, Offices and Shower Stalls. Apply solution with mop or cloth. Sanitize with 1 ounce Super Sanol to 4 gallons of water. Disinfect with 3 ounces Super Sanol to 5 gallons of water.

Kill *Staphylococcus aureus* and *Simonella Choleraesuis*. For heavily soiled or contaminated areas, a pre-cleaning step is recommended. Treated food contact surfaces must be rinsed with potable water prior to reuse.

Hospitals

For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use Super Sanol at 3/4 ounces per 5 gallons of water. Apply with cloth, mop, or sponge. At this level Super Sanol will be effective against *Pseudomonas aeruginosa* PRD-10. For heavily soiled or contaminated areas, a pre-cleaning step is recommended. Treated food contact surfaces must be rinsed with potable water prior to reuse.

processing

Food
For
Equip
Super
200
on fo
sary
treat
with
Dairi
To s
lines,
the e
tizing
Sanol
Treat
rinse
low r
Resti
Dishe
wash
thoro
tion c
lons c
must
to reu
ments
per 5
influe
type :