6

## **PRECAUTIONARY STATEMENTS**

HAZARD TO HUMANS & DOMESTIC ANIMALS

Harmful if swallowed. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food and foodstuffs. May be absorbed through the skin. Avoid contact with skin, eyes, and ciothing. Harmful if inhaled. Avoid breathing vapor. Remove contaminated clothing and wash before re-use. Remove pets, birds, and cover fish aquariums before spraying. Do not remain in treated areas and ventilate area after treatment is completed. For spot treatment only; do not use as a space spray.

STATEMENT OF PRACTICAL TREATMENT

If swallewed: Call physician immediately, Gastric lavage is indicated if material was taken internally. Do NoT inDuCE VOMITING unless treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two plasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If in Eyes: Fiush with water for 15 minutes. Get medical attention if irritation persists. If Inhaed: Remove victim to fresh air. Apply artificial respiration if indicated. If en Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic fo fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions tavor drift from areas treated. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treated area. Application should be timed to provide the maximum possible interval between treatment and next period of activity.

PHYSICAL OR CHEMICAL HAZARDS

PHYSICAL OR CHEMICAL HAZARDS

Do not spray near or toward open flames.

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Reseal container and offer for reconditioning or disposal in approved landfill or bury in a safe place. Consult Federal, State or local disposal authorities for approved alternative procedures.

SEE RIGHT PANEL FOR DIRECTIONS

BUGSTOP FLEA and TICK K

A Quick Acting Surface Spray for Indoor and Outdoor Use in Home and Institutions.

A Quick Acting Surious Spray to:
Kills resistant roaches;
Roaches, ants, files, mosquitoes, fleas (outdoors), waterbugs, wasps, brown dog ticks, silverlish, spiders, crickets, chiggers, small flying moths, and carpet bestles.

Odorless — Stainless — Kills even resistant roaches, ants, and files.

Residual Type Insecticide

**ACTIVE INGREDIENTS:** 

 O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothicate 0.500% Pyrethrins 0.052% eePiperony! Butoxide, Technical Petroleum Distillate . INERT INGREDIENTS: 0.261% 98.608% 0.579% 100.000%

\*DIAZINON — Trademark of Ciba Gelgy Corp.
\*Equivalent to 0.209% (butylcarbityl) (6-propylpiperonyl) ether and 0.058% related compounds.

CAUTION KEEP OUT OF REACH OF CHILDREN

See left side panel for additional precautionary statements. Michel & Pelton Company

Emeryville, Calif. 94608

EPA EST 2617-CA-1 EPA REG. No. 2617-39

Lot # (Batch #)

**Net Contents** 

TO

suci tres or 1

and

CAI appi area BR(

peat DO FLII doo of s

surfi aligit FLE

inse

ACCEPTED

MAY 6 1981

Under the Pederal Insecti Fungicide, and Rodentist as amended, for the pestici red under EPA Reg. No. 2617-3

 $\mathcal{B}$ 

**BUGSTOP** FLEA and TICK K

A Quick Acting Surface Spray for Indoor and Outdoor Use in Home and institutions.

Kills resistant roachesi
Roaches, ants, files, mosquitoes, fleas (outdoors), waterbugs, wasps, brown dog ticks, silverfish, spiders, crickets, chiggers, small flying moths, and carpet beetles.

Odorless - Stainless - Kills even resistant roaches, ants, and flies. Residual Type Insecticide

ACTIVE INGREDIENTS:

or smoking.
skin. Avoid
por. Remove
r fish aquarr treatment is

ial was taken comiting may n one or two clear. Do not

ersists.

tion persists.

reated areas v cleaning of or drift from

d**ues remain**-

. cover crop,

us prohibited, sed should be by from water red landfill or

\*0, 0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl)

phosphorothicate 0.500% Pyrethrins

\*\*Piperonyl Butoxide, Technical 0.052% 0.261% 98.608%

100.000% \*DIAZINON — Trademark of Ciba Geigy Corp.
\*\*Equivalent to 0.203% (butylcarbityl) (6-propylpiperonyl) ether and 0,032% related compounds.

## CAUTION KEEP OUT OF REACH OF CHILDREN

See left side panel for additional preceutionary statements.

Michel & Pelton Company Manufactured by:

Emeryville, Calif. 94608

EPA EST 2617-CA-1 EPA REG. No. 2617-39

Lot # (Batch #)

TO THE

O

**Net Contents** 

ACCEPTED

MAY 6 1991

Under the Federal Insecti: Fungicide, and Rodentici:

as amended, for the pasticing the pasticing

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its' labeling. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas where food is exposed.

TO CONTROL Reaches, Ants, Waterbugs, Silverfish, Spiders and Crickets:
SERVING AREAS: Facilities where foods are served such as dining rooms, but excluding areas where foods may be prepared or held, apply as a spot treatment to selective surfaces, such as baseboards, under elements of construction and intricracks and crevices. Avoid treating surfaces likely to be contacted by food, (Do not apply when facility is in operation or foods are exposed.)

NON-FOOD AREAS: Including garbage rooms, lavatories, froir drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, builer ooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard surfaces behind and beneath sinks, lockers, tables, pallets an similar areas where insects

hide or through which they may enter. Repeat treatment as re uired.

CARPET BETTLES: Spray edges of carpeting and under carpeting and rugs. Make localized application to the floor and baseboards. Spray directly into cracks, closets and infested

ereas of shelving. Repeat as necessary.

BROWN DOG TICKS: Thoroughly spray sleeping quarters of aimals. Spray infested areas around baseboards, windows and door frames, wall covering. Applications should be repeated as necessary, Fresh bedding should be placed in animal cuarters following treatment. DO NOT TREAT ANIMALS WITH FORMULATION, FLIES, MOSQUITOES, WASPS AND SMALL FLYING MOTHS OUTDOORS: For out-

door use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects

slight or congregate,
FLEAS, CHIGGERS, ANTS OUTDOORS: For treatment of localized infestations of these insects in outdoor areas, spray weeds and bushy non-crop areas around the home thoroughly. Avoid spraying desirable plants. For ants, thoroughly wet hills and runways. Repeat applications as infestations warrant and as reinfestations occur.

33

0.579%