When C-Z AQUACIDE is used as directed, it will kill and prevent development of Chlore a <u>pyreno-dosa</u> (green), Phormidium inundatum (black algae), Phormidium retzii (Square D algae), Lyngba versicolor (blue) green) and other swiming pool algae.

C.Z. AQUACIDE is compatible with most commonly used swimming pool chemicals, but should not all mixed with soap or other cleaners, or premixed with other was ar treating chemicals. C.Z. AQUACIDE works best when added by itself directly to pool water. C-Z AQUACIDE at use dilution is non corrosive to inanimate surfaces.

DIRECTIONS FOR USE

Initial Dose: 1 galion 6, 7 AQUACIDE to 50,000 gallons of water

Maintenance Dose: 1 quart C-Z AQUACIDE to 50,000 gallons of water

Initial dose is used when filling pool at beginning of swimming season. If pool has visible algae growth, treat with initial dose. Vacuum pool after 24 hours to remove a gae debris. If visible algae are still present or re appear, repeat this treatment procedure as necessary. When pool is free of visible algae, use the recommended maintenance dose.

Maintenance dose should be added at 3.5 day intervals, if high temperatures prevail or pool has unusually heavy use, add maintenance dose more frequently.

If make up water is added at the rate of more than 10% per week of pool capacity, add 1 quart of C Z AQUACIDE to each 10,000 gallons of fresh make up water added per week

When swimming season is over, add 1 gallon of C Z AQUACIDE to 50,000 gallons of water in treating water left in poor. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.

Rinse empty container thoroughly with water and discard it.

7-18-72

C-Z AQUACIDE +529

CONCENTRATED SWIMMING POOL ALGAECIDE

KEEPS POOL WATER CLEAR AND FREE OF VISIBLE ALGAE **CONTROLS ALGAE SLIMES**

ACTIVE INGREDIENTS:	
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides	5°
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	59
INERT INGREDIENTS:	90
EPA Reg. No. 2620-57	1009

Keep Out of Reach of Children.

DANGER:

Corros or May cause eye donage. Causes skin or tation if your get in eyes, on skin or on clothing Wear googles or face shield and rubber glove, when handling Harmful or fital if swallowed Aloid

contamination of food

This product is toxic to fish Do not his harge menter efficient mile lakes, strongs or por his


to case if contact above buttery for the place of its prenty of water for at least 15 miles for for eyes suif a poysician is a secured washing the first of the fore rince

FIRST AID:

if swillowed drink promptly a large of a tity of the educations and the education of although the education of the education available drink range quantities of water Avoid alcohol. Call a physician eventhately

NOTE TO: PHYSICIAN:

 Probable much is damage may crafts in cate the use of gastric lavage. Measures again a circulatory. stank, resultatory depression and convolation may be needed.



BELOIT, WISCONSIN 53511