

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Contains May cause eye damage. Causes skin irritation. Do not get in eye, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Handle in well-ventilated area. Avoid contamination of food. Refer to the C-Z 25 Material Safety Data Sheet for other safety information.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

A swallowed dose presents a large quantity of milk, egg whites, grain, sprouts or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIANS: Prolonged contact damage may complicate the use of gastric lavage. Monitor against electrolyte shock, respiratory depression and convulsion may be needed. Medical Emergency Telephone Number: 716-296-7293.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with the following:

For sanitizing food contact surfaces, remove gross food particles and soil by a pre-rinse or pre-scrub and, when necessary, pre-soak treatment. Thoroughly wash surfaces or objects with a good detergent, followed by a potable water rinse before application of the sanitizing solution. Immerse, flood, or spray with sanitizing solution to wet all surfaces thoroughly. Sanitize in-place equipment by filling system with sanitizing solution. Contact time of at least 1 minute is required for sanitization. Drain sanitizing solution thoroughly from all surfaces and air dry.

RECOMMEND AND BUT RINSE: 5 Step Procedure for dishes, glassware, silverware and cooking utensils: 1. Scrape off gross soil. 2. Wash with good detergent. 3. Rinse with potable water. 4. Sanitize using 1 ounce C-Z 25 to 4 gallons of water. 5. Allow to air dry.

Sanitize: To sanitize dairy equipment, apply sanitizing solution containing 1 ounce C-Z 25 to 4 gallons of water (200 ppm). At this level, No Potable Water Rinse is required. Follow recommendations of local Health Board.

C-Z 25

SANITIZER DEODORIZER DISINFECTANT

-EPA Reg. No. 2620-57

For Industrial and Commercial Use Only

ACTIVE INGREDIENTS:

n-Allyl (85% C₁₂, 30% C₁₆, 5% C₁₂, 5% C₁₈)

dimethyl dimethyl ammonium chloride

5%

n-Allyl (65% C₁₂, 32% C₁₄)

dimethyl dimethyl ammonium chloride

5%

INERT INGREDIENTS:

90%

C-Z 25 is a concentrate and should be diluted before using.


DANGER

KEEP OUT OF REACH OF CHILDREN

See Side Panel For Additional Precautions and Statements
L41E

C-Z Chemical Company - A Division of RMC - Beloit, WI 53611
Manufacturers of Sanitation and Maintenance Chemicals

NET CONTENTS: ONE GALLON



DIRECTIONS FOR USE (continued)

FOOD PROCESSING EQUIPMENT: To sanitize food processing equipment and food utensils, dilute 1 ounce C-Z 25 per 4 gallons of water to provide 200 ppm of active quaternary. At this level, No Potable Water Rinse is required.

COMMERCIAL: For sanitizing or disinfecting floors, walls and other hard surfaces in Schools, Offices, Industry, Locker Rooms, Shower Stalls, Classrooms, Hallways, as well as on garbage cans and tires, concrete steps, storage and display equipment, bathroom fixtures, tables, desks, chairs, apply solution with mop or cloth. Sanitize with 1 ounce C-Z 25 to 4 gallons of water. Disinfect with 3 ounces C-Z 25 to 5 gallons of water. Use *Staphylococcus aureus* and *Salmonella choleraesuis*.

HOSPITALS: For disinfecting floors, walls and other hard surfaces in Nursing Homes, other Health Care institutions and Restrooms, as well as on tables, chairs, bed frames, telephones, wire racks, and garbage cans. Use C-Z 25 at 34 ounces per 5 gallons of water. At this level, C-Z 25 will also kill *Pseudomonas aeruginosa* PRD 10.

COLD DISINFECTION: For sanitation of reusable, sealed surgical instruments, needle points and dental equipment, simply so. Soak instruments in solution containing 16 ounces C-Z 25 per gallon of water for a minimum of 10 minutes.

STORAGE AND DISPOSAL

STORAGE: Store only in tightly closed original container in a cool, dry area. Do not contain water. Avoid fire and by storage in hospital.

DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or residue is a violation of Federal Law. If these wastes cannot be disposed of by the guidelines in other instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse or equivalent. Then offer for recycling or reconditioning, if juncture and design of the container and/or by other procedures approved by state and local authorities.

EPA Est. No. 527-011

Printed in USA

BEST AVAILABLE COPY

1.5 OZ
1.5 OZ
1.5 OZ