
2626-20



FORMULA 4

Fogging and Space Spray



FORMULA 4 MAY BE USED IN FOOD HANDLING ESTABLISH-MENTS FOR CONTROL OF FLIES. FOODS SHOULD BE REMOVED OR COVERED DURING TREATMENT. ALL FOOD PROCESSING SURFACES SHOULD BE COVERED DURING TREATMENT OR THOROUGHLY CLEANED BEFORE USING. WHEN USING FORMULA 4 AS A SPACE SPRAY IN THESE AREAS, APPLY ONLY WHEN PLANT IS NOT IN OPERATION.

WHEN USED AS DIRECTED FORMULA 4 IS MON TOXIC TO WARM BLOODED ANIMALS, AND MAY BE USED ABOUND FOOD, FOOD PRODUCTS, AND UTENSILE WITHOUT DANGER OF CONTAMINATION OR POISONOUS RESIDUES, BUT SHOULD NOT BE APPLIED DIRECTLY TO FOOD OR FOODSTUFFS.

ACTIVE INGREDIENTS

Pyrethrins		0 4 ა
Piperonyl butexide technical*		2 0%
Petroleum Distillate		97.6° ₀
*16		100 0%

DIRECTIONS FOR USE

FLIES. MOSQUITOES, GNATS. WASPS—Close up room or storage area and fog area with the liquid at the rate of one pint per 15,000 cubic feet of closed space.

ROACHES, SPIDERS, SILVERFISH—Spray infested areas thoroughly and direct liquid behind baseboards, moldings, cabinets, shelves, sinks, into cracks, crevices, and similar hiding places. Repeat as necessary.

DO NOT SPRAY TOWARD AN OPEN FLAME.

USDA Reg. No.

2626 20

2626-20



FORMULA 4

Fogging and Space Spray



FORMULA 4 MAY BE USED IN FOOD HANDLING ESTABLISH-MENTS FOR CONTROL OF FLIES. FOODS SHOULD BE REMOVED OR COVERED DURING TREATMENT. ALL FOOD PROCESSING SURFACES SHOULD BE COVERED DURING TREATMENT OR THOROUGHLY CLEANED BEFORE USING. WHEN USING FORMULA 4 AS A SPACE SPRAY IN THESE AREAS, APPLY ONLY WHEN PLANT IS NOT IN OPERATION.

WHEN USED AS DIRECTED FORMULA 4 IS NON TOXIC TO WARM BLOODED ANIMALS, AND MAY BE USED ABOUND FOOD, FOOD FRODUCTS, AND UTENSILE WITHOUT DANCER OF CONTAMINATION OR POISONOUS RESIDIES, BUT SHOULD NOT BE APPLIED DIRECTLY TO FOOD OR FOODSTUFFS.

ACTIVE INGREDIENTS

Pyrethrins	0.4%
Piperonyl butexide technical*	2.0 _%
Petroleum Distillate	97.6%
	100.0%

DIRECTIONS FOR USE

FLIES, MOSQUITOES, GNATS, WASPS—Close up room or storage area and fog area with the liquid at the rate of one pint per 15,000 cubic feet of closed space.

ROACHES, SPIDERS, SILVERFISH—Spray infested areas thoroughly and direct liquid behind baseboards, moldings, cabinets, shelves, sinks, into cracks, crevices, and similar hiding places. Repeat as necessary.

DO NOT SPRAY TOWARD AN OPEN FLAME.

USDA Reg. No.

6-24-68