

# International Red Hand



ACCEPTED

1/14/71

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR A FERTILIZER POISON REGISTERED  
EFFECT NUMBER 2693-70

### WARNING

Harmful if swallowed. Do not use or store near heat or open flame. Use with adequate ventilation.

Avoid contact with skin and breathing of vapor or spray mist. Close container after each use.

FOR USE BY  
COMMERCIAL OR PROFESSIONAL  
APPLICATORS ONLY

LATENAC ANTIFOULING RED  
( COMPONENT B ) 3021

INERT INGREDIENTS - 100.0%

Add to 3020 (Component A) in 5 gallon pail

NET ONE U.S. GALLON

### DIRECTIONS

#### MIXING

THOROUGHLY MIX BEFORE USING BY STIRRING AND BY POURING FROM ONE CONTAINER INTO ANOTHER SEVERAL TIMES. RESTIR FREQUENTLY DURING APPLICATION.

#### APPLICATION

THE SURFACE TO BE PAINTED MUST BE CLEAN, FREE FROM RUST, GREASE, LOOSE PAINT AND MOISTURE.

THIS PAINT IS MADE IN READY-TO-USE CONSISTENCY AND SHOULD REQUIRE NO THINNERS. HOWEVER, IF THINNING IS NECESSARY, USE SPARINGLY.


WE SHALL UPON REQUEST SUPPLY SPECIFIC INSTRUCTIONS RELATING TO THE APPLICATION OF OUR PRODUCTS.

## International Paint Company, Inc.

NEW YORK, NY 10006    SAN FRANCISCO, CA 94108    NEW ORLEANS, LA 70112



# International Red Hand



**WARNING**  
 HARMFUL IF SWALLOWED. DO NOT  
 USE OR STORE NEAR HEAT OR OPEN  
 FLAME. USE WITH ADEQUATE  
 VENTILATION. AVOID CONTACT WITH  
 SKIN AND BREATHING OF VAPOR OR  
 SPRAY MIST.  
 CLOSE CONTAINER AFTER EACH USE.  
 FOR USE BY  
 COMMERCIAL OR PROFESSIONAL  
 APPLICATORS ONLY

LATENAC  
 ANTIFOULING RED 3020  
 COMPONENT "A"

ACCEPTED  
 1/14/71  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECOLOGICAL PRODUCTS REGIS-  
 TERED UNDER NO. 2693-70

**IMPORTANT:**

DO NOT USE UNTIL COMPONENT B  
 NO. 3021 HAS BEEN ADDED TO  
 THIS CONTAINER & MIXED  
 THOROUGHLY

**NET 3 U.S. GALLONS**

## International Paint Company, Inc.

NEW YORK, N.Y. 10006 · SAN FRANCISCO, CAL. 94080 · NEW ORLEANS, LA. 70126

## DIRECTIONS

**MIXING:** THOROUGHLY MIX BEFORE USING BY STIRRING AND BY POURING FROM ONE CONTAINER INTO ANOTHER SEVERAL TIMES. RESTIR FREQUENTLY DURING APPLICATION.

**APPLICATION:** THE SURFACE TO BE PAINTED MUST BE CLEAN, FREE FROM RUST, GREASE, LOOSE PAINT AND MOISTURE.

THIS PAINT IS MADE IN READY-TO-USE CONSISTENCY AND SHOULD REQUIRE NO THINNERS. HOWEVER, IF THINNING IS NECESSARY, USE SPARINGLY.

---

WE SHALL UPON REQUEST SUPPLY SPECIFIC INSTRUCTIONS RELATING TO THE APPLICATION OF OUR PRODUCTS.

ACCEPTED  
1/14/71  
2693-70