

International



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye irritation and skin burns. When handling wear full protective clothing, rubber gloves, goggles, face shield or other approved eye protection. May be fatal if swallowed or inhaled. Harmful if absorbed through skin. This product may be a dermal sensitizer. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing before reuse. Avoid breathing vapor, spray mist, dust or chips from sanding or blasting. Wash thoroughly with soap and water after handling and before eating or smoking. Use with adequate ventilation.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

If on skin, wash with plenty of soap and water. Get medical attention.

If in eyes, flush with water for at least 15 minutes. Get medical attention immediately.

If inhaled, remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention immediately.

ENVIRONMENTAL HAZARDS: This material is toxic to fish. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill.

PHYSICAL OR CHEMICAL HAZARDS: FLAMMABLE! Keep away from heat or open flame.

Intersmooth

HISOL 51

Self polishing copol
antifouling

PLUM BFA2

INGREDIENT STATEMENTS

AS PER ATTACHED SHEET

2693 127

CONTAINS PETROLEUM DISTILLATE
KEEP OUT OF REACH OF CHILDREN

DANGER


SEE SIDE PANEL FOR ADDITIONAL
STATEMENTS.

EPA REG. NO. 2693-

NET 5 U. S. GALLONS

International Paint Co.
NEW YORK, N.Y. 10001 SAN FRANCISCO, CALIF. 94103

International



DIRE

CAUTIONARY STATEMENTS
DANGERS TO HUMANS AND
DOMESTIC ANIMALS

DANGER

OUT OF REACH OF CHILDREN

burns. When handling wear
goggles, face shield or other
swallowed or inhaled. Harmful
be a dermal sensitizer.

Remove and wash contaminated
clothing, spray mist, dust or chips
with soap and water after
use with adequate ventilation.

In case of large quantity of milk, egg
not available, drink large
amount of milk with medical attention immediately.

Do not use if it may contraindicate the use

Get medical attention.
15 minutes. Get medical

If not breathing, give artificial
respiration. Get medical attention immediately.

Toxic to fish. Do not
pour or disposal of wastes.
Use paint removal to enter water.
Do not fill.

Keep away from heat or open

Intermooth
NISOL SPC
Self polishing copolymer
antifouling
PLUM BFA254

INGREDIENT STATEMENTS
AS PER ATTACHED SHEET

CONTAINS PETROLEUM DISTILLATES
KEEP OUT OF REACH OF CHILDREN
DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAU-
TIONARY STATEMENTS.

EPA REG. NO. 2693-

NET 5 U. S. GALLONS

EPA EST 2693

It is a violation of Federal law
inconsistent with its labelling

NOTE - Wear protective clothing
in work areas or applied by spraying.
Do not wear a mask or respirator jointly
with the Occupational Safety and Health
Administration and
Safety and Health.

STORAGE AND DISPOSAL

Do not contaminate water, food
or feed. Dumping is prohibited. Pesticide
cannot be used or chemically re-
conditioned according to procedures approved
by State and local authorities.

Container - Triple rinse (or equivalent)
before reuse. Do not reuse for food or
beverage. Do not puncture or
burn. Recycle where approved. Do not
dispose of in fire. Do not
dispose of in water. Do not
dispose of in landfills. Do not
dispose of in incinerators.
by other approved State and local

International Paint Company Inc.

NEW YORK, N.Y. 10013 • SAN FRANCISCO, CALIF. 94103 • NEW ORLEANS, LA 70116

International



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

NOTE - Wear protective clothing when product is used in confined areas or applied by spraying. While spraying, sanding or blasting wear a mask or respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by Federal, State or local disposal authorities.

Container - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

COMMERCIAL USE ONLY

EPA EST 2693-NJ-1

Intersmooth

HISOL SPC

Self polishing copolymer
antifouling

PLUM BFA254

INGREDIENT STATEMENTS
AS PER ATTACHED SHEET

CONTAINS PETROLEUM DISTILLATES

KEEP OUT OF REACH OF CHILDREN

D A N G E R

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA REG. NO. 2693.

NET 5 U. S. GALLONS

International Paint Company, Inc.

NEW YORK, N.Y. 10001 SAN FRANCISCO, CALIF. 94104 NEW ORLEANS, LA 70112

BFA254/256

ACTIVE INGREDIENTS

TRIBUTYL TIN METHACRYLATE (AS PART OF A POLYMER)	9.5	%
BIS (TRIBUTYL TIN) OXIDE	0.5	%
CUPROUS OXIDE	43.1	%

INERT INGREDIENTS

	46.9	%
	<u>100.0</u>	%

ELEMENTAL TIN 3.2 %
ELEMENTAL COPPER 38.3 %

THIS PRODUCT CONTAINS 1.4 LBS. TRIBUTYL TIN METHACRYLATE (AS PART OF A POLYMER), 0.1 LBS. BIS (TRIBUTYL TIN) OXIDE, AND 6.2 LBS. CUPROUS OXIDE PER GALLON.