



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Program
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

2693-199

Date of Issuance:

JUL 31 2002

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional Expires August 30 2003

Name of Pesticide Product:

TRILUX with BIOLUX
BLACK

Name and Address of Registrant (include ZIP Code):

International Paint, Inc.
2270 Morris Avenue
Union, NJ 07083

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency request all registrants of similar product to submit such data; and submit acceptable response required for reregistration of your product under FIFRA section 4.

2. Make the following labeling changes before you release the product for shipment:

(a) Add the phrase, "EPA Registration No. 2693-199

(b) Add the statement "This product is intended for use by boat owners in residential or marina setting on pleasure crafts or work boats" to the use direction.

Signature of Approving Official:

Marshall Swindell,
Product Manager 33
Regulatory Management Branch I
Antimicrobials Division (7510C)

Date:

JUL 31 2002

(c) Change the heading "Statement of Practical Treatment" to "First Aid"

3. The following studies have been submitted by your supplier pending the completion of an Environmental Risk Assessment on this Conditional Registration. Additional data may be required based upon the results of the Risk Assessment.

Studies on the Irgarol Technical Grade Active

- GLN 72-4 Fish Early Life Stage (Estuarine Fish Study)
- GLN 72-4 Aquatic Invertebrate Life Cycle (Freshwater Invertebrate)
- GLN 73-1 Whole Sediment Acute, Freshwater Invertebrates
- GLN 73-2 Whole Sediment Acute, Marine Invertebrates

Data on Each of the Three Major Degradates* of Irgarol

(*GS-26575, CA-30-0155, and GS-28620)

- GLN 72-1 Acute Freshwater Fish LC50 (one specie), or
- GLN 72-3(a) Acute LC50 Estuarine and Marine Fish, and
- GLN 72-2 Acute Freshwater Invertebrate LC50 (Daphnia), or
- GLN 72-3(c) Acute LC50 Estuarine and Marine Invertebrate, and
- GLN 123-2 Aquatic Plant Growth (2 species: Navicula pelliculosa, and Skeletonema costatum)

4. Submit the following "reserved" studies within 18 months of the date of the agency's written request for these data. The need for these reserved data will be based upon the results of one or more of the above studies as determined by the Agency.

- GLN 164-2 Aquatic Field Study
- GLN 165-5 Accumulation Studies (nontarget organism)
- GLN 72-5 Fish Life Cycle
- GLN 72-6 Aquatic organism bioavailability/biomagnification/toxicity tests
- GLN 72-7 Simulated or actual field testing for aquatic organisms
- GLN 71-4 Avian Reproduction
- GLN 73-3 Acute Pore Water Studies (fish and invertebrates)
- GLN 74-1 Whole Sediment Chronic Study (invertebrates)
- GLN 123-1 Seedling Emergence-Dose Response Test
- Special Study: Monitoring of Representative U.S. Waters

5. The waiver request for the acute inhalation study has been denied. You must submit the acute inhalation study within six (6) months from the date of registration.

6. This conditional registration will expire automatically on August 30, 2003. If you fail to satisfy the conditions imposed in the registration, EPA may issue a Notice To Cancel under Section 6(e) of FIFRA.


Submit two copies of the revised final printed label for the record.

You should be aware that the Agency has not completed its environmental risk assessment to support the use of Irgarol as an antifoulant. Note also that the Agency is aware that Sweden, Denmark, and England have restrictions on the use of Irgarol antifoulant paints. Canada has also expressed concern. The concerns outlined in environmental assessments from those countries will be taken into consideration as we work toward completing our own risk assessment. Once the Agency has completed its environmental risk assessment, we may ask for additional data such as a monitoring study or we may ask for some label modifications/restrictions. We will notify you when our environmental risk assessment is completed.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



Marshall Swindell
Product Manager 33
Regulatory Management Branch I
Antimicrobials Division (7510C)

Enclosure

TRILUX with BIOLUX BLACK

KEEP OUT OF REACH OF CHILDREN

WARNING

See side panel for additional Precautionary Statements

Net Contents: 12 ounces

EPA Registration No. 2693-

EPA Establishment No. 2693-NJ-1

Active Ingredients:

Cuprous Thiocyanate	=	8.60%
N-Cyclopropyl-N'-		
(1,1-Dimethylethyl)-6-		
(Methylthio)-1,3,5-triazine		
-2,4- Diamine	=	0.86%

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUL 31 2002

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

2693-199

Inert Ingredients:	=	90.54%
		100.00%

Copper as Metallic 4.48%

Contains Petroleum Distillates

DISCLAIMER: The performance of any marine coating depends on many factors outside the control of International Paint Inc. including the surface preparation, proper application and the environmental conditions. Therefore International Paint Inc. cannot guarantee the suitability of this product for your particular purpose or application. **IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE AND MERCHANTABILITY ARE EXCLUDED.** INTERNATIONAL PAINT INC. SHALL NOT UNDER ANY CIRCUMSTANCES BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. By purchase or use, of the product, buyer agrees that the sole and exclusive remedy, if any, is limited to the refund of the purchase price or replacement of the product at International Paint Inc.'s option.

INTERNATIONAL PAINT INC.
2270 Morris Avenue
Union, NJ 07083

5/7

**PRECAUTIONARY STATEMENTS
WARNING
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

Causes eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Wear protective clothing such as gloves, long-sleeved cotton shirt, long pants, and hat. May be fatal if inhaled. Do not breathe vapor or spray mist. While spraying paint or sanding or sandblasting boat surfaces, wear a mask or a respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute of Occupational Safety and Health. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes
- Call a poison control center or doctor for treatment advice.

If inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Other: Have the product container or label with you when calling a poison control center or doctor or going for treatment.

ACCEPTED
with COMMENTS
in EPA Letter Dated

JUL 31 2002

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

2693-199

6/7

PHYSICAL OR CHEMICAL HAZARD

Extremely flammable. Content under pressure. Keep away from heat, sparks, open fire or heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees F may cause bursting.

ENVIRONMENTAL HAZARD

This material is toxic to fish. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Paint that cannot be used according to label instructions must be disposed of according to federal, state or local procedures under the Resources Conservation and Recovery Act.

CONTAINER DISPOSAL: Do not puncture or incinerate. A completely empty can can be disposed of with household trash. Wrap in paper before disposing.

ACCEPTED
with COMMENTS
in EPA Letter Board

JUL 31 2002

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

2693-199

ACCEPTED 7/7
with COMMENTS
in EPA Label Dates:

JUL 31 2002

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

Trilux with Biolux Aerosol

Trilux[®] with Biolux[®] Aerosol antifouling paint is formulated specifically for aluminum outboards, outdrives and aluminum hulls in underwater areas. When applied over properly primed metal Trilux[®] with Biolux[®] Aerosol will provide good antifouling protection. Biolux[®] Technology is used to control slime growth. Trilux[®] with Biolux[®] Aerosol is for use in fresh, salt and brackish water. Trilux[®] with Biolux[™] Aerosol also contains Teflon[®] for added durability and easy cleaning.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR ALUMINUM OUTBOARDS, OUTDRIVES AND HULLS

BARE ALUMINUM: Sand with medium grit emery cloth and apply Viny-Lux Primewash 353/354. Apply 1 full can of Outboard & Outdrive Aerosol Primer 370.

PREVIOUSLY PAINTED - with Trilux[®] with Biolux[®] Aerosol: Sand with 80 grit sandpaper then apply Trilux[®] with Biolux[®] Aerosol as specified below.

PREVIOUSLY PAINTED – with Factory Paint or other Antifouling Paint - Sand with 80 grit sandpaper. Wipe clean and apply 1 full can of Aerosol Primer 370. Then apply 1 full can of Trilux[®] with Biolux[®] Aerosol as specified below. Apply Trilux[®] with Biolux[®] Aerosol only after priming with Outboard & Outdrive Aerosol Primer 370.

1. Shake can, listen for mixing ball & continue shaking for at least 1 minute.
2. Hold container 12"-16" from unit.
3. Apply contents of 1 can for each Outdrive/Outboard. It will be touch dry in about 30 minutes. Allow a minimum of 6 hours at 75°F or 12 hours at 50°F dry time between coats.
4. For application to hulls, apply 2-3 coats. Allow proper dry times.
5. Be sure paint is completely dry before immersion, allow minimum of 12 hours at 75°F or 16 hours at 50°F prior to launch.

For clean up - use Special Thinner 216.

COVERAGE – One can covers 22 sq. ft.

Do not apply primer or Trilux[®] with Biolux[®] Aerosol above the true waterline.

For best antifouling protection, use entire can of primer and Trilux[®] with Biolux[®] Aerosol for each lower unit.

Do not apply to tin-based paint such as Micron[®]33, Micron 33 Aerosol, Micron 44 or Tri-Lux IIT. Do not use above the true waterline.