

2693-226

07/08/2010

1/5

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460



United States  
Environmental Protection  
Agency

**Office of Pesticide Programs**

JUL - 8 2010

International Paint LLC  
2270 Morris Ave.  
Union, NJ 07083

Attention: John P. Pazdera

**Subject: Trilux 22 Aerosol-Black**  
EPA Registration No: 2693-226  
Notification Dated April 8, 2010

The amendment, submitted in connection with the registration under the Federal, Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable

**Proposed Amendment**

- Add the word "corrosive", per request from California EPA

**General Comments**

Based on a review of the submitted material, the revised label is acceptable a stamped copy of the label is enclosed for your records.

If you have any questions concerning this letter, please contact Zebora Johnson at (703) 308-7080.

Sincerely

A handwritten signature in black ink that reads 'M Swindell'.

Marshall Swindell  
Product Manger (33)  
Regulatory Management Branch I  
Antimicrobial's Division (7501P)

# Trilux 33 Aerosol - Black

Active Ingredients:  
 Cuprous Thiocyanate 6.54%  
 Zinc 2-Pyridinethiol 1-Oxide\* 1.33%

Inert Ingredients: 92.13%  
 100.00%

**COPPER AS METALLIC = 3.42%**

Contains petroleum distillates.  
 \* Zinc Pyrithione

**ACCEPTED  
 with COMMENTS  
 EPA Letter Dated:**

**JUL - 8 2010**

*Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act as  
 amended, for the pesticide,  
 registered under EPA Reg. No. 2693-226*

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**


- See side panel for additional Precautionary Statements

EPA Reg. No.: 2693-226

EPA Est. No.: 2693-NJ-1

**NET CONTENTS: 12 ounces**

**International Paint LLC  
 2270 Morris Ave.  
 Union, NJ 07083**



**PRECAUTIONARY STATEMENTS  
DANGER  
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

Corrosive. Causes skin burns. Causes substantial but temporary eye injury. Harmful if absorbed through skin, swallowed or inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the restroom. Wear chemical resistant (such as nitrile or butyl) gloves, long-sleeved cotton shirt, long pants, socks, and shoes. For overhead exposure, wear chemical-resistant headgear. Wear protective eyewear (goggles, safety glasses, or face shield). While spraying paint or sanding or sandblasting boat surfaces, wear a mask or a respirator jointly approved by the Mine Safety and Health Administration (MSHA) and the National Institute for Occupational Safety and Health (NIOSH). Remove and wash contaminated clothing before reuse.

**FIRST AID**

**If swallowed:**

- Call a poison control center or doctor immediately for treatment advice.
- Do not give any liquid to the person.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**ACCEPTED  
with COMMENTS  
EPA Letter Dated:  
EPL-8 2010**

**Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 2643-226**

**If on skin or clothing:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes
- Call a poison control center or doctor for treatment advice.


**If inhaled:**

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

**If in eyes:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**Other:** Have the product container or label with you when calling a poison control center or doctor or going for treatment.



**Note to Physician:** Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

**PHYSICAL OR CHEMICAL HAZARD**

Extremely flammable. Contents under pressure. Keep away from heat, sparks, open fire or heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees F may cause bursting.

**ENVIRONMENTAL HAZARD**

This material is toxic to fish. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, feed by storage or disposal. Open dumping is prohibited.

**PESTICIDE STORAGE**

Store in a cool, dry place. Keep away from extreme heat and cold.

**PESTICIDE DISPOSAL**

Pesticide wastes are toxic. Paint that cannot be used according to label instructions must be disposed of according to federal, state or local procedures under the Resources Conservation and Recovery Act.


**CONTAINER DISPOSAL**

Do not puncture or incinerate. A completely empty can can be disposed of with household trash. Wrap in paper before disposing.

**ACCEPTED  
with COMMENTS  
EPA Letter Dated:**

JUL - 8 2010

Under the Federal Insecticide,  
Fungicide and Rodenticide Act as  
amended, and the Federal Insecticide,  
Fungicide and Rodenticide Act, No. 2693-226



5/5

## Trilux 33 Aerosol

Trilux 33 Aerosol antifouling paint is formulated specifically for aluminum outboards, outdrives and aluminum hulls in underwater areas. Trilux 33 Aerosol uses two biocides and Biolux technology for protection from all types of fouling. Biolux Technology is used to control slime growth. Trilux 33 Aerosol is for use in fresh, salt and brackish water.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is intended for use by boat owners in residential or marina settings on pleasure craft or workboats.

### FOR ALUMINUM OUTBOARDS, OUTDRIVES AND HULLS

**BARE ALUMINUM** – Sand with medium grit emery cloth and apply Viny-Lux® Primewash 353/354. Apply 1 full can of Primocon Aerosol YPA985 primer.

**PREVIOUSLY PAINTED – with Trilux 33 Aerosol or Trilux Prop & Drive** Sand with 80-grit sandpaper then apply Trilux 33 Aerosol as specified below.

**PREVIOUSLY PAINTED – with Factory Paint or other Antifouling Paint** Sand with 80-grit sandpaper. Wipe clean and apply 1 full can of Primocon Aerosol. Then apply 1 full can of Trilux 33 Aerosol as specified below.

### APPLICATION

Apply Trilux 33 Aerosol only after priming with Primocon Aerosol Primer.

1. Shake can, listen for mixing ball & continue shaking for at least 1 minute.
2. Hold container 12-16" from unit.
3. Apply contents of 1 can for each Outdrive/Outboard. It will be touch dry in about 30 minutes. Allow a minimum of 6 hours at 75° F or 12 hours at 50°F dry time between coats.
4. For application to hulls, apply 2-3 coats. Allow proper dry times.
5. Be sure paint is completely dry before immersion. Allow a minimum of 12 hours at 75°F or 16 hours at 50°F prior to launch.

For Clean-up – use Special Thinner 216.

**COVERAGE** – One can of Trilux 33 Aerosol will cover 22 square feet. For best antifouling protection, use entire can of primer and Trilux 33 Aerosol for each lower unit.

When finished spraying, invert can and spray until the nozzle is cleared. Do not apply primer or Trilux 33 Aerosol above the true waterline.

**ACCEPTED  
with COMMENTS  
EPA Letter Dated:**

**JUL - 8 2010**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 2693-226

o c c c c c	c c c c
o	o
o	o
c	c
o o o o o	
c	c
c o	c c c c
c c c c c c	c c c c o
c	c
c c c c c	o c c c c c
	c c c c c
	c c c c c