Directions for use

Beef Cattle & Horses: To control Horn Flies, Cattle Lice, Ear Ticks, Lone Star Ticks, Gulf Coast Ticks, Winter Ticks, and Cattle Fever Ticks, mix 1 gallon of KEMTOX with 100 gallons of water and stir well to form a creamy emulsion. Treat animals with a strong spray to penetrate to the skin, or dip thoroughly. Approximately 2 quarts of spray are required for adult beef cattle and proportionately less for younger animals. Be sure not to overdose young animals. For Tick control, repeat. not more than once every two weeks One spraying of KEMTOX will control Horn Files up to three weeks and a single treatment will control Lice. Do not repeat treatment more often than every 2 14444

Backrubbers: As an aid in the control of Horn Flies and Lice on beef cattle, dilute 1 gallon of KEMTOX with 9 gallons of fuel oil or other suitable carrier and charge backrubber device or soak sack or cloth as occasion requires Retreat backrubber as needed. Do not spray animals with this oil solution Do not "pour on" oil solutions

"Pour on" treatment: For control of Horn Flies on beef cattle, dilute 1 gallon of KEMTOX with 24 gallons of water, and apply by pouring 1 quart of dilute emulsion along the back line of the animal. The addition of 1 ounce of SLICK Spreader-Sticker per 25 gallons of emulsion will aid in thorough wetting of animal's back. Do not retreat more often than every 30 days. Each treatment will control Horn Flies for three or four weeks.

Hogs: To control Hog Lice, use 1 gallon of KEMTOX to 100 gallons of water, mix well, and spray animals with a strong spray to thoroughly wet the skin Do not repeat treatment more often than every 2 weeks.

Sheep & Goats: To control Sheep Lice, Goat Lice, and Sheep Ticks (Keds) use 1 gallon of KEMTOX with 100 gallons of water mix well and spray or dip animals thoroughly. When dipping animals, be sure to wet them thoroughly. Always stir dipping vat well just before using. Do not repeat treatment more often than every 2 wieks.

126/73

Kennels & Lawns: To control Fleas and Ticks in kennels, dog runs, lawns and outdoor areas, dilute 1 gallon of KEMTOX with 30 gallons of water. Thoroughly spray places where animals sleep and dog run areas. Apply 1 gallon of dilute mixture per 1000 sq. ft for Fleas and Ticks on lawns. Do not treat animals with this concentration. Repeat as necessary

warning: May be fatal if swallowed, inhaled, or absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Do not contaminate feed and food stuffs. Wash hands thoroughly after using. Do not use or store near heat or open flame. Do not treat animals under 3 months of age. Do not use on dairy animals or in dairy barn. Keep children and animals off treated areas until the grass is dry. Do not reuse empty drum. Destroy by perforating or crushing and burying in a safe place

KEMTOX DILUTION TABLE

AMOUNT OF HEMTOX	GALLONS OF WATER		VOLUME OF OIL
	PRAY	POUR ON TREATMENT	BACKRUBBER
1 Quart 1 Gallin	25 1441 195 146 44 115	6 Garrins 24 Gaurins	2 4 Gailons 9 Gaillons

Dioxathion and dichlorvos are cholinesterase inhibitors. Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. Consult veterinarian at the first sign of adverse reaction. Atropine is antidotal. This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Antidote: External — wash with soap and water. Internal — call a physician immediately: large doses of atropine are antidotal. Give emetic of mustard.

Seller makes no warranty, explessed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling is contrary to label instructions.

Thuron Industries, Inc.

12200 DENTON DRIVE CALLAS TERA 7 194 c 1970 Thurne industrie in Mader in U.S.A.