

## RESTRICTED USE PESTICIDE

For retail sale to, and use only by, Licensed Applicators or persons under their direct supervision and only for those uses covered by the restricted use label on the container.

FOR USE ON DOGS AND CATS

# VET-KEM. KEM-DIP

Kills Resistant Ticks & Fleas

ACTIVE INGREDIENTS: Etoxathion 2,3-bis-(4-isoxazol-5-yl)-S,S-Eth. (1,1'-dimethyl phosphorodithioate) 1.00%; Related compounds 1.0%; Dimethyl benzoyl carbamoyl ethane 9.50%; Related compounds 1.0%; 1,1,1-tri-n-propyl dimethyl phosphite 0.93%; Related compounds 0.07%; Pine Oil 21.00%; Petroleum distillate 49.00%.

INEFF. INGREDIENTS: 10.0%

Keep Out of Reach of Children

### WARNING

See back panel for additional warnings.

### CONTENTS:

EPA Reg. No. 2724-65

1280-A

Z. B. M. PRODUCTS

1000 North Loop West, Dallas, Texas 75244

## BEST DOCUMENT AVAILABLE

For use on dogs and cats. Dilute 1 gallon of KEM-DIP with 100 gallons of water. Spray on the animal and the animal's bedding. Repeat treatment as necessary, but not more often than once weekly.

For use on ticks and fleas on dogs and cats. Dilute 1 gallon of KEM-DIP with 100 gallons of water. Spray on the animal and the animal's bedding. Repeat treatment as necessary, but not more often than once weekly.

For use on ticks and fleas on dogs and cats. Dilute 1 gallon of KEM-DIP with 100 gallons of water. Spray on the animal and the animal's bedding. Repeat treatment as necessary, but not more often than once weekly.

For use on ticks and fleas on dogs and cats. Dilute 1 gallon of KEM-DIP with 100 gallons of water. Spray on the animal and the animal's bedding. Repeat treatment as necessary, but not more often than once weekly.

For use on ticks and fleas on dogs and cats. Dilute 1 gallon of KEM-DIP with 100 gallons of water. Spray on the animal and the animal's bedding. Repeat treatment as necessary, but not more often than once weekly.

1280-A

© 1965 Z. B. M. Products

1280-A

## RESTRICTED USE PESTICIDE

For retail sale to, and use only by, Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

FOR USE BY OR UNDER THE SUPERVISION OF  
VETERINARIANS ONLY

# VET-KEM. KEM-DIP

**Kills Resistant Ticks & Fleas**

ACTIVE INGREDIENTS: Dioxathion 2,3-p-dioxanedithiol S,S-bis (O,O-dimethyl phosphorodithioate) 3.50%; Related compounds 1.50%; Diethyl diphenyl dichloroethane 9.50%; Related compounds 0.50%; 2,2-Dichlorovinyl dimethyl phosphate 0.93%; Related compounds 0.07%; Pine oil 25.00%; Petroleum distillate 49.00%.

INERT INGREDIENTS: 10.00%

Keep Out of Reach of Children

### WARNING

See back panel for additional warnings.

### CONTENTS:

EPA Reg. No. 2724-65

EPA Est. 2724-TX-1

ZOECON INDUSTRIES  
12200 Denton Drive, Dallas, Texas 75234

**BEST DOCUMENT AVAILABLE**

DIRECTIONS FOR USE - For Control Of Ticks And Fleas On Dogs: Dilute 1 gallon of KEM-DIP with 25 to 50 gallons of water ( 2 1/2 to 5 ounces per gallon) and dip, sponge or spray dogs thoroughly. Repeat as necessary, but not more often than once weekly.

For Control Of Ticks And Fleas In Doghouses, Lawns and Outdoor Areas: Dilute 1 gallon of KEM-DIP with 10 gallons of water (12 ounces per gallon) and spray infested areas. Pay particular attention to places where dogs have been sleeping or resting for the past several months. Repeat treatment as necessary. Do not dip dogs with this solution.

WARNING: May be fatal if swallowed, inhaled or absorbed through skin. Do not breathe spray mist. Do not get in eyes or on skin. Wash hands, arms, and face with soap and water after handling and before eating or smoking. Rapidly absorbed through skin. Wash all contaminated clothing with soap and hot water before reuse. Wear natural rubber gloves. Avoid contact with eyes and mouth of animal. Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, food containers or cooking utensils.


ANTIDOTE: External - wash with soap and water; Internal - call a physician immediately. Large doses of Atropine are antidotal. Give emetic of mustard.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Made in USA

© 1980 Zoecoa

1280-A



**BEST DOCUMENT AVAILABLE**

21