Plane med instructions on re-	-75 verse before completing form.	1-5-2001	Form Approved. O	MB No. 2070-	1060. Approval expires 2-28-95	
& EPA	United States Environmental Protecti Washington, DC 20		Registra Amenda X Other	ation	OPP Identifier Number	
	Applic	ation for Pesticide - Secti	on I			
Company/Product Number     Wellmark International/2724	<b>1-</b> 75	EPA Product Manager     G. Tompkins		3.1	Proposed Classification	
Company/Product (Name)     Wellmark International/V	et-Kem Kemic Flea & Tick Powder	PM#			X None Restricted	
5. Name and Address of Applic Wellmark International 1100 East Woodfield Road Schaumburg, Illinois 6017	73		6. Expedited Review. In accordance with FIFRA Section 3(C)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.			
<u> </u>		Section - II		-		
Label Notification: Addition	e to Agency letter dated	Other	Final printed labels in response to NOTIFICATION Agency letter dated "Me Too" Application JAN 0 5 200  Other - Explain below.			
EPA. I further understand t FIFRA and I may be subjec	statement of formula of this product. I hat if this notification is not consistent at to enforcement action and penalties	with the terms of PR Notice 98-1	0 and 40 CFR 152.44	6, this produc	t may be in violation of	
1. Material This Product Will						
Child-Resistant Packaging  Yes  X No  * Certification must be	Unit Packaging  Yes  X No  If "Yes Unit No. per Packaging wgt. container	Water Soluble Packaging  Yes  X No  If "Yes Unit No. Packaging wgt. con	per X	Metal Plastic Glass Paper Other (Specify)		
3. Location of Net Contents Int  X Label Co  6. Manner in Which Label is A	ontainer 5 oz  ffixed to Product X Lith Pag		5. Location of Labe  X On Labe On Labe		g Product	
		Section - IV			· · · · · · · · · · · · · · · · · · ·	
1. Contact Point (Complete	items directly below for identification of		essary, to process th	is application		
Name Nancy Huebi		Title Regulatory Specialist	· · · · · · · · · · · · · · · · · · ·	Telephone No. (Include Area Code) (847) 330-5376		
	Certificatements I have made on this form and all any knowingly false or misleading statements.	attachments thereto are true, accura			6. Dute application Received (Stamped)	
2. Signature Mancy	Duebl	3. Title Regulatory Specialist			. ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (	
4. Typed Name Nancy Huebl		5. Date December 20, 2000				

**Label Review Sheet** 

FILENAME: G:\LABELS\CAHSPEC\

Powder

02724075\dec 00 flea tick

**COVERSHEET UPDATE:** 

December 2000

powder notif tte

2724-75

**NOTIFICATION** 

PRODUCT:

Vet-Kem Kemic Flea & Tick

**EPA REG. NO.:** 

JAN 0 5 200

**APPROVED** 

Notif submitted 12/21/00

SUPERSEDES:

6/4/99

**OVERVIEW: Additional marketing claims** 

Page #	Description of Major Changes	
1	Marketing claims added: Controls fleas & ticks	
	For dogs & cats 12 weeks of age	
	Tested, trusted, effective	
3	Address change	



[] indicates optional text

### **NOTIFICATION**

JAN 0 5 200)

## VET-KEM® KEMIC FLEA & TICK POWDER

For use on adult cats/dogs over 12 weeks of age
Controls Fleas and Ticks
For Dogs & Cats 12 weeks of age
Tested, Trusted, Effective
Available Through Veterinarians
[Step 4][Part of the (Brand Name)(#) step Pet Protection Program]
100% Satisfaction Guaranteed

#### **ACTIVE INGREDIENT:**

Carbaryl (CAS #63-25-2)	5.25%
OTHER INGREDIENTS:	<u>94.75%</u>
TOTAL:	100.00%

#### KEEP OUT OF REACH OF CHILDREN

#### **CAUTION**

See back panel for additional Precautions

**NET WEIGHT:** 

# READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS OR CATS

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Kemic may be used as an aid in the control of Brown Dog Ticks on dogs, cats, and premises and is effective against fleas on dogs and cats.

This product should not be applied by children. Use product only outside or in a well-ventilated area.

For control of ticks and fleas on dogs and cats: Wearing household latex or rubber gloves, dust entire animal, avoiding pet's eyes, nose, mouth, and genital areas. Rub or brush pet's hair to work dust down to the skin. Be sure to apply also to the feet, between the toes, and on the legs. Comb out dead ticks a few hours after treatment.

When dusting mother dogs or cats, remove the mother for treatment and return her to the puppies or kittens after one or two hours. Repeat every week if needed.

**In kennels, dog houses:** Dust in and around sleeping quarters and other areas where ticks and fleas occur. Dust pet bedding and doghouse using a shaker can or other dust applicator.

**STORAGE AND DISPOSAL**: Store in original closed container away from children. Do not reuse empty container. Wrap and put in trash.

#### PRECAUTIONARY STATEMENTS

1

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin, or clothing. Wash thoroughly after handling. Do not use this product in places where food is prepared or processed. Consult a veterinarian before using this product on debilitated, aged, animals on medication, or nursing animals. Do not use on pregnant dogs or cats. Do not use on kittens or puppies under 12 weeks of age. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals.

FIRST AID: If Swallowed, call a physician/veterinarian or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting. If Inhaled, remove individual to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. If in Eyes, flush eyes with plenty of water. Call a physician/veterinarian if irritation persists. If on Skin, wash with plenty of soap and water. Get medical attention if irritation persists.

**NOTE TO PHYSICIAN/VETERINARIAN:** Atropine and homatropine are antidotal only if symptoms of cholinesterase inhibition are present. Usual symptoms in animals include salivation, labored breathing, incoordination, and pin-point pupils.

#### **USER SAFETY REQUIREMENTS**

- Wear long-sleeved shirt, long pants, shoes plus socks, and household latex or rubber gloves when applying this product.
- Change clothing as soon as possible after use, wash clothing before reuse.
- Wash the outside of gloves before removing. As with any pesticide product, wash
  hands thoroughly with soap and water immediately after handling and before eating,
  smoking, or using the toilet.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling is contrary to label instructions.

Visit our web site: [web site URL]

Wellmark International Schaumburg, IL 60173

EPA Reg. No. 2724-75 Made in USA

EPA Est. No.

VET-KEM® is a registered trademark of Wellmark International.

For information, or in case of an emergency, call [phone number]