

INDOOR FOG

For the control of Flies, Mosquitoes, Wasps, Gnats, Fruit Flies, and other small flying insects in food processing plants, industrial plants, theatres, and warehouses, use **VAPONA-20** at the rate of one gallon to twenty gallons of kerosene, Diesel oil, or other suitable solvent. One gallon of 1.0% solution will treat 64,000 cubic feet. Apply when plants are not in operation. Ventilate before reoccupation. Do not contaminate foodstuffs or food handling equipment. During indoor fogging, use masks or respirator approved by the United States Bureau of Mines for DDVP protection. To be applied by pest control operators only. Not for use or storage in or around the home.

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Wear natural rubber gloves, protective clothing, and goggles when handling the concentrate. In case of contact, wash immediately with soap and water. Do not contaminate feed or foodstuffs. Wash hands, arms, and face thoroughly with soap and hot water before eating or smoking. Wash all contaminated clothing with soap and water before re-using.

Do not use, pour, spill or store near heat or open flame.
Do not reuse empty container; bury or discard in a safe place.
Destroy by perforating or crushing.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams or ponds. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

ANTIDOTE: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. **CALL A PHYSICIAN IMMEDIATELY.** If on skin, in case of contact, remove contaminated clothing and immediately wash skin with soap and water. If inhaled, remove victim to fresh air. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Seller makes no warranty, expressed or implied, concerning the use of this product, other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling is contrary to label instructions.

U.S. Pat. Nos. 2,956,073; 3,116,201

Made in U.S.A.

* Reg. T. M. Shell Chemical Co.

 **POISON**

VA

Us

See ar
ACTIVE IN
1.4%; xyl
INERT ING
E.P.A. Reg.



VAPONA^{*}-20

WITH DDVP Insecticide

KILLS FLIES, MOSQUITOES, AND GNATS

Use in Poultry Houses, Dairy Barns, and Food Plants

DANGER: Keep Out of Reach of Children

See antidote statement and other required warning statements on the back panel.

ACTIVE INGREDIENTS: 2, 2-dichlorovinyl dimethyl phosphate 18.6%; related compounds 1.4%; xylene 73.15%.

INERT INGREDIENTS: 6.85%.

E.P.A. Reg. No. 2724-82-AA

NET CONTENTS: FIVE GALLONS

TAKE TIME

**DIRECT
DAIRY AN**

To protect animals against Face Flies, Mosquitoes, VAPONA-20 with twenty mist spray spray animals hair but not enough to enough to treat an adult the morning. Do not apply animal per day.

DA

To control Flies, Mosquitoes, other animal shelters, mix fifty gallons of water. The gallon of finished spray Stir well and apply to windows and doors as a d contaminate feed, water,

FLY AND M

For Houseflies and Mosquitoes rate of one quart per fifty sugar per gallon of finished

0
panel.
ompounds
LLONS

TAKE TIME



**OBSERVE LABEL
DIRECTIONS**

DIRECTIONS FOR USE

DAIRY AND BEEF ANIMALS

To protect animals against Hornflies, Houseflies, Stable Flies, Face Flies, Mosquitoes, and Gnats, dilute one gallon of VAPONA-20 with twenty gallons of kerosene and apply as a mist spray. Spray animals just enough to wet the ends of the hair but not enough to soak the skin. One or two ounces is enough to treat an adult cow. Apply once daily, preferably in the morning. Do not apply in excess of two fluid ounces per animal per day.

DAIRY BARNs

To control Flies, Mosquitoes, and Gnats in Dairy Barns and other animal shelters, mix one gallon of VAPONA-20 with fifty gallons of water. The addition of one pound of sugar per gallon of finished spray material will prolong residual action. Stir well and apply to the floor, beams, walls, and around windows and doors as a coarse, wet, low pressure spray. Do not contaminate feed, water, or foodstuffs.

FLY AND MOSQUITO CONTROL

For Houseflies and Mosquitoes Outdoors: Use DDVP-20 at the rate of one quart per fifty gallons of water. Add one pound of sugar per gallon of finished spray to prolong the residual action.

Stir well and spray surfaces where Flies and Mosquitoes alight and feed. Use in outdoor areas where Flies and Mosquitoes are a problem.

Mosquito Larvae Control: Use VAPONA-20 at the rate of one-half pint per acre in sufficient oil or water to apply evenly by air or ground equipment. Repeat as needed.

Outdoor Fogging: For reduction of Flies, Mosquitoes, Gnats, and other small flying insects, use VAPONA-20 at the rate of one gallon to twenty gallons of kerosene, Diesel oil, or other suitable solvent. This dilution is to be used in fogging equipment which handles oil base insecticides.

POULTRY HOUSES

For Housefly Larvae: Use DDVP-20 at the rate of one quart per twenty-five gallons of water or oil. Apply to the breeding area as a spray or with a sprinkling can at the rate of one gallon of spray per 100 square feet of surface. Oil carrier may be used where added moisture is not desired.

KENNELS

For the control of Ticks and Fleas in kennels, mix one gallon of VAPONA-20 with forty gallons of water and apply as a coarse, wet, low pressure spray, using one quart of dilute solution per 500 square feet. Spray kennels, sheds, and infested objects, door frames, and cracks in the floor. Repeat as needed.

© 1971 THURON INDUSTRIES, INC.