VET-KEM KEMIC PET SPRAY

Available Through Veterinarians

For the Control of Resistant Ticks & Fleas

ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl N-methylcarbamate)	0.500%
Pyrethrins	0.050%
<pre>lechnical piperonyl butoxide*</pre>	0.100%
N-octyl bicycloheptena dicarboximide	0.166%
INERT INGREDIENTS:	99 1844

*Equivalent to 0.08% (butylcarbityl) (6-propylpiperonyl) ether and 0.02% related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional cautions.

NET CONTENTS: 14. 92. •(397. g)

DIRECTIONS FOR USE: t is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Remove cap and press down plastic button with hole away from you. Hold at a convenient distance from the animal, approximately 6 inches, so that the spray penetrates to the skin. Work from the back of the animal towards the front of the animal, fluffing the hair may help permit the spray to penetrate. Keep the spray moving constantly. Spray only enough that the hair and skin are slightly damp. Wet fins with spray. Do not allow spray to get in eyes, or on scrotum.

For cats spray on the basis of a 4 to 6 second application for a 5 pound cat; for dogs spray on the basis of a 20 to 30 second application for a 25 pound dog. Repeat treatment, if necessary, should not be more often than once weekly. Also treat bedding, interior of kennel and other places where ticks and fleas may be found. The cool sensation caused by the spray, as well as the hissing sound, may temporarily frighten nervous pets. Pets are expected to become accustomed to this treatment.

STORAGE & DISPOSAL: Store in cool area away from children. Do not reuse empty can. Wrap and put in trash.

CAUTION: Harmful if swallowed or inhaled. Avoid contact with skin. Avoid breathing of spray mist. Wash hands after use. Do not allow spray to get in eyes. Avoid treatment of or exposure to kittens and puppies less than 4 weeks old. Do not use on pregnant dogs. Do not use this product in places where food is prepared or processed.

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 1300 Fahrenheit may cause bursting. Never throw container into fire or incinerator.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material the such use and handling is contrary to label instructions.

> ZOECON INDUSTRIES A Division of Zoecon Curporation 12200 Centon Drive, Dallas, Texas 75234

EPA Req. No. 2724-90 185-B:6933A:0144A

EPA Est. c 1984 Zoecon Made in USA

