

DIMOX DILUTION TABLE

Volume of DIMOX	Volume of Water (Gallons)			
	Residual Wall Spray	Spot Spray	Housefly Maggots	General Outside Use
1 Pint	3	2½	2½	3
1 Quart	6	5	5	6
1 Gallon	24	20	20	24

ACCEPTED

AUG 18 1971

UNDER THE FEDERAL INSECTICIDE, FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC ROACH CONTROLLED UNDER NO. 2724-138

CAUTION

Vapor harmful. Harmful if swallowed. Concentrated material causes eye irritation. Avoid breathing vapor or spray mist. Use only with adequate ventilation. Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Do not use, pour, spill or store near heat or open flame. Keep out of reach of children. Rinse empty container thoroughly with water and discard it.

In case of contact with eyes, flush eyes with water for at least 15 minutes. Get medical attention.

This product is toxic to birds and wildlife. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NOTE TO PHYSICIANS: This product, upon repeated prolonged use, may cause cholinesterase inhibition. Atropine is antidotal.

U.S.D.A. Reg. No. 2724-138
 © 1971 Thuron Industries, Inc
 Made in U.S.A.

NET CONTENTS



ONE GALLON

DIMOX

EMULSIFIABLE CONCENTRATE
For the Control of Resistant and Non-Resistant Houseflies

ACTIVE INGREDIENTS:
 Dimethoate (O, O-dimethyl S-(N-methyl-carbamoylmethyl) phosphorodithioate) 23.4 %
 Petroleum hydrocarbons 66.6 %
INERT INGREDIENTS: 10.0 %
 100.0 %

CAUTION: Keep Out of Reach of Children
 See back panel for additional cautions.

Sold by
STARBAR
 a ZOECON-THURON company
 12200 Denton Drive, Dallas, Texas 75234

ENTS



ONE GALLON

DIMOX

EMULSIFIABLE CONCENTRATE
Control of Resistant and Non-Resistant Houseflies

INGREDIENTS:

thoate (O, O-dimethyl S-[N-methyl-moylmethyl] phosphorodithioate)	23.4 %
leum hydrocarbons	66.6 %
INGREDIENTS:	10.0 %
	100.0 %

UTION: Keep Out of Reach of Children
See back panel for additional cautions.

Sold by
STARBAR
a ZOECON~THURON® company
12200 Denton Drive, Dallas, Texas 75234

TAKE TIME



OBSERVE LABEL
DIRECTIONS

DIRECTIONS FOR USE

HOUSEFLIES

RESIDUAL WALL SPRAY: For control of houseflies in dairy barns, hog pens, sheds, poultry houses and other farm buildings, mix one gallon of **DIMOX** in 24 gallons of water. Apply this 1% spray to walls, ceilings, and all fly resting areas to the point of runoff. One gallon of spray will cover 500 to 1000 square feet of surface.

DIMOX will control flies up to 8 weeks or longer. Repeat applications as necessary.

Remove dairy animals, calves under one month of age, and poultry when making applications.

SPOT SPRAY: Mix 1 gallon of **DIMOX** with 20 gallons of water and apply with knapsack or similar type sprayer to doorways, windows or other fly resting areas. Repeat as necessary.

HOUSEFLY MAGGOTS: To control maggots in poultry droppings, caged layer houses, garbage piles, and other breeding spots, mix one gallon of **DIMOX** with 20 gallons of water and apply as a course spray or with a sprinkler can. The addition of Slick Spreader Sticker at the rate of 4 to 6 oz. per 100 gallons of spray will aid in the penetration of spray into manure piles. Repeat application as manure or garbage is added.

GENERAL OUTSIDE USE: To control houseflies around homes, recreational areas, garbage cans, animal quarters, food processing plants, warehouses, loading docks, and refuse areas, spray exposed areas, such as walls, fences, and refuse containers with one gallon of **DIMOX** in 24 gallons of water. Repeat treatment as necessary.

Do not contaminate feed and foodstuffs, drinking fountains, litter and feed trays. Do not use in milk rooms or milk storage rooms. Do not use in homes.