Directions for use

Use in Homes Restaurants, Hospitals, Kitchens, Motels, Bakeries, Industrial Plants, Warehouses, and other areas where foods are prepared and processed. Follow instructions for specific pests as listed below, repeating treatments as necessary. Do not use as a space spray in food processing plants when plant is in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when plant is not in operation.

Do not remain in treated areas and ventilate the area after treatment is completed.

Flies, Mosquitoes, Gnats, Wasps, and other small flying insects— Spray upwards with a sweeping motion for 4-6 seconds for each 1000 cu. ft. Keep room closed for 15 minutes after treatment.

Roaches, Waterbugs, Silverfish, Ants, Spiders, Centipedes, Millipedes, Sow Bugs. Spray liberally into breeding and hiding places such as cracks around baseboards, cabinets, walls, and woodwork. Thoroughly treat trails, runs, and other places where pests walk, crawl, or are seen. Spray directly on insects when possible. Repeat as necessary.

Carpet beetles, Moth larvae — Clean and air contaminated materials before treating. Spray directly on pests, repeating treatment as needed. Articles not stored in moth tight containers should be retreated at 30 day intervals. To protect woolens apply thoroughly, including seams and folds.

Bedbugs – Spray cracks and surfaces in baseboards, floors, moulding, and other contaminated areas. Take bed apart and treat mattress, springs, frame, and bedding. Air mattress for at least 4 hrs. before re-use.

Fleas, Ticks—Spray freely floors, floor coverings, cracks, bedding, sleeping quarters, and other areas frequented by pets. Repeat as necessary. Do not spray pets.

Caution! Harmful if swallowed, inhaled or absorbed through the skin. Avoid prolonged breathing of spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate utensils, feed, water or foodstuffs. Keep out of the reach of children. If swallowed, induce vomiting immediately and get medical attention. Atropine is anticlotal.

Do not spray directly on the skin or on animals. Remove birds and pets and cover fish bowls and aquaria before spraying room.

NET CONTENTS

14 O.C. AVDP.



Wil-Kil Aerosol

Kills resistant flies and roaches

Effective against Flies, Roaches, Ants, Moths and Certain Other Insects

ACTIVE INGREDIENTS: 2, 2:dichlorovinyldimethyl phosphate 0.46%, Related compounds 0.04%, Pyrethrins 0.20%, Technical Piperonyl Butoxide* 0.40%; Nioctyl Bicycloheptene Dicarboximide 0.66%; Petroleum distillate 13.24%.

thane, Trichlorofluoromethane 85.00%: TOTAL 100.00%

*Consists of 0.32% (butylcarbityl) (6-propyl-piperonyl) ether and 0.08% related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN SEE BACK PANEL FOR ADDITIONAL CAUTIONS

Wil-Kil Aeroso

Kills resistant flies and roaches

Effective against Flies, Roaches, Ants, Moths and Certain Other Insects

ACTIVE INGREDIENTS: 2, 2-dichlorovinyl dimethyl phosphate 0.46%; Related compounds 0.04%; Pyrethrins 0.20%; Technical Piperonyl Butoxide* 0.40%; Noctyl Bicycloheptene Dicarboximide 0.66%; Petroleum distillate 13.24%.

INERT INGREDIENTS: Dichlorodifluorome thane, Trichlorofluoromethane 85.00%.

TOTAL 100.00%

*Consists of 0.32% (butylcarbityl) (6-propylpiperonyl) ether and 0.08% related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN