



# SIMAX<sup>®</sup>

**DAIRY AND BEEF CATTLE DUST**

**CONTAINS 3% CIODRIN\* INSECTICIDE**

### CONTROLS HORNFLIES AND LICE

APPROVED FOR DIRECT APPLICATION TO LACTATING DAIRY CATTLE. WILL NOT CONTAMINATE MILK WHEN USED AS DIRECTED.

**ACTIVE INGREDIENTS:**

dimethyl phosphate of alpha-methylbenzyl  
3-hydroxy-cis-crotonate . . . . . 3.0%

**INERT INGREDIENTS:** . . . . . 97.0%  
100.0%

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
SEE BACK PANEL FOR ADDITIONAL CAUTIONS



Sold by  
**STARBAR, INC.**  
A Thuron Company  
12200 Denton Drive  
Dallas, Texas  
75234



**Net Contents:**  
**Four Pounds Avdp.**

# SIMAX<sup>®</sup> DAIRY AND BEEF CATTLE DUST

## DIRECTIONS FOR USE

**GENERAL DIRECTIONS:** SIMAX DAIRY AND BEEF CATTLE DUST is a specially prepared ready-to-use livestock dusting powder. No waiting period is required when used on animals being fed for slaughter. Do not treat calves under 6 months of age. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates.

**FOR DIRECT APPLICATION TO DAIRY AND BEEF CATTLE TO CONTROL HORNFLIES AND LICE:** For the control of hornflies on beef and lactating dairy animals, apply 1 - 2 heaping tablespoonsful to the backline of the animal, covering in addition the poll, neck, and upper portions of the sides. Repeat above application as necessary to maintain control, but not more often than once every 14 days. Wash hands thoroughly after use.

For the control of lice on dairy and beef cattle, treat animals thoroughly. If required, repeat this thorough application in 3 - 4 weeks.

**DUST BAG:** For control of hornflies, and as an aid in the control of lice, on dairy cattle and beef cattle, SIMAX DUST may be applied daily when application is made with Dust Bags. To prepare dust bags for animal use, place 4 - 8 pounds of SIMAX DUST in cotton cloth or double burlap bags and suspend bags near mineral or salt blocks, in alleyways leading to or from animal building, or dairy barns. Dust bags may also be suspended in livestock inclosure pens, feed lots, and loafing sheds where possible. Protect bags from weather by placing them under shelter.

**CAUTION:** AVOID PROLONGED OR REPEATED inhalation of dust and contact with skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water, or foodstuffs. Do not contaminate any body of water, by direct application, cleaning of equipment, or disposal of wastes or containers. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling is contrary to label instructions.

U.S.D.A. Reg. No. 2724-146

\*Ciadrin Reg. Trademark Shell Chemical Co.

Sold by  
**STARBAR, INC.**  
A Thuron Company  
12200 Denton Drive  
Dallas, Texas 75234

NET. WT. 4 LBS.