

2724-149

06/28/1979

1/1

DIRECTIONS FOR USE

FLEAS, TICKS — Spray freely floors, floor coverings, cracks, bedding, sleeping quarters, and other areas frequented by pets. Repeat as necessary. Do not spray pets.

CAUTION! HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN.

Avoid contact with skin or eyes. Avoid breathing of spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate utensils, feed, water or foodstuffs. Keep out of the reach of children. If swallowed, call a physician immediately. Atropine is antidotal.

Do not remain in treated areas. Ventilate the area after treatment is completed.

DO NOT SPRAY DIRECTLY ON THE SKIN OR ON ANIMALS. Remove birds and pets and cover fish bowls and aquaria before spraying room. An average sized room would require 4-6 seconds of spraying.

PHYSICAL OR CHEMICAL HAZARDS: Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

EPA Reg. No. 2724-149

Made in USA
© 1977 Zocon

EPA Est. 11715-TN-1

5/79A

**ZOECON
VAPORETTE
SPRAY**

ACCEPTED
JUN 28 1979
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2724-149

KILLS INSECTS WITH VAPOR ACTION

ACTIVE INGREDIENTS:	
2,2-Dichlorovinyl dimethyl phosphate	0.465%
Related compounds	0.035%
Petroleum distillate	13.978%
INERT INGREDIENTS	85.522%
	100.000%

WARNING: Keep Out of Reach of Children
See back panel for additional precautionary statements.

ZOECON INDUSTRIES
12200 Denton Drive - Dallas, Texas 75234

Net Weight 20 oz.

DIRECTIONS FOR USE

Use in Homes, Restaurants, Hospitals, Kitchens, Motels, Bakeries, Industrial Plants, Warehouses, and other areas where foods are prepared and processed. Follow instructions for specific pests as listed below, repeating treatments as necessary. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

FLIES, MOSQUITOES, GNATS, WASPS — Spray upwards with a sweeping motion for 4-6 seconds for each 1000 cu. ft. Keep room closed for 15 minutes after treatment.

ROACHES, WATERBUGS, SILVER-FISH, ANTS, SPIDERS, CENTIPEDES, MILLIPEDES, SOW BUGS — Spray liberally into breeding and hiding places such as cracks around baseboards, cabinets, walls, and woodwork. Thoroughly treat trails, runs, and other places where pests walk, crawl, or are seen. Spray directly on insects when possible. Repeat as necessary.

CARPET BEETLES, MOTH LARVAE — Clean and air contaminated materials before treating. Spray directly on pests, repeating treatment as needed. Treat upper and under sides of carpets for carpet beetles. Articles not stored in moth tight containers should be retreated at 30 day intervals.

BEDBUGS — Spray cracks and surfaces in baseboards, floors, moulding, and other contaminated areas. Take bed apart and treat mattress, springs, frame, and bedding. Air mattress for at least 4 hrs. before re-use.