

SOLD BY **VET-KEM LABORATORIES INC.**
a ZOECON ~ THURON® company
12200 DENTON DRIVE, DALLAS, TEXAS 75234

Directions for use

Buckle Flea Collar around cat's neck securely but very loosely. Cut off any excess length of collar and dispose of it. THE FLEA COLLAR starts killing fleas as soon as it is placed around cat's neck. The fleas on the cat will be killed and new ones which may temporarily appear on the cat will also be killed during the 3 months collar is worn. Excessive exposure to water reduces effectiveness. Remove if cat is bathed. Replace collar when effectiveness diminishes. Collar must be worn loosely. **ACTIVE INGREDIENTS:**

2, 2-dichlorovinyl dimethyl phosphate	4.37%
Related Compounds	0.33%
INERT INGREDIENTS:	95.30%

Caution: Do not open inner envelope until ready to use. Do not allow children to play with this collar. Collar is intended for use only as an insecticide generator (Shell's U.S. Patents 2,956,073 and 3,116,201) and is not to be taken internally by man or animals. For use on cats only. Cats occasionally object to wearing a collar. They are also



unpredictably sensitive to many chemicals. In such cases (or if collar is too tight), a neck irritation may result. Should this happen remove collar and permit area to heal. Do not use on sick or convalescing cats. Do not use on Persians. Do not use any other pesticide on cat while Flea Collar is worn. (For fleas on dogs use FLEA COLLAR FOR DOGS.) Animals should not be allowed to chew on the collar. When collar is first worn, observe neck area for irritation every few days.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling is contrary to label instructions.

U.S.D.A. REG. NO. 2724-159
©1971 Vet-Kem Laboratories, Inc.



kemic flea collar



vet-kem

AVAILABLE THROUGH VETERINARIANS ONLY

kemic flea collar

flea collar



vet-kem

kemic

for cats-white

CONTENTS: 1 COLLAR — 2/5 OZ. NET WT.

CAUTION: DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR
SEE CAUTIONS ON BACK

ACCEPTED

SEP 21 1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 224-157 SUBJECT
TO ATTACHED COMMENTS.

aa collar cats

not open until ready for use.

CAUTION: Do not allow children to play
with this collar.

INGREDIENTS:

1. 2,2,4-trimethyl-1,3-dioxane dimethyl phosphate
2. 2,2,4-trimethyl-1,3-dioxane dimethyl phosphate

3. 2,2,4-trimethyl-1,3-dioxane dimethyl phosphate

Instructions and directions for use.
See accompanying carton label.

11000 CR

5 VET-KEM LABORATORIES, INC.
14
1

Directions for use

Buck the Flea Collar into the neck of the animal and secure by fastening the buckle. Trim the excess length of collar and dispose of it. THE FLEA COLLAR should be replaced as soon as the animal has shed its skin. Flea fleas on the collar will be killed and few other animals will be killed. Fleas appear on the collar as soon as they appear on the animal's skin and during the 30 days of use. Excess length should be cut off and effect will be maintained. Replace collar with effect will be maintained. Replace collar with effect will be maintained. Replace collar with effect will be maintained.

ACTIVE INGREDIENTS

2,2-Dichlorovinyl dimethyl phosphate

Related compound

INERT INGREDIENTS

Caution: Do not use on animals until ready to use. Do not allow to play with this collar. Collar intended for use only as a

generally in Shell's U.S. Patents 2,956,073 and 3,116,071 and


be taken internally by national and

For use in the U.S. only as a


subject to the U.S. Patent



vet-kem



vet-kem



KEMIC

FLEA COLLAR FOR CATS
WHITE
KILLS FLEAS FOR 3 MONTHS

CAUTION: Do not allow children to play with this collar

See cautions on back

CONTENTS 1 COLLAR 1/2 OZ. Net Weight

FITS CATS OF ALL SIZES

VET-KEM LABORATORIES

A THURON COMPANY

10200 Denton Drive

Irving, Texas 75039

ACCEPTED

7-22-71

VET-KEM LABORATORIES
10200 DENTON DRIVE
IRVING, TEXAS 75039

2724-157

DIRECTIONS

1. Remove the old collar if the cat has worn one.
2. Slip the new collar over the cat's head and adjust it so that it is snug but not tight.
3. The collar will protect the cat from fleas for 3 months.

ACTIVE INGREDIENTS

1. 1,2-Dichlorobenzene 1.000g
2. 1,4-Dichlorobenzene 1.000g

CAUTION

1. Do not allow children to play with this collar.
2. Do not use on dogs or other animals.
3. Do not use on cats that are pregnant or nursing.
4. Do not use on cats that are sick or debilitated.
5. Do not use on cats that are allergic to the active ingredients.