

SOLD BY

STARBAR

a ZOECON - THURON company 12200 Denton Drive - Dallas, Texas 75234

NET CONTENTS: 5 POUNDS AVDP.

DIRECTIONS FOR USE

BEEF CATTLE

For the control of Hornflies and Lice on beef cattle, treat per animals thoroughly and rub dust lightly into hair. Repeat 🚺 treatment as needed.

SWINE

 For control of Hog Lice, apply dust to hogs, pens, and litter One treatment may be sufficient. Treat animals thoroughly Repeat in 10 days or thereafter as needed.

SHEEP & GOATS

For control of Lice and Keds on sheep and goats, treat animal thoroughly preferably following shearing. Repeat as needed.

CAUTION

Harmful if swallowed. May be absorbed through the skin. Avoid breathing of dust. Avaid contact with eyes, skin, and clothing. . Wash tho wighly after using . Do not use on calves under three $oldsymbol{\mathbb{T}}$

Do not use on tany aminals, including dairy cattle and dairy 🖰 goats. Do not apply within 28 days of slaughter. Do not use in dairy bachs, milk rooms, and politicy houses. Do not contaminate

This product is taxic to fish and wildlife. Do not contaminate

Seller makes no warranty, expressed as implied concerning the use of this product other than indicated on the label. Buyer as sumes all risk of use and handling of this material which such use and handling is contrary to label instructions

EPA Reg No 2724 165



4114

DOST PRINTS PADE AND THE STOCK TO THE STOCK



LIVESTOCK DUST

FOR BEEF CATTLE, SHEEP, GOATS AND HOGS

CONTAINS
TOXAPHENE AND METHOXYC LOR

ACTIVE INGREDIENTS.

Toxaphene (Technical Chlorinated Camphene	
containing 67 to 69 percent Chlorine)	5%
Methoxychlor, Technical*	5%
INERT INGREDIENTS:	۶0 <i>%</i>

*Equivalent to 4.4 % 2.2 bis <code>fpimethoxyphenyi</code>)- <code>1, 1, 1-trichloroethane</code> and 0.6 % related reaction products.

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS



SOLD BY STARBAR

a ZOÉCON ~ THURON : company 12200 Denton Drive — Dallas, Texas 75234

NET CONTENTS:5 POUNDS AVDP

DIRECTIONS FOR USE

BEEF CATTLE

tor the last of the state of an area of the state of the

tread trese letter in a record of the

SWINE

For control of Mogrice apply dost to two personal offer.

One treatment may be sufficient. Treat animal the riognov.

Repeat in 10 days or thereafter as needed.

SHEEP & GOATS

For control of Lice and Keds on sheep and goats, treat animal thoroughly preferably following shearing. Repeat as needed.

CAUTION

Harmful if swallowed. May be absorbed through the skin. Avoid breathing of dust. Avoid contact with eyes, skin, and clothing. Wash thoroughly after using. Do not use on calves under three months of age.

Do not use on fairy animals, including dairy cattle and dairy goats. Do not apply within 28 days of slaughter. Do not use in dairy barns, milk rooms, and poultry houses. Do not contaminate feed or foodstuffs.

This product is toxic to fish and wildlife. Do not contaminate streams, lakes, or ponds.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling is contrary to label instructions.

E.P.A. Reg. No. 2724-165

4 1970 THURON INDUSTRIES, INC. Made in U.S.A.

ACL-20740.C