

Instructions:  
Use as directed



insect strip kills flies &

institutional

**insect**

**strip**



**kills flies,**


mosquitoes

& other small

flying insects

with vapor action

insect strip




**kills flies & mosquitoes**

WITH VAPOR ACTION



**kills flies,  
mosquitoes  
& other small  
flying insects**  
with vapor action  
for up to 3 months

Use in



ACCEPTED  
3/12/74  
2724-167

RECEIVED  
JAN 17 1974  
FEDERAL BUREAU OF INVESTIGATION  
WASHINGTON, D.C.

INSTITUTIONAL INSECT STRIP

DO NOT OPEN UNTIL READY FOR USE  
TO BE USED IN ENCLOSED AREAS ONLY

Controls flies, mosquitoes, gnats and other small flying insects.

Use in homes, offices, motels, dairy barns, warehouses and animal shelters.

DIRECTIONS FOR USE

HOMES - OFFICES - MOTELS

To control flies, mosquitoes, gnats and other small flying insects, suspend one THURON INSTITUTIONAL INSECT STRIP per average size room (10x10x10 feet) or per 100 square feet of floor area. Normally this is effective for three months. Replace strips if effectiveness diminishes. For control of flies in garbage cans, attach one THURON INSTITUTIONAL INSECT STRIP inside of an average size garbage can (20 gallon capacity). One unit will be effective for the entire fly season. Keep lid on garbage can.

ANIMAL BUILDINGS

To control flies, mosquitoes, gnats and other small flying insects in Horse barns, Dairy barns, Calf barns, Stables, Pig Parlors, Dog kennels, Poultry houses and other farm buildings, suspend one THURON INSTITUTIONAL INSECT STRIP (10" strip-3.7 ozs.) for each 100 square feet of floor space. If more than one strip is required, distribute them equally over area to be treated. Weather and other conditions such as strong drafts may alter the performance, but this treatment is usually effective for one season. Replace strips if effectiveness diminishes.

NOTICE

CAUTION: Do not get in mouth, harmful if swallowed. After prolonged storage, a small amount of liquid may form on Strip. Do not get liquid in eyes. Wear rubber gloves while handling or hanging. Wash hands thoroughly with soap and water after handling strip. Do not contaminate food, water, food containers or cooking utensils. Do not use in edible product areas of food processing plants. Do not place in hospital or clinic rooms, such as patient rooms, wards, nurseries, operating or emergency areas. Do not use in any rooms where infants, the sick, or aged are or will be present for any extended period of confinement. Do not use in kitchens, restaurants, or areas where food is prepared or served.

ACTIVE INGREDIENTS:	BY WEIGHT
2,2-dichlorovinyl dimethyl phosphate.....	13.6
Related compound.....	1.4
INERT INGREDIENTS:.....	80.0
TOTAL.....	100.0

41 percent to 26.0 Vapors <sup>4</sup> Insecticide

U.S.A. Pat. No. 2731 157

REGISTERED TRADEMARK OF THURON CHEMICAL CO.  
12200 Cotton Drive, Dallas, Texas 75244

