

2724-185

2724-185

Do not use on surfaces that are painted or have a wax or oil finish. Do not use on any type of water pipe or container. Do not use on any type of electrical wiring or equipment. Do not use on any type of machinery or equipment.

Do not reuse empty container. Destroy it by burning with waste oil burning. Stay away from smoke or fumes.

Harmful if swallowed. Keep out of reach of children. Avoid contamination of food and feedstuffs.

Avoid eye contact and skin contact. Wash thoroughly with soap and water. Avoid contact with open flames.

Directions for Use

Apply to surfaces only until wet. Use on walls, ceilings, floors, and other surfaces. Do not use on any type of electrical wiring or equipment. Do not use on any type of machinery or equipment.

Do not use on any type of electrical wiring or equipment. Do not use on any type of machinery or equipment. Do not use on any type of electrical wiring or equipment.


Do not use on any type of electrical wiring or equipment. Do not use on any type of machinery or equipment. Do not use on any type of electrical wiring or equipment.

Do not use on any type of electrical wiring or equipment. Do not use on any type of machinery or equipment. Do not use on any type of electrical wiring or equipment.

Do not use on any type of electrical wiring or equipment. Do not use on any type of machinery or equipment. Do not use on any type of electrical wiring or equipment.

Jul 18 1972

2724-185
Comments



INSTITUTIONAL

LONG LASTING QUICK KILL

T45

Ready to use type formula

CONCENTRATED
2.5% SOLUTION
1.0% SOLUTION
0.5% SOLUTION
0.25% SOLUTION

For more information
contact the manufacturer
or distributor
of this product

THURON INSTITUTIONAL COMMENTS

Indications: For the removal and control of bots (*Gastrophilus intestinalis*, *G. nasalis*) and Ascarids (*Parascaris equorum*) in horses other than foals (sucklings and young weanlings).

Directions: Give one fluid ounce of T-113 per 200 pounds of body weight. Emulsify the measured amount of T-113 in a convenient amount of water (½ to 2 pints) and administer via stomach tube only. Mix only the amount needed for use at the time of treatment. Do not mix in advance of treatment and store for future use. Fasting of horses prior to or after treatment is unnecessary.

Contraindications: Horses severely debilitated, suffering from diarrhea or severe constipation, infectious disease, toxemia or colic should not be treated until such conditions are corrected with proper therapy.

Precautions: Butonate is a cholinesterase inhibitor. Do not use T-113 in horses simultaneously or within a few days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. Overdosage results in typical organophosphate poisoning, i.e., salivation, diarrhea, ataxia and tremors. Atropine is antidotal.

Avoid contact with skin. Should skin contact occur, wash thoroughly with soap and water. Discard empty container in trash or bury. NEVER REUSE

LOT NO

EXPIRATION DATE

DISTRIBUTED BY VET-KEM
12200 Denton Drive Dallas, Texas 75234
*U.S. PAT. NO. 2,927,881
© 1972 THURON INDUSTRIES, INC.
MADE IN U.S.A.



vet-kem®

ACCEPTED

JUN 15 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. ... SUBJECT
TO ATTACHED COMMENTS.

T-113

(Brand of Butonate)

PL-07339-B

