


kemic



for cats-clear

CONTENTS: 1 COLLAR - 2/5 OZ. NET WT.

CAUTION: DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR SEE CAUTIONS ON BACK





SOLD BY VET-KEM LABORATORIES a ZOECON ~ THURON R company 12200 DENTON DRIVE CALLAS TEXAS TS23:



Directions for use

kemic flea collar

Buckle Flea Collar around cat's neck securely but very loosely. Cut off any excess length of collar and dispose of it. THE FLEA COLLAR starts killing fleas as soon as it is placed around cat's neck. The fleas on the cat will be killed. and new ones which may temporarily appear on the cat will also be killed during the 3 months collar is worn Excessive exposure to water reduces effectiveness. Remove if cat is bathed Replace collar when effectiveness diminishes. Collar must be worn loosely ACTIVE INGREDIENTS

2, 2-dichlorovinyl dimethy: phosphate 4 37°c Related Compounds 0.33% INERT INGREDIENTS 95 30°°

Caution: Do not open inner envelope until ready to use. Do not allow children to play with this collar Collar is intended for use only as an insecticide generator and is not to be taken internally by man or animals. For use on cats only. Cats occasionally object to wearing a collar. They are also unpredictably sensitive to many

chemicals. In such cases for if collar is too tight), a neck irritation may result Should this happen remove collar and permit area to heal. Do not use on sick or convalescing cats. Do not use on Persians. Do not use any other pesticide on cat while Flea Collar is worn (For fleas on dogs use FLEA COLLAR FOR DOGS) Animals should not be allowed to chew on the collar. When collar is: first worn, observe neck area for irritation every few days.

lassumes all risk of use and handling of this

U.S. PAT. NOS 2,956,073; 3 116 201 3.318,769

U.S.D.A. REG. NO. 2724-189

© 1971 Thuron Industries, Inc.

ACEFTE:

acollar



open until ready for use.

Do not allow children to be with this collar.

-: 4° **S**

en as and depotions for the engagement carton label.