

### DIRECTIONS

After opening TRAX Bait Station (see diagram), place it in a protected spot where the rats and mice ordinarily feed and water, or where they travel or live. TRAX Bait Station should be placed along walls and in corners rather than in the middle of the room. If this container is not used as a Bait Station, pour TRAX into shallow container.

**CAUTION** — Treated baits should be placed in locations not accessible to children, pets, wildlife, and domestic animals, or in tamper-proof bait boxes.

**FOR RATS:** Use one or two bait stations at every point of large activity. Look for such tell-tale signs as gnawings, tracks or trails, burrows, droppings or damage. An uninterrupted supply of bait should be maintained for at least 10 days.

**FOR MICE:** Use a larger number of smaller bait placements — about 1 tablespoon each at 8-10 foot intervals. An uninterrupted supply of bait should be maintained for at least 15 days.

### KEEP FEEDING STATIONS WELL SUPPLIED


It is important to inspect and replenish each station daily for the first week and regularly thereafter until bait is no longer being taken. If some bait stations are untouched, move to a different location. If baits become sour or moldy (as might be the case during extended periods of hot humid weather), replace with fresh bait as needed.

Where re-infestation from dumps and fields may occur, permanent TRAX Bait Stations should be set out and replenished as needed.


### CAUTION

If swallowed by humans, domestic animals, pets or wildlife, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of Vitamin K combined with blood transfusions may be indicated, as in the case of hemorrhage caused by overdoses of bishydroxycoumarin.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling is contrary to label instructions.



1 With sharp knife, cut along lines of bottom of TRAX Bait Station, then remove triangular shaped waste portion of TRAX container.



2 Place TRAX Bait Station as indicated in the Directions. Allow a portion to spill out around the bottom of the Bait Station — this is a self-feeder, therefore it is not necessary to check the Bait Station as often as required when a shallow dish is used.

Sold by  
**STARBAR**  
a Zeecon Thuron Company  
12200 Denton Drive  
Dallas, Texas 75234  
1972 Thuron Industries, Inc.  
Made in U.S.A.

E.P.A. Reg.  
No. 2724-202 AA



# TRAX<sup>®</sup>

## RAT AND MOUSE BAIT

ACTIVE INGREDIENT: Diphacinone  
(2-diphenylacetyl-1,3-Indandione) .005%  
INERT INGREDIENTS 99.995%



**CAUTION:**  
Keep Out of Reach  
of Children.

See back panel for  
additional cautions.

Net. Wt.  
1 Pound AVDP.