For use only when building is vacated by humans and pets


Directions: It is a first of the Do not contaminate feed, water The Mark And Edward Control the end of the transfer of the transfer to Important: The record of the first file of the file of of the organization as an exof the arm to a dealers of their in the to procent making particles (2) 1 11 1 2 3 1 2 3 2 19 19 19 19 or the terror through and the first term of Dominary A COLD TO BE DESCRIBED AND A COMMO of the first protection from the first of the first addition to the feet of of mit. I had at contribute of the second of the second of the second 大手 化氯化氯化物 机氯化物 the first trace of all or so a The second of th and the second second second

or foodstuffs. For the production and the second of the Authority of the A in the first of the state of th of the following and so that the con-高级的 人名伊拉尔 满 生态压力 and the story of the arms of the same of the or history operation.

ACT OF MARKSHAM FOR 4 horas 10 121 11 11 11 11 11 1 by a Dobleton will die orbi and a finished programmed a 2 day of A PHICAN AND SEL Hyrethrin, O.A. College to State A forest file to a section of the tight of the transfer of in a mage of PD in the recognition

THURONINDUSTRIAL SALES and the state of t







DIRECTIONS FOR USE ON BEEF CATTLE ONLY

STARBAR BEEF CATTLE DUST is effective for control of horn flies on cattle.

SELF-TREATMENT: Suspend dust bags near salt boxes, loafing sheds or near feed and water facilities. The bags should hang level at a height so that the lower portions hit the head, shoulders and back-line of the cattle being treated. Place a board baffle behind the bags if used near feed or water to prevent contamination. For mandatory use, suspend bags across a gate between pasture and water or between pasture and feeding areas.

CAUTION: Harmful if swallowed or absorbed through the skin. Do not breathe the dust. Do not get in eyes or on skin. Wear rubber gloves and fresh clothing. Wash with soap and water immediately after use or contact. Wash all contaminated clothing with soap and hot water before re-use.

ANTIDOTE: Atropine is antidotal. 2-PAM is also antidotal when administered early, and in conjunction with atropine.


Bury waste and empty container in a safe place away from water supplies.

This product is toxic to fish and wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. For use in dust bag (self-treatment) installation only. Do not permit access to bags within 21 days of slaughter. Do not treat dairy cattle. Do not treat sick or debilitated animals. Do not contaminate food or feed.

Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. For assumes all risk of use and handling or this material when such use and handling is contrary to label instructions.

Thuron Industries, Inc., 12200 Denton Drive, Dallas, Texas 75234

*U.S. Patent No. 2,767,194





Beef Cattle Dust

Cattle Insecticide



For Control of Horn Flies

EPA Reg. No. 2724 - 226

CAUTION: KEEP OUT OF REACH OF CHILDREN See buck panel for additional cautions

NET WEIGHT-2 POUNDS AVDP.