## **DIRECTIONS FOR USE**

THURON FLY BAIT contains MUSCAMONE fly attractant, which encourages flies to remain in the treated area, thus feeding on the bait. Bait should be scattered over specified fly feeding surfaces to provide initial knockdown and reduction of the housefly population.

Use THURON FLY BAIT only around the outside of feed lots, broiler houses, livestock barns, and kennels. This bait may be used on walkways in caged layer houses. Scatter bait at the rate of approximately ¼ lb. per 500 sq. ft. of fly feeding area. Do not allow food producing animals to have access to treated areas.

**CAUTION:** Avoid contamination of feed, foodstuffs, and animal quarters. May be harmful if swallowed. Store out of reach of children, poultry and domestic animals. Do not use where milk is stored or processed. Do not use treated garbage for animal feed. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Apply this product only as specified on this label

Severing a keronomist and a second resolution of the contraction of the contraction of the contraction of the contraction and a second resolution of the contraction and resolution and the contraction and the contraction and the contraction of the contraction and the contraction of the contraction and the contraction of the contraction

MUSCAMONE SENSENCE OF JOECH CONTROL OF REP



## Sugar Bait

ACTIVE INGR-DIENTS

Dimethyl (2.2.2-trichloro-1-hydroxyethyl) pho (2)-9-1 ricosene
INERT INGREDIENTS

## CAUTION: Keep Out of Rea See back panel for additi

EPA Reg. No. 27
THURDIA INDUSTRIES INC • 12200 Denta

NET WEIGHT—1 PO

NE fly attractant, reated area, thus bd over specified down and reduc-

e outside of feed cennels. This bait r houses. Scatter 500 sq. ft. of fly animals to have

foodstuffs, and wed. Store out of imals. Do not use use treated gare products areas ther areas where ed. Do not use in

by perforating or away from water

ner wildlife. Keep product only as

ng the use of this prom-If risk of use and hunintrary to tabe instruc-



## Sugar Bait for Flies

ACTIVE INGREDIENTS

Dimethyl (2 2.2-trichioro-1-hydroxyethyi) phosphonate
(Z)-9-fricosene
INERT INGREDIENTS

0 400% 0 125% 99 475%

CAUTION: Keep Out of Reach of Children. See back panel for additional cautions.

EPA Reg. No. 2724-228
THURON IN DUSTRIES INC • 12200 Denton Drive • Dallas, Texas 75234

NET WEIGHT-1 POUND AVDP.